

INSTRUCTIONS FOR USE
OF HOUSEFLIES

CROWN

FLYBAN 2-E

Systemic Insecticide

1273-140

CONTROLS HOUSEFLIES

For control of houseflies and other
household pests. Effective
against houseflies.

ACTIVE INGREDIENTS

Disulfoton (S)	50.0%
S, S-dimethyl phosphorothioate	50.0%
Residual insecticide	50.0%
Xylene	50.0%

INERT INGREDIENTS	50.0%
TOTAL	100.0%

KEEP OUT OF REACH
OF CHILDREN

See Side Panel for Precautions and Directions

NET CONTENTS 1273-140

WARNING

CROWN CHEMICAL
PO BOX 10000

127




FLYBAN 2-E

Systemic Insecticide

EPA Est. No. 523-IL-1

Manufactured by
CROWN CHEMICALS
ROCKFORD, IL 61101



OUTDOOR ORNAMENTAL PLANTS

This product is toxic to birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues. Protective information may be obtained from your Co-operative Agricultural Extension Service.

FLYBAN 2-E is generally effective in controlling aphids, thrips, leaf miners, scales, leafhoppers and mites. For proper timing of treatments for this control of specific pests on ornamental plants, consult your state agricultural experiment station or state agricultural extension service.

Make adequate sprays when pests appear or when damage is first observed. Do not overdose or overspray. Do not use on ornamental plants not listed. Do not use on any ornamental stock plants grown as a source of propagation material, such as cuttings, layers, root stocks or scions for grafting or budding. Do not use in spray mixtures containing oil. Do not use on plants growing in greenhouses.

CROWN

FLYBAN 2-E

Systemic Insecticide

ACCEPTED
7273-140

OCT 24 1974

CONTROLS HOUSEFLIES

For control of Insects and Mites on
Ornamental Plants Refer to
Attached Leaflet

ACTIVE INGREDIENTS:

Dimethoate [O-O-dimethyl
S-[N-methylcarbamoyl]-methyl
phosphorodithioate] 23.4%
Xylene 38.4%

INERT INGREDIENTS 38.2%
TOTAL 100.0%

WARNING

KEEP OUT OF REACH
OF CHILDREN

See Side Panel for Precautions and Other Cautions

EPA Reg No. 7273-140
EPA Est. No. 523-IL-1

NET CONTENTS 1 GALLON

WARNING

KEEP OUT OF REACH OF CHILDREN
DANGER: IRRITANT. MATERIAL
CAUTION: For use only on ornamental plants.

DO NOT apply to food or feed crops.

DO NOT apply to lawns.

Use only with a pump sprayer.

Wash thoroughly after handling.

DO NOT contaminate food or feed products.

DO NOT use, pour, spill or store near heat or
open flame.

In case of contact with eyes, flush eyes with
plenty of water for at least 15 minutes; get
medical attention.

NOTE TO PHYSICIANS: This product may cause
cholinesterase inhibition. Atropine is Anti-
dotal.

DO NOT STORE BELOW FREEZING TEMPERA-
TURES

Recap spills on out side of bottle after use.
When empty, wash thoroughly with water con-
taining a household detergent. Recap and dis-
card bottle. Never reuse.

This product is toxic to birds and other wild-
life. Birds and other wildlife in treated areas
may be killed. Keep out of lakes, streams or
ponds. Do not apply where run off is likely to
occur. Do not apply when weather conditions
favor drift from areas treated. Do not contaminate
water by cleaning of equipment or dis-
posal of wastes. Apply this product only as
specified on this label.

NOTICE OF WARRANTY

CROWN CHEMICALS makes no warranty of mer-
chantability, fitness for any purpose, or other-
wise express or implied, concerning this pro-
duct or its use, which extend beyond the state-
ments on this label.

Manufactured by
CROWN CHEMICALS
ROCKFORD, IL 61101