# [7273-144]

ROLL Houseflies, Mosquitoes, Gnats, Wasps, Roaches, Earwigs, Grain Mites, Sowbugs, Spiders, Centipedes, Ants, Biting Flies, Aphids (plant lice), Leafhoppers, Exposed Thrips, Adult Whiteflies, Plant Bugs, Japanese Feetles, and Spittlebugs.

FOR USE IN HOMES AND NON FOOD AREAS OF MOTELS, INSTITUTIONS, RESTAURANTS, AND FOOD PROCESSING PLANTS.

### **DIRECTIONS FOR USE**

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

#### HOUSEFLIES, MOSQUITOES AND GNATS

Indoors Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

## TO REDUCE ANNOYANCE FROM FLYING INSECTS

Outdoors Reduce Mosquitoes, Gnats (midges), Houseflies, Biting Flies and Flying Moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18-24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic feet of space while moving awayfrom the treated areas. To reduce annoyance from these flying insects, treat open porches and paties in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.


# ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS AND CENTIPEDES

Contact Spray Spray thoroughly into hiding places cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.


Residual Spray Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks and crevices, lower walls, and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Repeat as necessary.

WASPS Applications should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, concerting as many insects as possible. Repeat as necessary.





# HOUSE AND GARDEN Double Action BUG KILLER



ANTS Apply to ant trains and around door sills, window frames and other places where ants may enter

ORNAMENTAL PLANT PESTS Spray Aphids. Exposed Thrips, Adult WhiteHirs, Leafhoppers, Plant Bugs, Spittlebugs, Jaranese Beetles, Mimosa Webworm Larvae, and Cakworm Larvae Direct spray on insects by holding the container 12 to 18 inches from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat applications as necessary. USE WITH CAUTION on the foliage of Flowering Cuince, Juniper, Cypress Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyrachantha and Caenothus, as certain varieties have shown some leaf browning.

When infested, spray smaller evergreens, Deciduous trees and shrubs Rhododendrons, Pines, Spruces, Hemlock, Yews, Arborvitae, Junipers, Holly, Podocarpus, Boxwood, Laurel, Lilac, Spirea, Dogwood, Palm Tree, Mimosa, Toyan, Viburnum, Oaks, Maples, Locust, Forsythia, Althea and Roses for control of Aphis, and other pests listed above. Also spray infested flowering plants. Peonies, Iris, Zinnia Snapdragons, Ageratums, Chrysanthemums, Nasturtium, Daisy, Geraniums, Marigolds, Daphne, Fatshedera, Ivy, Tobi a, Queen Sap Broadleaf Acacia for the same listed pests.

#### CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquariums before straying. Do not use on edible crops. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do no use in serving areas while food is exposed.

Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

WARNING Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F, may cause bursting. Never throw container into fire or incinerator.

Crown Chemicals makes no variantly of mer chantability, fitness for any purpose, or other wise express or implied, concerning this product or its use, which extend beyond the statements on this label.

Manufactured for

CROWN CHEMICALS, Rockford, IL 61101 U S A

F. F. A. Bek. No. 22, 34,44, 3A, 44, 3A

This is a dual purpose formula tion that can be used as contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.

\* Chi

ACTIVE INGREDIENTS:

\*+(5-Benzyl-3-furyl)
methyl 2, 2-dimethyl-3(2-methylpropenyl) cyclopropanecarboxylete . . 0.350% w/w Related Compounds . . . 0.048% Arometic petroleum

hydrocarbons.... 0.464% INERT INGREDIENTS . . . 99.138%

TOTAL 100.000%

\*Cis/trans isomers ratio: max. 30%(±) cis and min.  $70\%(\pm)$  trans. +U.S. Patent No. 3,465,007.

# **CAUTION**

**KEEP OUT OF REACH OF CHILDREN** See additional cautions on side panel

MET WEIGHT 12 OZ.