



CROWN

# PHOSDRIN

ACCEPTED  
JUN 2 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
as amended for the pesticide registered  
EPA Reg. No. 7273-148

CHECK  
PEST

## FILTER FLY CONCENTRATE

### PESTICIDE

For Control of Filter Flies  
at Sewage Disposal Plants

#### ACTIVE INGREDIENTS:

Alpha Isomer of 2-isopropoxy-1-methylvinyl dimethyl phosphate	3.0%
Related Compounds	2.0%
Aromatic Petroleum Hydrocarbons	5.0%

#### INERT INGREDIENTS

#### TOTAL

Equivalent to 3.0% PHOSDRIN

PHOSDRIN® is a registered trademark of the Chemical Company

FOR FURTHER INFORMATION  
SEE THE LABEL OF THE PRODUCT

9-17-15  
7946-1

**ANTIDOTE and FIRST AID TREATMENT**

ATROPINE SULFATE IS THE ANTIDOTE FOR INJECT-A-CIDE® POISONING. 2-PAM IS ALSO ANTIDOTAL AND MAY BE ADMINISTERED IN CONJUNCTION WITH ATROPINE. Call a physician in all cases of suspected poisoning.

**INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing finger into the throat or by giving warm salt water (one tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**EXTERNAL:** If material has been spilled on skin, remove all contaminated clothing and wash skin with soap and running water. If material gets into the eyes, wash immediately with running water for at least ten minutes. **IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**NOTE TO PHYSICIAN**

**TREATMENT —** Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. If there are signs of para-sympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposures to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase regeneration. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

**RESTRICTIONS**

Do not inject trees that are less than two inches in diameter. Do not inject trees within two weeks of any other spray or soil chemical treatments. Do not treat trees that are suffering from stresses such as lack of moisture or herbicide damages.

**NOTICE OF WARRANTY**

J. J. MAUGET CO. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

**INJECT-A-CIDE®**

(Contains Metasystox-R) \*

**A NEW INTERNAL TREATMENT  
BY INJECTION FOR SYSTEMIC CONTROL  
OF CERTAIN TREE PESTS**

**FOR USE ONLY BY COMMERCIAL ARBORISTS,  
PEST CONTROL OPERATORS, PROFESSIONAL  
GARDENERS AND OTHER SIMILARLY TRAINED  
PERSONNEL.**

**ACTIVE INGREDIENT**

S-[2-(Ethylsulfinyl) ethyl]O,O-dimethyl phosphorothioate . . . . . 50%

**INERT INGREDIENT** . . . . . 50%

Total 100%

EPA Reg. No. 7946-1  
EPA Est. No. 7946-CA-1

**NET CONTENTS**

300 Individual Units Each Containing 3 mls or  
Approximately .1 ounce.

**WARNING**

**KEEP OUT OF REACH OF CHILDREN —** See Antidote statement and other precautions on side panels.

**WARNING—FLAMMABLE. KEEP AWAY FROM  
HEAT OR OPEN FLAME.**

\* METASYSTOX is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

**J. J. MAUGET CO., BURBANK, CALIF. 91504**  
Made in U.S.A.

## GENERAL DIRECTIONS

INJECT-A-CIDE<sup>®</sup> contains <sup>®</sup>Metasystox-R, a systemic insecticideacaricide. Apply injector units at five to six inch intervals of trunk circumference. In cases of short trunks, scaffold branches may be treated on the same basis. Consult the enclosed pamphlet, "Directions for Use and Application of Mauget Injector Units" for specific details. Disinfect the insertion tool before treating subsequent trees.

Apply this product only as specified on this label.

## TIMING

Applications timed with the maximum upward flow of tree sap produce the most successful results. This particular characteristic will vary with the species of tree involved, time of year, time of day, individual tree vigor and light intensity at time of treatments.

NOTE: All governmental and private applicator organizations must be approved by the J. J. Mauget Co.

## FISH AND/OR WILDLIFE CAUTION

Do not contaminate water by cleaning of equipment or disposal of wastes.

## WARNING I


POISONOUS if swallowed, inhaled or absorbed through the skin. Keep out of reach of children and domestic animals. Keep children away from working areas. Dispose of empty containers in accordance with State or local regulations.

Wear clean, natural rubber gloves, clean protective clothing, and safety face shield. Replace gloves frequently and destroy used gloves. Wash thoroughly with soap and water after handling and before eating or smoking. If material gets into eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with concentrated solution of alkali and detergent and rinse with water. Do not allow material to get in eyes, skin or clothing.

NOTE: Avoid skin and eye contamination when handling strong caustic solutions. Do not get in eyes or on skin or clothing.

SEE SIDE LABEL FOR APPLICATION INFORMATION

\* REG. FOR USE ONLY IN ARIZONA, CALIFORNIA, NEVADA, OREGON & WASHINGTON



SEP 17 1975

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under 299411-1

## INJECT-A-CIDE APPLICATIONS

CROP OR USE	INSECT/PESTS	REMARKS
Elms	Elm Leafbeetle	Apply after eggs are present or during early larval feeding.
* Douglas Fir	Cone Moths	Apply to heavy, current crop trees during or shortly after eggs are deposited.
Pines (Except Pinon)	Engraver Beetle (5 Spined)	Treat anytime from early Spring through October only. Repeat after new invasion.
	Engraver Beetle (Monterey)	
	Flathead Borer	
	Red Turpentine Beetle	
Cypress	Western Bark Beetle	Repeat after new invasion.
	Flathead Borer	
Redwood	Engraver Beetle (Redwood)	
Calleryacis	Aphids	Apply when winter forms appear.
Wamata and Pines	Aphids	Apply when winter forms appear.
(non-bearing)	Mites	Apply after mites appear.

SEE FRONT LABEL FOR COMPLETE INFORMATION

J. J. MAUGET CO., BURBANK, CALIF. 91504

Made in U.S.A.