US ENVIRONMENTAL PROTECTION AGENCY	7276-11	DAY 78 12 7 1993
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: PREGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)	HOPKINS BAR BAIT	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
RMC Products Company, Inc. Airport Industrial Park Fort Dodge, IA 50501	7 5439	31428 675
L	J 54	3792
	4	
NOTE: Changes in labeling formula differing in substance from submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	to use of the label in commerc	_
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereb	y Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is retu	rned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any nan Act is not to be construed as giving the registrant a right to by others.  Based on your response to the Report of	may at any time suspend or come in connection with the regist exclusive use of the name or the eregistration exists the product listed.	ancel the registration of a pest- tration of a product under this o its use if it has been covered ibility above.
Enclosed is a copy of your laber is taken under the authority of Insecticide, Fungicide, and Rode Reregistration under this section continual reassessment of pestion of data at any time to maintain	section 4(g)(2)(C) enticide Act, as a on does not elimina cides. EPA may rea	nended. ate the need for quire submission
Submit one copy of the final pr product for shipment with the r Warfarin products are allowed t bearing old labeling until Sept	evised labeling. So sell or distribu	Registrants of
	Sincerely yours	•
	Robert A. Forre	
	Product Manager	enticide Branch
ATTACHMENT IS APPLICABLE	Product Manager Insecticide-Rod	enticide Branch

# Hopkins Bar Bait Kills Norway & Roof Rats and House Mice

### ACTIVE INCREDIENTS:

Warfarin {3-(alpha-Acetonylbenzyl)-4-hydroxycoumarin}

.025%

INERT INCREDIENTS TOTAL

99.975 100.000%

KEEP OUT OF REACH OF CHILDREN {12 pt1}

CAUTION {18 pt1}

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

## PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. NOTE TO PHYSICIAN: If ingested, administer Vitamin K. intramuscularly or orally, as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring or prothrombin times.

#### ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product to water, swamps, bogs, or potholes.

Made in U.S.A.

ACCEPTED

APR 2 1 1993

es amended, for the pesticide eed under, EPA Boy. No.

Under the Federal Insecticide, Panglida, and Redenticide Act,

Manufactured by RMC PRODUCTS CO., INC. FORT DODGE, IOWA 50501

EPA Reg. No. 7276-11 EPA Est. No.

NET WEIGHT 453.5 GRAMS (1 LB.)

<sup>&</sup>lt;sup>1</sup>Assumes a front panel of over 30 sq. in.

Hopkins Bar Bait Page 2 of 3 February 24, 1993

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container, and unused, spoiled, and unconsumed

bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much alternative food as possible.

Hopkins Bar Bait Page 3 of 3 February 24, 1993

## APPLICATION DIRECTIONS

RATS: Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Apply 1/4 to 1/2 ounce of bait at 8- to 12-foot intervals.

Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

This 16-cunce bar may be broken or cut into five 3-1/5-cunce bars for rats. The 3-1/5-cunce bar may be broken or cut into six 1/2 cunce or twelve 1/4-cunce bars for nice.

RATS/MICE:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and haborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish as needed.

## STORAGE AND DISPOSAL

Storage: Store only in original container,

in a dry place inaccessible to

to children and pets.

Disposal: Do not reuse empty container.

Securely wrap in newspaper and

discard in trash.

