

5PA Repaired on No. 7276.17

Do not expose these baits in areas accessible to dous. Except when enclosed within a tamper proof bait box.

Assure an uninterrupted supply of bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

In moderately infested locations at least 4 to 16 ozs. of RMC bait should be placed where rats feed, water or travel, along walls, in corners, and concealed locations where they can feed unobserved. Each location should contain enough bait so that some will be left over the following morning.

Daily inspection is essential, especially in the first week, and bait supplies must be replenished as often as necessary. Under normal conditions, bait consumption will be light the first night, much heavier the 2nd and 3rd night.

Place 14 to 1 loz. Placenon amounts) in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 10 feet are the oppended. Assure an uninterrupted supply of but for a period of not less than 15 days

SATE FACTION GUARANTEED

Server N = 72764A 1 • • • •

RMC Meet Bact, contains an it's active individuent an activ andant element which is taken by humanic demost. an mail or pets, may result in sering open others can be t case baits are eaten, give a texpoont for the subwarm water and repeat in the volument of scheme (CALL A PHYSICIAN AT ONCE Material Physical Treat patients of the · · · · Diamonai

Article Use of Meanin K

Futien, pet a cliffe and demand a communication toright toget to over Decomption of the providence of the second A DO WART OF A TH explore the construction of a second second second



SELL AS 4 LB. UNIT

NET 1815 GRAMS (4 LBS.)

KILLS RATS & MICE

CAUTION: Keep out of reach of children.

Environmental Caution

Treated that the head of the place for the attention of

March 1 and 1 and 1 day

R.M.C. PRODUCTS CO. FORT DODGE, IOWA 50501

ALL WEATHER BASE

Do not expose these baits in areas accessible to dogs. Except when enclosed within a tamper proof bait box.

DIRECTIONS FOR CONTROLLING NORWAY & ROOF RATS:

Assure an uninterrrupted supply of bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

In moderately infested locations at least 4 to 16 ozs. of RMC bait should be placed where rats feed, water, or travel, along walls, in corners, and concealed locations where they can feed unobserved. Each location should contain enough bait so that some will be left over the following morning.

Daily inspection is essential, especially in the first week, and bait supplies must be replenished as often as necessary. Under normal conditions, bait consumption will be light for the first night, much heavier the 2nd and 3rd night.

DIRECTIONS FOR CONTROLLING HOUSE MICE:

Place tablespoonful amounts of bait in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 10 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

CAUTION: Keep out of reach of children.

RMC Meat Built, contains as it's active ingredient an anticoagulant chemical which if taken by humans, domestic animals, or pets, may result in serious blood hemorrhages. In case baits are eaten, give a teaspoonful of salt in a glass of warm water and repeat until vomit fluid is clear. CALL A PHYSICIAN AT ONCE.

Note to Physician: Treat patient as for an overdose of Dicumoral.

Antidote: Use of Vitamin K

Environmental Caution

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

FFR 1 : 1075

Under the 2 " A L. A. A.L. the second se e. 'G9 CS CHAS Tryling ich i get Er'A Reg. No.



EPA REGISTRATION NUMBER 7276-17 NET WEIGHT 226.8 GRAMS (8 OZ.)

MEAT BAIT (PELLET FORM)

KILLS A ROOF RATS

AND HOUSE MICE

ACTIVE INGREDIENTS:

Warfarin 3-fa-abeton (ibenzyl) 4 h. droxyboumarity N'-(2-quinoxalinyl) sulfarilamede erulfaguinokali e INERT INGREDIENTS:

> TOTAL 100.001

0.025

0.025

±9.95,

Do not reuse container. When empty, destroy by burning or discarding with trash in a safe place.

CAUTION KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTION

Manufactured By

R.M.C. PRODUCTS CO. FORT DODGE, IOWA 50501

The second second second second second