

ALWAYS FOLLOW RECOMMENDATIONS OF YOUR HEALTH DEPARTMENT
ACTIVE INGREDIENTS: n-Alkyl (50% C₁₂, 40% C₁₃, 10% C₁₄) dimethyl benzyl
 ammonium chlorides80%
 Ethanol20%
 Total.....100%

Phenol Coefficients: S. Typhosa—400; S. Aureus—600.

DANGER: CORROSIVE. KEEP OUT OF REACH OF CHILDREN. CAUSES EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Do not get in eyes, or skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS

PREPARATION: To obtain 200 ppm quaternary use ½ oz. SGC per 15 gal. of water. To obtain 800 ppm use 2 oz. SGC per 15 gal. of water. SGC has little or no odor in use dilution.

RESTAURANTS: Following thorough, normal washing and rinsing procedures, using Basic-H or a good detergent, sanitize dishes, glasses and utensils in a 200 ppm quaternary solution. Immerse for at least two minutes or for contact time specified by governing sanitary code; then rinse thoroughly and place sanitized utensils on a rack or drainboard to air dry.

HOSPITALS: To disinfect previously cleaned surfaces such as walls, floors, table tops, counter tops, garbage pails, shower stalls and laboratory areas, prepare an 800 ppm disinfecting solution. Apply to surfaces using a mop, cloth, or sponge. To disinfect previously cleaned surgical instruments, immerse in disinfecting solution for at least 10 minutes.

FIELD TEST: Use Shaklee Test Kit TK-22.

DISPOSAL: When empty, rinse this container thoroughly with water and discard it.

Dist. by Shaklee Marketing Corp., Emeryville, CA 94608




for hospital and commercial use

16 fl.oz. (1 pt.) 0.47 liters

DANGER:
KEEP OUT OF REACH OF CHILDREN.
 See additional precautionary and first aid statements on back panel.

EPA Reg. No. 7294-1-AA EPA Est. 7294-CA-1



S/S








PANTONE
355

NOTE: USE COLOR SWATCHES FOR COLOR MATCH AS THERE ARE SOME VARIANCES IN PANTONE NUMBERING SYSTEM




836 11/73

And now . . . new **BASIC-G** from SHAKLEE
the germicide that disinfects *and* cleans your home.
Highly concentrated, germicidal action for the

- KITCHEN
- LAUNDRY ROOM
- LIVING ROOM
- PLAYROOM
- BATHROOM
- DINING ROOM
- BEDROOM
- NURSERY



BASIC-G
GERMICIDE



CLEANS, DISINFECTS, DEODORIZES

