
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



SEP 1 0 2010

PPG Industries, Inc. 4325 Rosanna Drive Pittsburgh, PA 15101

Attention:

Natalie A.Gaydos

Subject:

Sigmaplane Ecol HS Antifouling

EPA Registration No: 7313-22 Notification Dated August 12,010

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c) (9).

Proposed Notification

- To revise Storage and Disposal statement per PR Notice 2007-4

General Comments

Base on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swindell

Product Manger (33)

Regulatory Management Branch I Antimicrobial's Division (7501P)

≎EPA	United States Environmental Protection Agency Washington, DC 20460						Regist	tration dment	OPP ld	entifier Numb		
			Applicati	on for P	esticide – S	ection	1					
1. Company/Product Number 7313-22				2. EPA Product Manager Marshall Swindell			r		3. Proposed Classification			
4. Company/Product (Name) PPG Industries, Inc./Sigmaplane Ecol HS Antifouling					PM# 33				None	Res	tricted	
5. Name And Address Of Applicant (Include ZIP Code) PPG Industries, Inc. 4325 Rosanna Drive Pittsburgh, PA 15101 Check if this is a new address					6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name							
Section II												
Amendment – Explain below. Resubmission in response to Agency letter dated Notification – Explain below.					Final Printed labels in response to Agency letter dated							
Explanation: Use	Addition	al Page(S) If Necessa	ry. (For Section	on I And Sec	ction II.)							
regulations at 40 C product. I understa this notification is	OFR 152 and that not cor	ge per PR Notice 20 2.46, and no other c it is a violation of a sistent with the term ment action and per	hanges have 18 U.S.C. Se ns of PR No	been mad ec. 1001 to otice 98-10	e to the labeling willfully make and 40 CFR 15	g or the any fal 52.46, tl	confider se staten	ntial state: nent to EI	ment of for PA. I furthe	mula of this r understan	s d that if	
				Sec	tion III							
1. Material This Prod	luct Will	Be Packaged In:										
Child Resistant Pack Yes* No * Certification m		Unit Packaging Yes No If "Yes"	Water Soluble Packaging Yes No If "Yes" No. per			2.	2. Type of Container Metal Plastic Glass					
be submitted- 425# not CR EPA has data o		Unit Packaging wgt.	Unit Packaging wgt. Container			er	Detr	per ner (Specify) _.	: Fiber dru	<u>ım</u>		
3. Location of Net Contents Information 4. Size			` ′	J Size(S) Retail Container gallon, 5 gallon			5. Locat	5. Location of Label Directions On Label On Label product				
6. Manner in Which Label is Affixed to Product Lithogra Paper g Stencile				glued					С	0 C C C C		
	tion IV											
1. Contact Point (Con	mplete it	ems directly below for	identification	of individua	I to be contacted,	if neces	sary, to pi			0	000000	
Name Natalie A. Gaydos									hone No. (โก 2-492-55		oogcec oogcec	
					ation Indicate a second and all attachments thereto are true, accurate and complete. Indicate a second and a second are true, accurate and complete. Indicate a second are true, accurate and accurate a second are true, accurate a sec					Application eived	00CCC 00CCC	
2. Signature				3. Title EHS Specialist						6 ° 6 ¢ 6 ° 6 ¢		
4. Typed Name Natalie A. Gaydos				5. Date August 12, 2010								



PPG Industries

PPG Industries, Inc. PPG Architectural Finishes, Inc. 4325 Rosanna Drive Allison Park, PA 15101 USA

Natalie A. Gaydos

EHS Specialist Product Stewardship Environment, Health & Safety Phone: 1-412-492-5536 Fax: 1-412-492-5484 E-mail: gaydos@ppg.com

С

((((

August 12, 2010

Mr. Marshall Swindell, Product Manager 33
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

RE: EPA Reg. No. 7313-22, Sigmaplane Ecol HS Antifouling Notification of Label Update

Dear Mr. Swindell:

Attached is a request for a label update for EPA Reg. No. 7313-20, ABC 3 Marine Antifouling Paint. For your reference, I have attached the label with the changes noted in red. The only changes made were the addition of container and disposal language, as per PR Notice 2007-4.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

We would appreciate being informed of the acceptance of this notification after it is reviewed.

If you have any questions, please call.

Very truly yours,

Natalie A. Gaydos

Attachments

[EPA MASTER LABEL COPY]

Sigmaplane Ecol HS Antifouling

[Alternate color descriptors :] BROWN 5297 REDBROWN 5297-RD GREEN 5297

> EPA Est. No. 84211-TX-1 EPA Reg. No. 7313-22

ACTIVE INGREDIENTS, Cuprous Oxide ... 41.7% INERT INGREDIENTS: 58.3%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements FOR COMMERCIAL USE ONLY

Manufactured by PPG Industries, Inc. PPG Architectural Finishes, Inc. One PPG Place Pittsburgh, PA 15272 Emergency Telephone Number: 1-412-434-4515

[Alternate container weights :]
NET CONTENTS 1 US gallons (3.79 liters)
NET CONTENTS 5 US gallons (18.9 liters)

[05/24/10 pending EPA update, approved xxxxxx]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Due to corrosive nature, may be harmful or fatal if swallowed. Avoid contact with skin, eyes and clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. While spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillates. May pose an aspiration pneumonia hazard.

ENVIRONMENTAL HAZARDS

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, rivers, streams, ponds, estuaries, marshes, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your state water board or regional office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat, sparks, arc and open flame.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Refer to Sigma's Technical Data Sheet on Sigmaplane Ecol HS Antifouling 5297 HS for complete directions before using.

For use on metal and fiberglass boat hulls to control barnacle growth in fresh and salt water. Do not apply below 36 degrees F unless care s taken to ensure the absence of frost or ice. Surfaces to be painted shall be free of dirt, oil, grease and other surface contaminants. Apply in accordance with Sigma's directions or specifications given in the Technical Data Sheet for 5297 HS. For steel surfaces, apply only over recommended primers as recommended in the Technical Data Sheet. For fiberglass surfaces, use only the primer recommended in the Technical Data Sheet.

FOR USE ONLY IN COMMERCIAL OR GOVERNMENT SHIPYARDS ONLY.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

Avoid storage where the product may become contaminated or containers damaged. Store between 40 and 110 degrees F.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Metal Containers: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other Approved State and Local procedures.

Net Content: