### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



## EPA United States Environmental Protection Office of Pesticide Programs Office of Pesticide Programs

SEP 1 0 2010

PPG Industries, Inc. 4325 Rosanna Drive Pittsburgh, PA 15101

Attention:

Natalie A.Gaydos

Subject:

Sigmaplane Ecol HS Antifouling

EPA Registration No: 7313-24 Notification Dated August 12,010

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c) (9).

### Proposed Notification

To revise Storage and Disposal statement per PR Notice 2007-4

### General Comments

Base on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swindell

Product Manger (33)

Regulatory Management Branch I Antimicrobial's Division (7501P)

) Please read instructions on reverse side before completing

<b>\$EPA</b>		Environmen Was	United States	ction Ag		Re An	gistrati nendme her	on	OPP Identifier Number	
Application for Pesticide – Section 1										
1. Company/Product Number 7313-24 4. Company/Product (Name)				2. EPA Product Manager  Marshall Swindell  PM#				Proposed Classification  None Restricted		
PPG Industries, Inc./Sigmaplane Ecol HA Antifouling					33					
5. Name And Address Of Applicant (Include ZIP Code)  PPG Industries, Inc.  4325 Rosanna Drive  Pittsburgh, PA 15101  Check if this is a new address					6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No					
Product Name  Section II										
Section II										
Amendment – Explain below.  Resubmission in response to Agency letter dated  Notification – Explain below.					Final Printed labels in response to Agency letter dated  "Me Too" Application.  Other – Explain Below.					
Explanation: Use Additional Page(S) If Necessary. (For Section I And Section II.)										
Notification of label change per PR Notice 2007-4. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.										
				Sec	tion III					
Material This Prod	uct Will	Be Packaged In:				_				
Child Resistant Pack Yes* No	caging	Unit Packaging  Yes  No		Water Soluble Packaging 2. ☐ Yes ☑ No			2. Type (	Plastic		
* Certification m be submitted- 425# not CR		If "Yes" Unit Packaging wgt.	No. per Container	If "Yes" No. per Unit Packaging wgt. Container				Glass Paper Other (Specify) _: <u>Fiber drum</u>		
EPA has data of	n file									
Location of Net Contents Information     Label			4. Size(S) R 1 gallon, 5 g					Label	Directions  ng accompanying product	
6. Manner in Which Label is Affixed to Product  Lithogra Paper g Stencile				plued				····	0000	
Section IV										
1. Contact Point (Con	mplete it	ems directly below for	identification	of individua	I to be contacted, if nece	ssary,	, to proces	s this app	olication.) o cocces	
Name Title								Telephon	ne No. (lạclude Area Code)	
Natalie A. Gaydos							<u>412-49</u>	92-5536 <u>""[]</u>		
	dge that	any knowingly false o		on diall attachments thereto are true, accurate and complete. tement may be punishable by fine or imprisonment or				6. Date Aσρμίζαtion εξίτε Received εξίτες		
2. Signature Laydon				3. Title EHS Specialist					( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	
4. Typed Name Natalie A. Gaydos				5. Date August 12, 2010						



### **PPG Industries**

PPG Industries, Inc. PPG Architectural Finishes, Inc. 4325 Rosanna Drive Allison Park, PA 15101 USA

Natalie A. Gaydos

EHS Specialist Product Stewardship Environment, Health & Safety Phone: 1-412-492-5536 Fax: 1-412-492-5484 E-mail: gaydos@ppg.com

((((

August 12, 2010

Mr. Marshall Swindell, Product Manager 33
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

RE: EPA Reg. No. 7313-24, Sigmaplane Ecol HA Antifouling Notification of Label Update

Dear Mr. Swindell:

Attached is a request for a label update for EPA Reg. No. 7313-20, ABC 3 Marine Antifouling Paint. For your reference, I have attached the label with the changes noted in red. The only changes made were the addition of container and disposal language, as per PR Notice 2007-4.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

We would appreciate being informed of the acceptance of this notification after it is reviewed.

If you have any questions, please call.

Very truly yours,

Natalie A. Gaydos

**Attachments** 

### [EPA MASTER LABEL COPY]

### Sigmaplane Ecol HA Antifouling

### [Alternate brand names:]

### Sigmaplane Ecol HA Antifouling

[Alternate color descriptors :] BLUE 5294 BROWN 5294 BLACK 5294 GREEN 5294 HA REDBROWN 5294

### **Ecofleet 530**

[Alternate colour descriptors:]
BLUE
BROWN
BLACK
GREEN
REDBROWN

EPA Est. No. 84211-TX-1 EPA Reg. No. 7313-24

### ACTIVE INGREDIENTS:

 Cuprous Oxide
 39.0%

 4,5-Dichloro-2-N-octyl-4-isothiazolin-3-one
 2.4 %

 OTHER INGREDIENTS:
 58.6%

# KEEP OUT OF REACH OF CHILDREN CAUTION

See first aid and other precautions on side panel FOR COMMERCIAL USE ONLY

Manufactured by PPG Industries, Inc. PPG Architectural Finishes, Inc. One PPG Place Pittsburgh, PA 15272

**Emergency Telephone Number: 1-412-434-4515** 

[Alternate container weights:]

NET CONTENTS 1 US gallons (3.79 liters) NET CONTENTS 5 US gallons (18.9 liters)

[05/24/10 pending EPA update, approved xxxxxx]

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Avoid contact with eyes and clothing. Remove contaminated clothing and wash before reuse.

Unprotected persons should be kept out of the treatment areas within a distance of 100 feet. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wear a full face shield. Avoid breathing vapor mist, dust or chips from painting or sanding. While sanding paint or spraying boat surface, wear a supplied-air or powered air purifying respirator (PAPR) approved by NIOSH for use with paints and coatings.

Wear a Tyvek hooded coverall or the exact equivalent, coveralls beneath the Tyvek hooded coveralls, impervious loves and impervious footwear that protects the lower legs. Remove contaminated clothing and discard after each use. Do not reuse. Wash thoroughly with soap and water after each handling and before eating and smoking.

### **FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.\

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Avoid alcohol. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillates. May pose an aspiration pneumonia hazard.

### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, rivers, streams, ponds, estuaries, marshes, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your state water board or regional offices of the EPA. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Wear protective clothing and supplied air respirator in accordance with the precautionary statements above when handling, painting or removing this paint.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat and open flame.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Refer to Sigma's "Technical Data Sheet on Sigmaplane Ecol HA Antifouling 5294" for complete directions before using.

For use on steel and fiberglass boat hulls to control barnacle growth in fresh and salt water. Do not apply below 36 degrees F unless care s taken to ensure the absence of frost or ice. Surfaces to be painted shall be free of dirt, oil, grease and other surface contaminants. Apply in accordance with Sigma's directions or specifications given in the Technical Data Sheet for 5294. For steel surfaces, apply only over recommended primers as recommended in the Technical Data Sheet. For fiberglass surfaces, use only the primer recommended in the Technical Data Sheet.

FOR USE ONLY IN COMMERCIAL OR GOVERNMENT SHIPYARDS ONLY. NOT INTENDED FOR USE IN MARINAS OR PLEASURE CRAFT

### STORAGE AND DISPOSAL

### **Prohibitions**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **Pesticide Storage** 

Avoid storage where the product may become contaminated or containers damaged. Store between 40 and 110 degrees F.

### Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose in accordance with all regulations under the Resource Conservation and Recovery Act. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container Disposal**

Metal Containers: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other Approved State and Local procedures.