

7313-25

8/29/2011

1049



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

EPA Reg.

Number:

7313-~~EL~~ 25

Date of Issuance

AUG 29 2011

Term of Issuance:

**Conditional**

Name of Pesticide

Product:

Clear Wood Preservative

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Catherine Rice  
PPG Architectural Finishes, Inc.  
One PPG Place (8 North)  
Pittsburgh, PA 15272

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis the of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Section 3(c)(7)(A) provided that you:

1. Submit and/or cite all the data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit required by registration review under FIFRA Section 3(g).
2. Make the following labeling changes:  
The following revision to the product label are recommended.

Signature of Approving Official:

Mashall Swindell  
Product Manager Team-33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Date:

AUG 29 2011

- Under the **“Ingredients Statement”** on the product label, add the following (or a similar) footnote: **“Contains petroleum distillates.”**
- Under the **“If swallowed”** heading of the **“First Aid”** section on the product label, **replace “Have a person sip a glass of water if able to swallow.”** to **“Do not give any liquid to the person.”** This statement is necessary because the product contains  $\leq 10\%$  petroleum distillates.
- Under the **“Physical/Chemical Hazards”** section on the product label, change **“contained with overspray”** to read **“contaminated with overspray.”**
- Beneath the **“Storage and Disposal”** heading on the product label, add the following statement: **“Do not contaminate water, food, or feed by storage and disposal.”**
- Under the **“Pesticide Disposal and Container Handling”** section on the product label, provide instructions for disposing of unused product and identify disposal options for the container.
- Under the **“Precautionary Statements”** section on the product label change **“Physical/Chemical Hazards”** to read **“Physical/Chemical Hazards.”**
- Place the **“Storage and Disposal”** section on the product label in a text box for prominence.
- Under the **“Storage and Disposal”** section on the product label, change the **“Product Storage”** subheading to read **“Pesticide Storage.”**
- Under the **“Storage and Disposal”** section on the product label, change the **“Product Disposal and Container Handling.”** Subheading to read **“Pesticide Disposal and Container Handling.”**
- Under the **“Pesticide Storage”** section on the product label, add instructions that specify what to do if the product leaks or spills from the product container.
- **Under the “Precautionary Statements”** Add the following: under the **signal word “Caution”**
- Add the following statement under **Hazards to Humans and Domestic Animals:** Contains Petroleum Distillate.

- Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks and shoes, and chemically resistant gloves (Butyl Rubber or Nitrile Rubber).
- **Under First Aid:** Take off:
  - Take off contaminated clothing
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment advice

If swallowed: follow the following considerations from the current label review manual.

**\*Products that contain petroleum distillates.** If the product contains  $\geq 10\%$  petroleum distillates, the following First Aid statement should be used (PRN 2001-1):

*"if swallowed: immediately call a poison control center or doctor, Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give liquid to the person. Do not give anything by mouth to an unconscious person".*

However, if registrants have data to show there is benefit in drinking water or milk after ingesting their product(s), they may submit alternate wording via amendment.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.  
Contains petroleum distillate.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

The ingredients Statement: The label must state the following considerations from the current label review manual relative to products containing petroleum distillates.

Products containing petroleum distillates, xylene or xylene range aromatic solvents at  $\geq 10\%$  should be indicated on the label immediately below in the ingredient statement as a footnote below the term "inert ingredients" as follows:

*"Contains petroleum distillates, xylene or xylene range aromatic solvents".*


EPA Reg #7313-EL

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two (2) copies of the revised labeling bearing the labeling revisions listed above. A copy of the Acute Toxicity Review, Product Chemistry Review and A stamped copy of the label is enclosed for your records.

If you have questions concerning this matter, please contact Marshall Swindell at (703) 308-6341 or by email at [swindell.marshall@epa.gov](mailto:swindell.marshall@epa.gov)

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Enclosures: (Stamped Label)

5049

**CLEAR WOOD PRESERVATIVE**

**PROVIDES WATERGUARD® WATERPROOFING PROTECTION**

**SUNBLOCK® U.V. PROTECTION**

**PROTECTS WOOD BEAUTIFULLY**

**The 5-Way Wood Protector**

- 1. **Repels Water**
- 2. **Resists Sun Damage**
- 3. **Mildew Resistant**
- 4. **Penetrating Linseed Oil**
- 5. **Fights Rot & Decay**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Side/Back panel for additional Precautionary Statements

Active Ingredients	
3-Iodo-2-propynyl butyl carbamate	0.50%
Folpet	0.50%
Other Ingredients	<u>99.00%</u>
Total	100.00%

EPA Reg. No. 7313- *EL*  
 EPA Est. No. \_\_\_\_\_

PPG Architectural Finishes, Inc.  
 One PPG Place (8 North)  
 Pittsburgh, PA 15272

Net Contents: One gallon / 3.78 Liters  
 Five gallons / 18.9 Liters

**ACCEPTED**  
 with **COMMENTS**  
 EPA Letter Dated:

*AUG 29 2011*

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act as  
 amended, for the pesticide,  
 registered under EPA Reg. No. *7313-25*

6049

**CLEAR WOOD PRESERVATIVE**

- Protects Against Costly Water Damage
- Protects Against Harmful Sun Damage
- Fights Unsightly Mildew Growth
- Linseed Oil Penetrates Deep to Strengthen Wood Fibers
- Preserves Wood While Helping to Maintain its Natural Beauty

Provides a clear finish to protect the natural beauty of your wood while allowing it to weather gray naturally. Premium penetrating Linseed Oil and a wood preservative protects your wood from rot and decay.

CLEAR WOOD PRESERVATIVE (CWP) is a linseed oil-based, water repellent wood preservative. Perfect for non-pressure-treated wood, CWP contains an effective preservative which penetrates deep into your wood, providing protection against wood rot & decay. In addition, CWP offers the benefits of a traditional water sealant, providing water repellency, UV protection, and mildew growth inhibitors.

<b>FIRST AID</b>	
<b>If on skin</b>	<ul style="list-style-type: none"> <li>- Take off contaminated clothing.</li> <li>- Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>- Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>- Call a poison control center or doctor immediately for treatment advice.</li> <li>- Have person sip a glass of water if able to swallow.</li> <li>- Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>- Do not give anything to an unconscious person.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>- Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>- Move person to fresh air.</li> <li>- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>- Call a poison control center or doctor for further treatment advice.</li> </ul>
<p><b>Note To Physician:</b> Contains petroleum distillate – vomiting may cause aspiration pneumonia.</p> <p>Contact 1-412-434-4515 or your poison control center for 24-hour emergency medical treatment information. Have the product container or label with you when calling a poison control center or doctor or going for treatment advice.</p>	

**ACCEPTED**  
with **COMMENTS**  
EPA Letter Dated:

AUG 29 2011

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 7313-25

7049

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION.** Avoid contact with skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Wear long sleeved shirt, long pants, shoes, and socks when handling or applying this product.

**USER SAFETY RECOMMENDATION:** Users should:

- Wash hands before eating, drinking, chewing, using tobacco, or using the toilet.
- Remove clothing immediately if product gets inside. The wash thoroughly and put on clean clothing.
- Remove clothing immediately after handling this product. As soon as possible, wash thoroughly.

**IMPORTANT:** Spray equipment must be handled with due care and in accordance with manufacturer's recommendations. Spraying of any material can be hazardous. When spraying this product, wear a respirator.

**ENVIRONMENTAL HAZARDS:** This chemical is highly toxic to fish and other aquatic aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment, washwater, or rinsate.

**Additional ENVIRONMENTAL HAZARDS language for package sizes  $\geq$  5 gallons:** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL/CHEMICAL HAZARDS:** Combustible. Do not use or store near heat or open flame. Combustible materials contained with overspray or liquid residues of this product may undergo spontaneous combustion. To minimize the potential for spontaneous combustion, soak contaminated materials with water or place them in a closed metal container away from buildings and other combustible materials. Use with adequate, force ventilation. Close container after each use.

**STORAGE AND DISPOSAL**

**Product Storage:** Store in a cool dry area. Store away from food and pet food. Close container after each use.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

AUG 29 2011

8049

3 3 3 3  
3 3 3 3  
3 3 3 3  
3 3 3 3  
3 3 3 3

**Product Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact any person or pet. Do not allow this product to drift.

This product is a penetrating linseed oil based, water repellent wood preservative. It gives wood protections from rot, decay, mildew, ultra violet light, and moisture damage. Recommended only for exterior above ground use, it also adds these protective qualities when used under finish coats, resulting in longer life for the wood and the finish. It may also be used on pressure treated wood to protect the wood from water damage, mildew, and deterioration due to ultra violet sunlight. It exceeds the Federal specification for water repellency, TT-W-572B, paragraph 3.7.

This product is recommended on exterior bare wood surfaces that may be exposed to attack by wood rot, mildew or excess moisture. Use on structural lumber, beams, timbers, sills, millwork and roofs. To maintain wood preservation properties, reapplications are recommended every 2 to 4 years. When used prior to painting or staining, allow to dry thoroughly (at least 24 to 48 hours) before applying Stain. Application of oil based topcoat may result in a higher gloss in some areas which will normally become more uniform with weathering.

Surfaces treated with this product will be protected from moisture damage, mildew and rot, but will "weather" naturally. Depending on the exposure and the type of wood, this weathering will include a gradual graying. To protect and beautify with color, use one of the Semi-Transparent or Solid Color Stains. For severe exposure to wood rot, "pressure treated wood" offers maximum protection.

**PREPARATION:** Surface Preparation: Proper surface preparation is essential for the limited warranty to apply. Surfaces must be clean, dry and free of mildew. Rinse thoroughly and allow to dry before application. Mildew: Remove mildew by washing with a mixture of 1 part liquid chlorine bleach to 3 parts water. Rinse thoroughly.

**APPLICATION:** Mix thoroughly prior to use. May be applied with a natural bristle brush, spray or by dipping. Use only one thin coat. Thoroughly treat ends and edge of boards. DO NOT THIN. Approximate Coverage: Depending on texture, porosity, and dryness of wood: 150 to 250 square feet per gallon. Temperature Recommendations: Avoid application to a hot surface in direct sunlight. Do not apply with the air, or surface temperature is below 50°F (10°C). Drying: This product will require 24 to 48 hours to dry under ideal conditions. Cleanup: Clean brushes and other tools with mineral spirits. DANGER - Rags, steel wool, or waste soaked with this product may spontaneously

ACCEPTED  
WITH COMMITMENTS  
EPA Letter Dated:

AUG 29 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 7313-25



3 3 3 3  
3 3 3 3  
3 3 3 3  
3 3 3 3

catch fire if improperly discarded. Immediately after use, place rags, steel wool or waste in a sealed water-filled metal container. Place closed metal container away from buildings and other combustible materials. Extractive Bleeding: some woods contain water-soluble colorings or extractives that tend to "bleed" to the surface. This bleeding may be unsightly but is not damaging to the finish. If it has occurred, allow the coating to dry, then wash with a mild detergent solution and rinse with clear water. For stubborn stains, a second solution of 50% alcohol and 50% water may be necessary.

PPG warrants your satisfaction with the application, appearance and performance properties of this product if it is properly applied to a properly prepared surface in accordance with label directions. PPG MAKES NO OTHER EXPRESS WARRANTIES. IN THE EVENT THE PRODUCT FAILS TO CONFORM TO THIS WARRANTY, PPG AS ITS SOLE LIABILITY AND IN LIEU OF ANY DIRET OR INDIRECT INCIDENTAL, SPECIAL OR CONDEQUENTIAL DAMAGES, WILL, AT YOUR OPTION, FURNISH REPLACEMENT PRODUCT OR REFUND THE PURCHASE PRICE - LABOR OR COSTS OF LABOR FOR THE APPLICATION OF ANY PRODCT SPECIFICALLY ARE EXCLUDED. You must supply proof of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. To make a claim under this warranty contact the store where you purchased the product or: PPG Architectural Finishes, Inc. One PPG Place, Pittsburgh, PA 15272.

MAX VOC 350 g/L (2.92 lbs/gal)  
Calc. VOC - 332 g/L (2.77 lbs/gal)

FOR ADDITIONAL INFORMATION - ASK YOUR DEALER OR REFER TO THE INFORMATION MANUAL.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

AUG 29 2011

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 7313-25