



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 4, 2024

Justin Trippe
PPG Architectural Finishes, Inc
One PPG Place
Pittsburgh, PA 15272
Electronic Transmittal: jtrippe@ppg.com

Subject: Label Amendment – Tralopyril Interim Registration Review Decision
Label Mitigation
Product Name: Sigma X075
EPA Registration Number: 7313-26
Received Date: 07/20/2020
Decision Number: 564766

Dear Justin Trippe:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Tralopyril Interim Registration Review Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised

labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Erin Dandridge by phone at 202-566-0635 or via email at Dandridge.erin@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. Gayoso", is centered on the page.

Jose Gayoso, Senior Regulatory Advisor
Reevaluation Branch
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Stamped label

MASTER LABEL – Covers the following colors: BROWN, REDBROWN, BLUE, and BLACK

SIGMA X075



INSERT COLOR

INTENDED FOR COMMERCIAL USE ONLY.

EPA Est.. No. _____
EPA Reg. No. 7313-

Active Ingredient:
1H-Pyrrole-3-carbonitrile, 4-bromo-2-(4-chlorophenyl)-
5-(trifluoromethyl)..... 5.42%
4,5-Dichloro-2-n-octyl-3(2H)-isothiazolone.... 5.23%
Other Ingredients89.35%
Total 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID AND OTHER PRECAUTIONS
ON SIDE PANEL

Shelf life:
DOT:
VOC: 346 g/l

Article:
Manufactured in U.S.A
Batch:

ACCEPTED

06/04/2024

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 7313-26

BAR CODE AREA

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:
DANGER

CORROSIVE. CAUSES SKIN BURNS. CAUSES MODERATE EYE IRRITATION. HARMFUL IF SWALLOWED OR INHALED. AVOID BREATHING VAPOR, MIST, DUST, OR CHIPS FROM PAINTING, OR SANDING. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WEAR A FACE SHIELD. WEAR A TYVEK HOODED COVERALL OR THE EXACT EQUIVALENT, COVERALLS BENEATH THE TYVEK HOODED COVERALLS, IMPERVIOUS GLOVES AND IMPERVIOUS FOOTWEAR THAT PROTECTS THE LOWER LEGS. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING THE TOILET. REMOVE THE CONTAMINATED CLOTHING AND DISCARD AFTER EACH USE, DO NOT REUSE. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS.

WORKER PROTECTION

OCCUPATIONAL HANDLERS IN THE SPRAYMAN POSITION APPLYING THIS PRODUCT ARE REQUIRED TO WEAR A NIOSH APPROVED FULL FACEPIECE SUPPLIED AIR RESPIRATOR (PF 1000) DURING USE OR A CONTINUOUS FLOW SUPPLIED AIR OR POWERED AIR PURIFYING RESPIRATOR EQUIPPED WITH A HOOD THAT COVERS THE FACE, NECK, AND SHOULDERS. THE AIR OR POWERED AIR PURIFYING RESPIRATOR SHALL HAVE AN ASSIGNED PROTECTION FACTOR OF 1,000, PER NIOSH STANDARDS, AND MUST BE USED WITH AN ORGANIC VAPOR CARTRIDGE AND A HIGH EFFICIENCY (HEPA) PRE-FILTER. THE SPRAY MAN SHALL WEAR SAFETY GLASSES BENEATH THE HOOD RESPIRATOR. OCCUPATIONAL HANDLERS IN THE LINE TENDER POSITION APPLYING THIS PRODUCT ARE REQUIRED TO WEAR A NIOSH APPROVED AIR-PURIFYING HALF-FACE MASK ELASTOMERIC RESPIRATOR (PF 10) WITH ANY R OR P FILTER DURING USE.

FIRST AID	
IF ON SKIN	<ul style="list-style-type: none">• TAKE OFF CONTAMINATED CLOTHING.• RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15-20 MINUTES.• CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
IF IN EYES	<ul style="list-style-type: none">• HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, AND THEN CONTINUE RINSING.• CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
IF INHALED	<ul style="list-style-type: none">• MOVE PERSON TO FRESH AIR• IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH IF POSSIBLE• CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
IF SWALLOWED	<ul style="list-style-type: none">• IMMEDIATELY CALL A POISON CONTROL CENTER OR DOCTOR.• DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR DOCTOR.• DO NOT GIVE ANY LIQUID TO THE PERSON.• DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR A TREATMENT.	
NOTE TO A PHYSICIAN	
CONTAINS PETROLEUM DISTILLATE - VOMITING MAY CAUSE ASPIRATION PNEUMONIA.	
For Emergency Medical Information, call +1-412-434-4515.	

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND AQUATIC INVERTEBRATES. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS, OR OTHER WATER UNLESS IN ACCORDANCE WITH THE REQUIREMENTS OF A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT AND THE PERMITTING AUTHORITY HAS BEEN NOTIFIED IN WRITING PRIOR TO DISCHARGE. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE LOCAL SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICES OF THE EPA. DO NOT APPLY DIRECTLY TO WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. DO NOT ALLOW CHIPS AND DUST GENERATED DURING PAINT REMOVAL TO ENTER WATER. DISPOSE OF PAINT DEBRIS IN AN APPROVED LANDFILL. WEAR PROTECTIVE CLOTHING AND SUPPLIED AIR RESPIRATOR IN ACCORDANCE WITH THE PRECAUTIONARY STATEMENTS ABOVE WHEN HANDLING, PAINTING OR REMOVING THIS PAINT.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: KEEP AWAY FROM HEAT AND OPEN FLAME

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This product is intended to control attachment of barnacles, mussels, snails, tube worms, algae, slime and other marine fouling organisms on vessel hulls in salt and freshwater environments. Not for use on pleasure craft.

SURFACE PREPARATION

Surface to be painted shall be free of dirt, oil grease and other surface contaminants. Apply over a suitable primer system or clean, intact, existing antifouling coating. For recoating of approved systems, the antifouling substrate should be cleaned by means of low pressure water cleaning (1500-3000 psi). Corroded or damaged areas should be blast cleaned and repaired according to the original specification. Substrate temperature should be at least 5°F (3°C) above dew point.

APPLICATION INSTRUCTIONS

1. Can be applied by brush, roller or airless spray.*
 2. Clean all application equipment with Sigma Thinner 21-06.
 3. Stir material thoroughly and continue stirring occasionally during application to ensure pigment suspension.
 4. Thin only for workability using no more than 0-2% thinner.
 5. Apply a wet coat in even brush or roller strokes or spray passes, building the wet film thickness to achieve the recommended dry film thickness. Allow 4 hours dry time at 77°F (25°C) between coats. Allow 10 hours dry time at 77°F (25°C) before launching.
 6. Clean application equipment immediately after use with Sigma Thinner 21-06.
- * Using a program that conforms to OSHA's requirements (see 29 CFR Part 1910.134), employers must verify that any handler who uses a respirator is:
- Fit-tested and fit-checked
 - Trained, and
 - Examined by a qualified practitioner to ensure physical ability to safely wear the style of respirator to be worn. A qualified medical practitioner is a physician or other licensed health care professional who will evaluate the ability of a worker to wear a respirator.
 - The initial evaluation consists of a questionnaire that asks about medical conditions (such as a heart condition) that would be problematic for respirator use. If concerns are identified, then additional evaluations, such as a physical exam, might be necessary.
 - The initial evaluation must be done before respirator use begins. Handlers must be reexamined by a qualified medical practitioner if their health status of respirator style or use-conditions change.
- Upon request by local/state/federal/tribal enforcement personnel, employers must provide documentation demonstrating how they have complied with these requirements.

STORAGE AND DISPOSALPROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE

Keep container closed when not in use. Avoid storage where the product may become contaminated or containers damaged. Store between 40 and 110 degrees F.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of this product, spray mixture, or its rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Regional EPA Office, Hazardous Waste.

CONTAINER DISPOSAL

METAL CONTAINERS: Nonrefillable container. Do not reuse or refill this container. Prior to container disposal, allow any remaining paint residue in the container to air dry. Dispose of the container in accordance with federal, state or local disposal regulations.

NET CONTENT: 5 US GALLON S/18.93L

Sigma Coatings is a registered trademark of PPG Coatings Nederland B.V.

LIMITED WARRANTY

PPG warrants your satisfaction with the performance properties of this product if it is properly applied to a properly prepared surface in accordance with label directions. PPG MAKES NO OTHER EXPRESS WARRANTIES. IN THE EVENT THE PRODUCT FAILS TO CONFORM TO THIS WARRANTY, PPG, AS ITS SOLE LIABILITY, AND IN LIEU OF ANY DIRECT OR INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, WILL, AT YOUR OPTION, FURNISH REPLACEMENT PRODUCT OR REFUND THE PURCHASE PRICE – LABOR OR COSTS OF LABOR FOR THE APPLICATION OF ANY PRODUCT SPECIFICALLY ARE EXCLUDED. You must supply proof of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incident or consequential damages, so the above limitation or exclusion may not apply to you. To make a claim under this warranty, contact the store where you purchased the product or; PPG Industries Inc., One PPG Place, Pittsburgh, PA 15272.