Front Panel Hurscalure Fly Attractant
ACTIVE INGREDIENTS: Methomyl: [S-Methyl N-{(methylcarbamoyl)oxy} thio acetimidate]
KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel for Additional Cautions A C C E P T E D SEP 3 0 1996 Under the Federal Insecticide. Fungicide, and Rodenticide Act
USE DIRECTIONS AND PRECAUTIONARY STATEMENTS

Directions for Use: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

3

ŝ

Do not use any form of methomyl fly bait product around or inside homes, or any other place where children are likely to be present.

Use LURECTRON® SCATTERBAIT pellets around the following commercial areas only: commercial poultry houses, cattle barns, and feed lots, canneries, beverage producers, meat, poultry and food processing plants. Scatterbait pellets may also be used on walkways in caged layer houses.

For use as a Scatterbait: Scatter pellets at a rate of approximately 1/4 pound of pellets per 500 ft<sup>2</sup>, maintaining a spacing of 1-2 inches between pellets. Do not leave pellets in piles.

For use as a paste: Mix 0.25 lb of Scatter-Bait with 4.0 oz. water, stir well and keep covered for a few hours. Apply the paste with a brush on walls, window sills, support beams, such that poultry, cattle or other animals cannot come in contact with the paste. where flies usually land.

For use in bait stations: Scatterbait pellets may be used in bait stations placed at least four (4) feet off the ground. One bait station for 500 square feet should provide control.

EPA Registration No. 7319-6		EPA Establis	hment No	: 7319-
Net Contents	lb	Gr		••;
®Registered Trademark	of Denka II	nternational, I	B.V.	•:.

Back Panel

. . . . .

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing dust. Wash throughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not apply where poultry, animals, pets or children can contact the bait. Do not use in homes or where milk is processed or stored. Do not feed treated garbage. Do not use in serving areas where food is commercially prepared or processed. Do not apply in areas where poultry or other animals, especially dogs and calves can lick it.

STATEMENT OF	PRACTICAL TREATMENT:
If swallowed:	Call physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an uncouscious person.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
If in eyes:	Flush with plenty of water.
NOTE TO PHYSI	ICIAN: Methomyl is a cholinesterase inhibitor; atropine is antidotal.

ENVIRONMENTAL HAZARDS: This product is toxic to birds. Collect, cover or • • • • incorporate granules spilled on the soil surface. Do not discharge into lakes, streams, or ponds.

## STORAGE AND DISPOSAL:

Do not contaminate water, food of feed by storage and disposal. Storage: Store in a dry cool place inaccessible to children and pets. Always keep the containers closed when not in use.

PESTICIDE DISPOSAL: Do not contaminate water, food, of feed by storage or disposal. If the pesticide or rinse water cannot be disposed off according to label directions, contact your Sate Pesticide of Environmental Protection Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: DO NOT REUSE CONTAINER. Triple rinse the container before discarding in trash of disposing in a sanitary landfill approved for use by State and local agencies.

Manufacturer markes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risks of use, storage and handling of this material when such use and handling are contrary to label directions.

Denka International b.v. Hanzeweg 1 3771 NG Barneveld The Netherlands

