7319-6

04/06/2006

DRAFT LABEL

Front Panel

•

LURECTRON[®] SCATTERBAIT

With Muscalure Fly Attractant

Insecticide for use against flies in commercial poultry houses, livestock barns, and feed lots, canneries, beverage producers, meat, poultry and food processing plants, and on walkways in caged layer houses

 ACTIVE INGREDIENTS

 Methomyl [CAS No. 16752-77-5]

 Z-9-Tricosene [CAS No. 27519-02-4]

 INERT INGREDIENTS

 98.74%

 TOTAL

 100.00%

KEEP OUT OF REACH OF CHILDREN	
CAUTION	

See Back Panel for Additional Cautions

000 00			
EPA Registration No. 7319-6 Denka International b.v. Hanzeweg 1 3771 NG Barneveld The Netherlands Net Contentslb Gm	ACCEPTED APR 6 2006 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 23/9-6	EPA Establishment No. 7319-NL-	.1
			-
 If swallowed: Call a poison control center Have the person sip a glass Do not induce vomiting unlet doctor. Do not give anything by mouted doctor. Do not give anything by mouted doctor. Take off contaminated cloth Rinse skin immediately with Call a poison control center If in eyes: Hold eye open and rinse slot Remove contact lenses, if p Call a poison control center 	of water if able to swallow. ss told to do so by a poison of th to an unconscious person ing. plenty of water for 15 - 20 m or doctor immediately for tre wly and gently with water for resent, after first 5 minutes,	control center o n. ninutes. eatment advice. 15 - 20 minutes. then continue rinsing the eye	
Have the product container or label with treatment. You may also contact the Na emergency treatment information. NOTE TO PHYSICIAN: Methomyl is a	ational Pesticide Information	Center at 1-800-858-7378 for	
* Registered Trademark of Denka Internatio	nal b.v.	••••••	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing.

Personal Protective Equipment (PPE)

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, the user should wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Than wash thoroughly and put on clean clothing."

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, aquatic invertebrates, and mammals. Accessible areas treated with this bait are hazardous to birds and other wildlife. Collect, cover, or incorporate granules spilled on the soil surface Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean highwater mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. Some of the chemicals in this product are known to leach through soil into groundwater under certain conditions of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination."

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply around or inside homes or any other place where children are likely to be present. Use only in areas inaccessible to children, pets, and food producing animals.

<u>For use as a scatter bait</u>: Use around the outside of the following commercial establishments where children are unlikely to be present: feed lots, poultry houses, livestock barns, canneries, beverage plants, meat and poultry processing establishments, food processing plants, and commercial refuse dumpsters which are fenced or otherwise enclosed. Do not use around commercial dumpsters that are not enclosed. Do not use around dumpsters in residential settings. May be used on walkways in caged layer houses. Do not treat areas where animals can feed on bait. Do not apply directly to water. Keep children, pets, and livestock clear from scatter bait treatment area. Distribute bait from container or use an implement to avoid handling the bait directly. Scatter bait evenly at a rate of 1/4 lb. (4 oz.) product per 500 square feet of area. Do not apply in piles. Replenished every 3 to 5 days or when bait is no longer visible in the treated area.

<u>For use in bait stations:</u> Use in any commercial bait station secured at least 4 feet above the ground and in areas not accessible to children, pets, and livestock. Use around the outside of feed lots, poultry houses, livestock barns, canneries, beverage plants, meat and poultry processing establishments, food processing plants, kennels, and refuse dumpsters associated with these establishments. May be used in fenced or otherwise enclosed areas inaccessible to children and pets around the outside of restaurants, supermarkets, and bakeries. May be used inside caged layer houses. Pour 1 oz (28g) into each bait station and use at the rate of 2 bait stations per 500 square feet of fly feeding area. Replenish every 3 to 5 days or when bait is no longer visible in the bait station. When refilling it may be necessary to first dispose of dead flies and any product remaining in bait station as described below under Storage and Disposal. Replace bait station if physically damaged.

<u>For use as a paste:</u> Mix 1/4 lb. (4 oz.) product with 1/2 cup (4 oz.) water stirring well to form a paste. Apply paste with a brush on walls, windowsills, and support beams where flies can land on the outside of livestock barns and poultry houses such that children, pets, and livestock can not come into contact with paste. Reapply every 3 to 5 days or when flies no longer appear to be affected by landing on treated area.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

• • • •

Store in a tightly closed container in a cool, dry place out of the reach of children and pets.

Pesticide Disposal

Pesticides wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

[Metal] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

[plastic] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

[Fiber drum with liner] Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Dispose of residue by use or as directed above. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

Bait Station Disposal

The bait station is reuseable. When the container becomes cracked or broken, triple rinse (or equivalent) and offer for recycling or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY STATEMENT

Manufacturer makes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risks of use, storage and handling of this material when such use and handling are contrary to label directions.