

7319-6

11/15/2011

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7504P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. #
 7319-6

Date of Issuance:

NOV 15 2011

NOTICE OF PESTICIDE:
 Registration
 Reregistration
 (under FIFRA, as amended)

Terms of Issuance:
Unconditional

Name of Pesticide Product:
Lurectron® Scatterbait

Denka International
Hanzeweg 1
P.O. Box 337
Barneveld, The Netherlands


C/O Alfred G. William
4 Tar Rock Road
Westport, CT 06880

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA grants this reregistration under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for **Methomyl** have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of FIFRA, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Submit one copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. **Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.** If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions regarding this label, please contact Jessica Rogala at (703) 347-0263 or via email at rogala.jessica@epa.gov.


John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division

Nov. 15, 2011

LURECTRON® SCATTERBAIT


With Muscalure Fly Attractant

Insecticide for use against flies in commercial poultry houses, livestock barns, feed lots, canneries, beverage producers, meat, poultry and food processing plants, and on walkways in caged layer houses

ACTIVE INGREDIENTS:

Methomyl (CAS No. 16752-77-5).....	1.00%
Z-9-Tricosene (CAS No. 27519-02-4).....	0.26%
INERT INGREDIENTS	98.74%

TOTAL 100.00%



KEEP OUT OF REACH OF CHILDREN

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Cautions

EPA Registration No. 7319-6

EPA Establishment No. 7319-NL-1

Denka International B.V.

NON-REFILLABLE CONTAINER

Hanzeweg 1

3771 NG Barneveld

The Netherlands

Net content:.....lb.....Gm

FIRST AID

If swallowed:

- ▶ Call a poison control center or doctor immediately for treatment advice.
- ▶ Have the person sip a glass of water if able to swallow.
- ▶ Do not induce vomiting unless told to do so by a poison control center or doctor.
- ▶ Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- ▶ Take off contaminated clothing.
- ▶ Rinse skin immediately with plenty of water for 15-20 minutes.
- ▶ Call a poison control center or doctor immediately for treatment advice.

If in eyes:

- ▶ Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- ▶ Remove contact lenses, if present, after first 5 minutes, than continue rinsing the eye
- ▶ Call a poison control center or doctor immediately for treatment advice.

Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may also contact the National Pesticide Information Center at Tel: 1-800-858-7378 for emergency treatment information.

NOTE TO PHYSICIAN: Methomyl is a cholinesterase inhibitor; atropine is antidotal.

*Registered Trademark of Denka International B.V.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE)

Applicators and all other handlers must wear:

- Long-sleeved shirt and long pants.
- Socks and shoes.
- Chemical resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, the user should wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticides gets inside. Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, aquatic invertebrates and mammals.

Collect, cover or incorporate granules spilled on the soil surface. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighbouring areas. Do not contaminate water when disposing of equipment wash-water or rinsate. Some of the chemicals in this product are known to leach through soil into groundwater under certain conditions of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State of Tribe, consult the agency responsible for pesticide regulation. Use this product only for the sites, pests, and application methods described on this label.

Do not apply around or inside homes or any other place where children are likely to be present. Use only in areas inaccessible to children, pets, and food producing animals. Insecticide Resistance Management Farnam DIE FLY™ can be an important tool in the overall management of housefly populations. Incorporate an Integrated Pest Management program which includes: sanitation, proper manure management, elimination of breeding areas, physical barriers, liquid spray treatments, fly traps (mechanical, light, glue), and periodic rotation of baits with different modes of action.

For use as a scatter baits: Use around the outside of the following commercial establishments where children are unlikely to be present: feed lots, poultry houses, livestock barns, canneries, beverage plants, meat and poultry processing establishments, foods processing plants, and commercial refuse dumpsters which are fenced or otherwise enclosed. Do not use around commercial dumpsters that are not enclosed. Apply only to dumpsters that have a lid or can be closed. Dumpster doors and lids must be closed after applying bait. Do not use around dumpsters in residential settings. May be used on walkways in caged layer houses. Do not treat areas where animals can feed on bait. Do not apply directly to water. Keep children, pets, and livestock clear from scatter bait treatment area. Distribute bait from container or use an implement to avoid handling the bait directly. Scatter bait evenly at a rate of ¼ lb (4 oz.) product per 500 square feet of area. Do not apply in piles. Replenished every 3 to 5 days or when bait is no longer visible in the treated area.

For use in bait stations: Use in any commercial bait station secured at least 4 feet above the ground and in areas not accessible to children, pets, and livestock. Use around the outside of feed lots, poultry houses, livestock barns, canneries, beverage plants, meat and poultry processing establishments, food processing plants, kennels, and refuse dumpsters associated with these establishments. May be used in fenced or otherwise enclosed areas inaccessible to children and pets around the outside of restaurants, supermarkets, and bakeries. May be used inside caged layer houses. Pour 1 oz (28 g) into each bait station and use at the rate of 2 bait stations per 500 square feet of fly feeding area. Replenish every 3 to 5 days or when bait is no longer visible in the bait station. When refilling it may be necessary to first dispose of dead flies and any product remaining in bait station as described below under Storage and Disposal. Replace bait station if physically damaged.

For use as a paste: Mix ¼ lb (4 oz.) product with ½ cup (4 oz) water stirring well to form a paste. Apply paste with a brush on walls, windowsills, and support beams where flies can land on the outside of livestock barns and poultry houses such that children, pets, and livestock cannot come into contact with paste. Reapply every 3 to 5 days or when flies no longer appear to be affected by landing on treated area.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container handling:

Non refillable Container. DO NOT reuse or refill this container. After completely emptying container into application equipment, offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Bait Station Disposal

The bait station is reusable. When the container becomes cracked or broken, offer for recycling or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY STATEMENT

Manufacturer makes no warranty, express or implied, concerning the use of the product other than as indicated on the label. Buyer assumes all risks of use, storage and handling of this material when such use and handling are contrary to label directions.