PRESAUTIONARY STATEMENTS Hexards To Humans & Demostic Animals DANGER

CORNOSIVE.

CAUSES EYE DAMAGE AND SKIR BURNS.
MAY CAUSE ALLENGIC SKIN REACTION.
MAY BE HARMFUL IF INHALED.
MAY BE FATAL IF SWALLOWED OR

ARSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vepor or mist. Avoid contamination of food, Do not take internally. Week thoroughly after handling.

EN JNMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponde or public water unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Preticide or ringste that cannot be used or chescally reprocessed should be deposed of in a lank approved for pesticides or buried in a safe place away from water supplies. Triple rinse for equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator), or depose in lendfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

IN CASE OF ACCIDENT: for heritance, phone CHEMITREC toll free, day or night 800-424-9300

01367



MICROBIOCIDE 53

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%
2-Methyl-4-isothiazolin-3-one 0.35%
INERT INGREDIENTS: 99.50%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air, if not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Cell a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and weeh contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric levage. Measures against circulatory shock, respiratory depression and consultations may be needed

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

SOLD BY WELCHEM, INC. 5450 N.W. CENTRAL DRIVE HOUSTON, TEXAS 77092

EPA Est. No. 707-PA 1, 7333-TX-02

EPA Reg. No. 707-133 7333

CONTENTS

GALLONS

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a minner inconsistent with its labeling.

OIL FIELD INJECTION WATERS

For the control of slime forming bacteris and sulfate reducing bacteris in oil field waters, slug treat with 67:332 ppm WELCHEM MICROBIOCIDE 53 depending on the severity of contamination.

(NITIAL DOSE: Add 166-332 ppm WELCHEM MICROBIOCIDE 53 (6.9-13.9 gallons or 58.0-116.6 lbs. WELCHEM MICROBIOCIDE 53 per 1000 barrels of viciter) at a point in the system where it will be uniformly mixed. Repeat treatment after three days gras needed until control is schieved.

SUBSEQUENT DOSE: Add 67-168 ppm WELCHEM MICROBIOCIDE 53 (2.8-6.9 gallons or 23.5-58.0 lbs. WELCHEM MICROBIOCIDE 53 per 1000 barrels of water) every seven days or as needed to maintain control. WELCHEM MICROBIOCIDE 53 weighs 8.4 lbs, per gallon.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For the control of becterle, algae and fungi add WELCHEM MICROBIOCIDE 53 to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm WELCHEM MICROBIOCIDE 53 (1.26 to 7.46 pounds or 19 to 113 fluid ounces of WELCHEM MICROBIOCIDE 53 per 1000 gallons of water in the system). Repeat until control is schieved.

SUBSECUENT DOSE: When microbial control is evident, add 35 to 219 ppm WELCHEM MICROBIOCIDE 53 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of WELCHEM MICROBIOCIDE 53 per 1000 gallons of water in the system; weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

NOT CE: Seller warrants that the product conforms to to chemical description and is resonably fit for the ourpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in a manner other than as directed by label instructions, or under abnormal conditions, or under conditions not resonably foreseeable to seller, and buyer essumes the risk of any such use.

Ur Fi a. ri



DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a Mariner inconsistent with its lebeling.

OL FIELD INJECTION WATERS

For the control of alime forming bacterie and sulfate reducing bacteria in oil field waters, slug treat with 67-332 ppm WELCHEM MICROBIOCIDE 53 depending on the severity of contamination.

INITIAL DOSE: Add 166-332 ppm WELCHEM MICROBIOCIDE 53 (6.9-13.9 gallons or 58.0-116.8 fbs. WELCHEM MICROBIOCIDE 53 per 1000 berrels of w.rter) at a point in the system where it will be uniformly mixed. Repeat treatment after three days or as needed until control is achieved.

SUBSEQUENT DOSE: Add 67-168 ppm WELCHEM MICROBIOCIDE 53 (2.8-6.9 gallons or 23.5-58.0 lbs. WELCHEM MICROBIOCIDE 53 per 1000 barrels of water) every seven days or as needed to maintain costrol. WELCHEM MICROBIOCIDE 53 weighs 8.4 lbs, per gallon.


INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For the control of becterie, algae and funci add WELCHEM MICROBIOCIDE 53 to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fosted, apply 148 to 883 ppm WELCHEM MICROBIOCIDE 53 (1.26 to 7.46 pounds or 19 to 113 fluid ounces of WELCHEM MICROBIOCIDE 53 per 1000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm WELCHEM MICROBIOCIDE 53 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of WELCHEM MICROBIOCIDE 53 per 100/ gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

NOT CE: Seller warrants that the product conforms to m chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in a manner other than as directed by label instructions, or under abnormal conditions, or under conditions not mas anably foreseable to seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE



DOT Proper Shipping Name:

CORROSIVE LIQUID, N.O.S.

(5-Chloro-2-methyl-4-isothiazolin-3-one)

UN 1760

MADE IN U.S.A.

GALLONS

..... 1.15%

ntity of milk, egg whites, r. Avoid elcohol, Call a

y artificial respiration. If

h conteminated clothing

sures against circulatory

ysician.

..... 0.35%

..... 98.50% 100.00%

7333 4

1	
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	DATE OF ISSUANCE 03 AUG 1984
REGISTRATION DIVISION (#11-567) WASHINGTON, D.C. 2^469	TERM OF ISSUANCE
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended)	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	
۲	~1
RFST	DOCUMENT AVAILABLE
OED!	
L	7
	from that accepted in connection with this registration must be or to use of the Jabel in commerce. In any correspondence on thember.
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered unite
A copy of the tabeling accepted in connection with this Re	egistration/Reregistration is returned herewith.
health and the environment, the Administrator, on his moti- loide in accordance with the Act. The acceptance of any m	nt or approval of this product by this Agency. In order to protect on, may at any time suspend or cancel the registration of a past same in connection with the registration of a product under this to exclusive use of the name or to its use if it has been covered
•	
	<u>.</u>
•	·
STTACHMENT IS APPLICABLE	

PREVIOUS ECITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

EPA Form 8570-6 (Rev. 5-74)

4. Submit five (5) copies of your final printed labeling before you release the product for unipment. Refer to the λ -79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIPRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee

Product Manager (31) Diwinfectants Branch

Registration Division (TS-767C)

James & Buch

Enclosures

RD/DIS:J.Lee:DCR-44649:WANG-0359K:KIH:Raven:479-2013:7/31/84/Del.8/13/64 REVISED:J.Lee:DCR-44652:WANG-0359K:KIH:Raven:479-2013:7/31/84/Del.8/13/84

BEST DOCUMENT AVAILABLE

CONCURRENCES							
SYMMOL P	· · · · · · · · · · · · · · · · · · ·						ı
Б ШИНАМЕ В	•				i		
DATE							
TOTAL TOTAL TOTAL	1 .4 611	•	•			OFFIC	IAL FILE CORS