


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 7342-3	DATE OF ISSUANCE JAN 9 1986
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE NAME OF PESTICIDE PRODUCT Wood Pro	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
$\begin{array}{r} 161 \\ \hline 18 \\ \hline \end{array} \quad \begin{array}{r} 162325 \\ \hline 1 \\ \hline \end{array}$		
The Warner-Graham Company 160 Church Lane P.O. Box 249 Cockeysville, MD 21030		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 7342-3." b. Update First Aid Procedure to read "Statement of Practical Treatment." c. Update container disposal statement, according to PR Notice 83-3 for household use, to read: <p style="margin-left: 40px;">Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.</p> 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. 		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL <i>Henry M. Jacoby</i>		DATE 1/9/86

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

746 2 4 1

WATER REPELLANT - PAINTABLE

WOOD PRO is a non-flammable preservative that protects wood against attack by termites, wood destroying fungi, mold, mildew, rot and decay. Provides positive protection against dimensional change and warping. Can be painted over. For interior or exterior use. Can be applied to wet or green wood.

USES

WOOD PRO is recommended for use on all wood and wood products such as millwork, plywood, decks, shingles, siding, fencing, outdoor furniture, structural timbers, spars, docks, piers, posts and pilings. Can also be used on nursery lumber, slats and crates. Use as a first coat prior to painting or varnishing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces. Stir before using.

SURFACE PREPARATION: Surface to be treated should be clean and free of dirt, bark, wax, grease and mildew. Wood does not have to be dry.

APPLICATION: Apply by brush, roller, spray or dipping. Total immersion is best wherever possible. Wood in ground contact should be dipped for a minimum of 5 minutes. Large timbers, poles, etc. should be immersed in WOOD PRO for 12 to 48 hours. Where immersion is not possible a second coat is highly recommended. Side or end grains should be coated 2 or 3 times for full protection. Recoat within 1-2 hours. Allow

WOOD PRO to dry 24-48 hours prior to painting or varnishing. Use WOOD PRO as it comes from the container. Appearance in the container is opaque but WOOD PRO dries to a clear flat finish. Do not use where temperature is below 40°F.

COVERAGE: 100 to 300 square feet depending on porosity of the wood and the method of application.

CLEAN-UP: Clean brushes and equipment with soapy water.

STORAGE AND DISPOSAL

Storage: Product will freeze. Store at temperatures between 40° & 100° F. If the product has been spilled or is leaking remove source of spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Where applicable, wash area with detergent and soap. Store product in original container only. Do not store with fertilizers, food and feed. Keep container closed when not in use.

Container Disposal: Do not empty container. Wrap container and put into trash collection.

PROTECT PRODUCT FROM FREEZING

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 9 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

7342-3

55 GAL & 5 GAL (CONTAINERS)

WATER-REPELLANT - PAINTABLE

WOOD PRO is a non-flammable preservative that protects wood against attack by termites, wood destroying fungi, mold, mildew, rot and decay. Provides positive protection against dimensional change and warping. Can be painted over. For interior or exterior use. Can be applied to wet or green wood.

USES

WOOD PRO is recommended for use on all wood and wood products such as millwork, plywood, decks, shingles, siding, fencing, outdoor furniture, structural timbers, spars, docks, piers, posts and pilings. Can also be used on nursery lumber, slats and crates. Use as a first coat prior to painting or varnishing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces. *Stir before using.*

SURFACE PREPARATION: Surface to be treated should be clean and free of dirt, bark, wax, grease and mildew. Wood does not have to be dry.

APPLICATION: Apply by brush, roller, spray or dipping. Total immersion is best wherever possible. Wood in ground contact should be dipped for a minimum of 5 minutes. Large timbers, poles, etc. should be immersed in WOOD PRO for 12 to 48 hours. Where immersion is not possible a second coat is highly recommended. Side or end grains should be coated 2 or 3 times for full protection. Recoat within 1-2 hours. Allow

WOOD PRO to dry 24-48 hours prior to painting or varnishing. Use WOOD PRO as it comes from the container. Appearance in the container is opaque but WOOD PRO dries to a clear flat finish. Do not use where temperature is below 40°F.

COVERAGE: 100 to 300 square feet depending on porosity of the wood and the method of application.

CLEAN-UP: Clean brushes and equipment with soapy water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Product will freeze. Store at temperatures between 40° & 100° F. If the product has been spilled or is leaking, remove source of spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Where applicable, wash area with detergent and soap. Store product in original container only. Do not store with fertilizers, food and feed. Keep container closed when not in use.

Pesticidal Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Metal - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.

PROTECT PRODUCT FROM FREEZING



WOOD PRO

CLEAR WOOD PRESERVATIVE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

FIRST AID PROCEDURE

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, on skin or on clothing. Wash thoroughly after handling.

IF SWALLOWED, Do not induce vomiting, CALL PHYSICIAN IMMEDIATELY. — IF ABSORBED THROUGH SKIN, Wash thoroughly with soap and water. — IF IN EYES, Flush with plenty of water and get immediate medical attention. — CONTAMINATED CLOTHING should be removed and washed thoroughly before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Use only with adequate ventilation. Close container after each use.

ACTIVE INGREDIENT:

Zinc naphthenate*	15.7%
INERT INGREDIENTS.....	84.3%
TOTAL	100.0%

* (Equivalent to 2% Zinc Metal)

PRODUCT WEIGHT PER GALLON - 8.3 LBS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautionary statements on back panel.

EPA Reg. No. 7342-2

EPA Est. No. 07342MD01

NET 1 GALLON (3.785 LITERS)

