

DIRECTIONS

RESTAURANTS, TAVERNS, HOTELS, AND INSTITUTIONS

For the sanitation of glasses, dishes, cooking utensils and bottles - clean with a solution of suitable detergent (hot soap) and rinse thoroughly with water. Sanitize by rinse or immersion in a solution of 1 oz. Q - K to 4 gallons of water, then air dry.

HOSPITALS

For general disinfection of floor, walls, furniture, sinks, bath tubs, showers, toilet seats - first clean with a good detergent, rinse with water, then disinfect with Q - K 800 P.P.M. solution. (1 ounce per gallon of water.)

FOOD PROCESSING PLANTS, CANNERS, MEAT PACKERS, BAKERS

Clean walls and floor with a good detergent solution, rinse, then spray with Q - K at 800 P.P.M. solution. For equipment - wash thoroughly in suitable detergent, rinse, then drip or spray on Q - K sanitizing solution of 1 ounce to 4 gallons of water - air dry.

LOCAL AND STATE REGULATIONS

This product fulfills criteria of appendix F of the Grade "A" Pasteurized Milk Ordinance, 1965 Recommendations of the U.S. Public Health Service in waters up to 550 P.P.M. (32 grains per gallon) of hardness calculated as Ca Co3 when tested by A.O.A.C. Germicidal and Detergent Sanitizers - Official Method

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

DAIRY FARMS

General Sanitation - Clean and rinse thoroughly all milking equipment, then immerse in a solution of 1 oz. Q - K to 4 gallons of water - air dry.

CONTENTS _____ GALLONS

Q-K

DISINFECTANT - DEODORANT - SANITIZER

EPA REG. NO. - 7350-9
ODORLESS - COLORLESS


ACTIVE INGREDIENTS

n-alkyl (50% c14, 40% c12, 10% c16) 10%
dimethyl benzl ammonium chloride 2.5%
ethanol

INERT INGREDIENT

Water 87.5%

**DANGER - KEEP OUT OF REACH OF CHILDREN.
SEE FIRST AID AND OTHER PRECAUTIONS ON
RIGHT PANEL**



CHASKA CHEMICAL

304 MASTER AVENUE SAVAGE, MINN. 55378 PHONE 612/ 890-1820

POULTRY SANITATION

Equipment - Use Q - K at the rate of 1 ounce to 4 gallons of water, scrubbing feeders and drinking utensils. Do not mix with soap, strong alkali or ordinary wetting agents. Use in recommended dilutions. Avoid contamination of feed and foodstuffs.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NON-FLAMMABLE, NON-VOLATILE
DILUTION TABLE IN USE-DILUTIONS
800 P.P.M. - 1 oz. to 1 gal. water
400 P.P.M. - 1 oz. to 2 gal. water
200 P.P.M. - 1 oz. to 4 gal. water