

ACCEPTED
 Jun 15, 1967
 7350-14
 TO ATTACHED COMMENTS.

7350-14

4

DIRECTIONS

DAIRY FARMS

Sanitize utensils and equipment before use with 200 ppm solution of POW for a two-minute exposure period. **DO NOT SOAK OVERNIGHT.** Always clean with Chaska detergents before sanitizing. After sanitizing utensils and equipment rinse thoroughly with potable water.

DAIRY PLANTS

Efficient bactericide for all types of milk processing — see ppm table. Apply sanitizing solution for a 2-minute exposure. Mixes easily in warm or cold water. Sanitize with 200 PPM or follow local health board regulations. After sanitizing rinse thoroughly with potable water.

FOOD PROCESSING

Heavy duty sanitizer for coolers, packaging machines, vats. Leaves no residual film. Sanitize with 200 PPM or follow local health board regulations. After sanitizing, rinse thoroughly with potable water.

POULTRY OPERATIONS

All utensils and pans should be washed completely and then rinsed or sprayed with 200 ppm POW. See table. Poultry houses should be cleaned regularly and then sprayed with a solution of 5 ounces POW to 4 gallons of water.

"POW"

U.S. D.A. Registration Number —

CHLORINE POWDER

WARNING - POISON

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS

Sodium Dichloro-s-triazinetrione (providing 10% available chlorine) 18%
 Sodium Metasilicate 12%

INERT INGREDIENTS

70%
 100%

CHASKA

CHEMICAL CO., INC.

CHASKA, MINN.

13 TELEPHONE: MINNEAPOLIS 888-1666

Increased Label per your letter April 17, 1967

per statement #



POW CHLORINE POWDER

- * Highly Concentrated
- * Free Flowing
- * Includes Water Conditioner and Active Surface

ANTIDOTE — External wash with water. Internal — Drink mucilage, milk or rice gruel. Followed by 1-2 (tablespoons) of mustard (in water). Call a doctor.

WARNING

Do not get in eyes or on skin. Avoid breathing dust. May be fatal if inhaled. May cause skin irritation. May be contaminated with organic materials. Avoid evolution of chlorine gas. Store in a dry place. Avoid contact, immediately flood skin with color water for at least 15 minutes. Get medical attention.

In event of spillage flush with water. When container is empty do not burn.

TABLE OF PROPORTIONS

- 400 ppm - use 1 oz. to 2 gal.
- 200 ppm - use 1 oz. to 4 gal.
- 100 ppm - use 1 oz. to 8 gal.
- 50 ppm - use 1 oz. to 16 gal.

NET CONTENTS 2 POUNDS

ACCEPTED
 JUN 15, 1967
 FOR EQUIPMENT
 ED UNLESS NOTED
 TO ATTACHED COMMENTS.

7350-14

4

IONS

ets and equipment before use
 solution of POW for a two-
 ure period. DO NOT SOAK
 Always clean with Chaska
 ore sanitizing. After sanitiz-
 ed equipment rinse thorough-
 e water.

icide for all types of milk
 see ppm table. Apply sanit-
 for a 2-minute exposure.
 n warm or cold water. Sau-
 PPM or follow local health
 ions. After sanitizing rinse
 th potable water.

ING
 antizer for coolers, packaging
 ds. Leaves no residual film.
 200 PPM or follow local health
 ions. After sanitizing, rinse
 th potable water.

RATIONS
 nd pans should be washed
 d then rinsed or sprayed with
 V. See table. Poultry houses
 ned regularly and then spray-
 tion of 5 ounces POW to 4
 ter.

"POW"
 U.S. D.A. Registration Number -
CHLORINE POWDER

*Changed label
 per your letter
 April 17, 1967*

WARNING - POISON
KEEP OUT OF REACH OF CHILDREN

per statement #

ACTIVE INGREDIENTS
 dium Dichloro-s-triazinetriene
 roviding 10% available chlorine) 18%
 dium Metasilicate 12%
INERT INGREDIENTS 70%
 100%

CHASKA
CHEMICAL CO., INC.
 CHASKA, MINN.



13 TELEPHONE: MINNEAPOLIS 888-1666

POW CHLORINE POWDER IS

- * Highly Concentrated
- * Free Flowing
- * Includes Water Conditioning Agents and Active Surface Materials

ANTIDOTE — External wash with water. In-
 ternal - Drink mucilage, raw egg white,
 milk or rice gruel. Follow with capsule
 (tablespoons) of mustard in glass of warm
 water). Call a doctor.

WARNING

Do not get in eyes or on skin. Avoid breath-
 ing dust. May be fatal if swallowed. May
 cause skin irritation. May cause fire if con-
 taminated with organic matter. Will burn
 with evolution of chlorine and equally toxic
 acid gases. Store in a dry place. In case of
 contact, immediately flood skin or eyes with
 color water for at least 15 minutes. For eyes,
 get medical attention.

In event of spillage flush with clean water.
 When container is empty destroy by smash-
 ing or burning.

TABLE OF PROPORTIONS

405 ppm	- use 1 oz. to 2 gallons water
200 ppm	- use 1 oz. to 4 gallons water
100 ppm	- use 1 oz. to 8 gallons water
50 ppm	- use 1 oz. to 16 gallons water

NET CONTENTS 2 POUNDS

14

732-14

DIRECTIONS

DAIRY FARMS

Sanitize utensils and equipment before use with 200 ppm solution of POW for a two-minute exposure period. **DO NOT SOAK OVERNIGHT.** Always clean with Chaska detergents before sanitizing. After sanitizing utensils and equipment rinse thoroughly with potable water.

DAIRY PLANTS


Efficient bactericide for all types of milk processing — see ppm table. Apply sanitizing solution for a 2 minute exposure. Mixes easily in warm or cold water. Sanitize with 200 PPM or follow local health board regulations. After sanitizing rinse thoroughly with potable water.

FOOD PROCESSING

Heavy duty sanitizer for coolers, machines, vats. Leaves no residual film. Sanitize with 200 PPM or follow local health board regulations. After sanitizing, rinse thoroughly with potable water.

POULTRY OPERATIONS

All utensils and pans should be washed completely and then rinsed or sprayed with 200 ppm POW. See table. Poultry houses should be cleaned regularly and then sprayed with a solution of 5 ounces POW per 100 gallons of water.



U.S.
C
W
KE
AC
diur
rovi
diur
HE

7324 14

DIRECTIONS

DAIRY FARMS

Sanitize utensils and equipment before use with 200 ppm solution of POW for a two-minute exposure period. **DO NOT SOAK OVERNIGHT.** Always clean with Chaska detergents before sanitizing. After sanitizing utensils and equipment rinse thoroughly with potable water.

DAIRY PLANTS

Efficient bactericide for all types of milk processing — see ppm table. Apply sanitizing solution for a 2-minute exposure. Mixes easily in warm or cold water. Sanitize with 200 PPM or follow local health board regulations. After sanitizing rinse thoroughly with potable water.

FOOD PROCESSING

Heavy duty sanitizer for coolers, packaging machines, vats. Leaves no residual film. Sanitize with 200 PPM or follow local health board regulations. After sanitizing rinse thoroughly with potable water.

POULTRY OPERATIONS

All utensils and pans should be washed completely and then rinsed or sprayed with 200 ppm POW. See table. Poultry houses should be cleaned regularly and then sprayed with a solution of 5 ounces POW per gallon of water.

"POW"

U.S.D.A. Registration Number —

CHLORINE POWDER

WARNING - POISON

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS

Sodium Dichloro-s-triazinetriene	
(providing 10% available chlorine)	18%
Sodium Metasilicate	12%

INERT INGREDIENTS

.....	70%
<hr/>	
	100%



CHEMICAL CO.

TELEPHONE MINNEAPOLIS 888-1666



per statement

POW

* HI
* Fr
* In
an

ANTIDOTE
Internal
milk or
(tablesp
water).

WARNING

Do not g
thing dust
cause skin
laminated
with evol
acid gases
contact, in
olor water
get medic
In even
When co
ing or bu

100 ppm
200 ppm
100 ppm
50 ppm

N

7320-14
 U.S. PATENT OFFICE
 TRADE MARK

"POW"

U.S. D.A. Registration Number —

CHLORINE POWDER

WARNING - POISON

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS

Sodium Dichloro-s-triazinetriene
 (providing 10% available chlorine) 18%
 Sodium Metasilicate 12%

INERT INGREDIENTS

..... 70%

 100%



CHASKA

CHEMICAL CO., INC.

TELEPHONE: MINNEAPOLIS 888-1666

POW CHLORINE POWDER IS

- * Highly Concentrated
- * Free Flowing
- * Includes Water Conditioning Agents and Active Surface Materials

ANTIDOTE — External wash with water
 Internal - Drink mucilage, raw egg wa
 milk + rice gurel. Follow with ea
 (tablespoons) of mustard in glass of w
 water). Call a doctor.

WARNING

Do not get in eyes or on skin. Avoid bre
 thing dust. May be fatal if swallowed.
 cause skin irritation. May cause fire if
 laminated with organic matter. Will
 with evolution of chlorine and equally
 acid gases. Store in a dry place. In cas
 contact, immediately flood skin or eyes w
 color water for at least 15 minutes. For
 et medical attention.

In event of spillage flush with clean water.
 When container is empty destroy by smash
 ing or burning.

TABLE OF PROPORTIONS

- 100 ppm - use 1 oz. to 2 gallons water
- 200 ppm - use 1 oz. to 4 gallons water
- 300 ppm - use 1 oz. to 8 gallons water
- 50 ppm - use 1 oz. to 16 gallons water

NET CONTENTS 2 POUNDS