

**PERCAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

CHASKA CHEMICAL CO., INC.
12502 Xenwood Avenue South
Savage, MN 55378

EPA REG. NO. 7350-20 EPA EST. NO. 7350-MN-1

NET CONTENTS:

Directions for use as a vegetable wash: Not to exceed 200 PPM available chlorine. to 5 gallons of water. Apply through a spray bar to the vegetable to be washed. Allow the vegetable for 2 to 3 minutes. Rinse vegetable thoroughly with a potable water.

Directions for use as a shell egg sanitizer: Do not exceed 200 PPM available chlorine. Apply Chlor-12 through a spray bar to eggs that have been previously washed with water at the rate of 1/2 to 1 ounce Chlor-12 to each 5 gallons of water. This gives you available 200 PPM in the final rinse.

Directions for use as a hand sanitizing dip: Dip previously washed and thoroughly rinsed hands (1 oz. per 5 gallons) solution of Chlor-12. The hands do not need to be rinsed following.

Directions for use as a potable water treatment: Dispense Chlor-12 solution at a concentration with concentrations of available chlorine not exceeding 5 PPM in meat plants (1 oz. water), and 20 PPM in poultry plants (1 oz. Chlor-12 per 50 gals of water). Contact for further details.

CHLOR — 12

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS..... 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get Prompt medical attention.

See Additional precautions on side panel

ACCEPTED
7350-20
FEB 28 1981
EPA REG. NO. 7350-20
EPA EST. NO. 7350-MN-1

IT IS A V
IN I
DIRE
For area pool use, for
hypochlorite solution
available chlorine by w
For Pool Maintenance
A) Adjust pool water
B) Add manually or r
rain an available hyp
hypochlorite solution
by weight. Frequency
on temperature and m
residual are in the p
DIRE
Dilute this sodium hyp
chlorine to 11 parts per
begin feeding of solut
chlorine residual of a
system, as determin
ducted at a frequency
Water Regulations" (1
"Contact your local H
Clean equipment in th
this sodium hypochlor
with a surfactant for a
sodium hypochlorite
this sodium hypochlor
available chlorine by
NOTE: This product
necessary, to obtain t
STORAGE
direct sunlight. In cas
tainer thoroughly with
collection or burying
be diluted with water
by storage, dispose o



CHLOR - 12

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT:
 SODIUM HYPOCHLORITE 12.5%
 INERT INGREDIENTS..... 87.5%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get Prompt medical attention.

See Additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool, for starting start-up, use the rate with one (1) pint (16 fl. oz.) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

A) Adjust pool water pH to 7.6 - 7.8 range and maintain.

B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.8 to 1.0 ppm. One fourth pint (4 fl. oz.) of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residuals are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER

FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of a least 0.2 ppm and no more than 0.8 ppm throughout the distribution system, as determined by a DPD Chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit. *Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (28.35 ml) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or residue that cannot be used should be diluted with water and disposed of to a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PERCAUTIONARY STATEMENTS DANGERS TO HUMANS & DOMESTIC ANIMALS

Corrosive, may cause severe skin irritation. Chemical burns on broken skin. Causes eye damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when using this product. Wash after handling. Avoid breathing vapors. Use in well-ventilated areas as soon as possible. Do not return until vapors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep away from lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING
Mix only with water according to label directions. Mixing with gross filth such as feces, urine, etc., or with acids, detergents or other chemicals may release hazardous fumes irritating to eyes, lungs and mucous membranes.

manufactured by

CHASKA CHEMICAL CO., INC.
12502 Xenwood Avenue South
Savage, MN 55378

EPA REG. NO. 7350-20 EPA EST. NO. 7350-MN-1

NET CONTENTS:

Directions for use as a vegetable wash: Not to exceed 200 PPM available chlorine. Mix ½ to 1 ounce Chlor-12 to 5 to 5 gallons of water. Apply through a spray bar to the vegetable to be washed. Allow on the surface of the vegetable for 2 to 3 minutes. Rinse vegetable thoroughly with a potable water rinse.

Directions for use as a shell egg sanitizer: Do not exceed 200 PPM available chlorine in the final rinse. Apply Chlor-12 through a spray bar to eggs that have been previously washed with an appropriate detergent at the rate of ½ to 1 ounce Chlor-12 to each 5 gallons of water. This gives you available chlorine of 100 to 200 PPM in the final rinse.

Directions for use as a hand sanitizing dip: Dip previously washed and thoroughly rinsed hands into a 200 PPM (1 oz. per 5 gallons) solution of Chlor-12. The hands do not need to be rinsed following this procedure.

Directions for use as a potable water treatment: Dispense Chlor-12 solution at a constant and uniform level with concentrations of available chlorine not exceeding 5 PPM in meat plants (1 oz. Chlor-12 per 200 gals of water), and 20 PPM in poultry plants (1 oz. Chlor-12 per 50 gals of water). Contact local USDA inspector for further details.