


7364-1

01EP2

For Algae Control in Swimming Pools

SAFE . . . LONG LASTING . . . ECONOMICAL



THE MULTI-PURPOSE ALGICIDE

WITH **2** WAY ACTION

- (1) Kills algae rapidly
- (2) Prevents new growth

DOES NOT ADSORB ON FILTERS

DOES NOT CAUSE FOAMING

OR CLOUDING OF WATER

CONTENT: 1 LBS. (16 OZ.)

A Product of

GREAT LAKES BIOCHEMICAL CO., INC.
MILWAUKEE 1, WISCONSIN

MADE IN U.S.A.

WATER

4 oz.

8 oz.

16 oz.

24 oz.

28 oz.

DIRECTIONS

HOW MUCH TO USE

For best results, use Algimycin 200 in swimming pools at a rate of 1 lb. per 10,000 gallons of water. For outdoor pools, use 1 lb. per 10,000 gallons of water. For indoor pools, use 1 lb. per 10,000 gallons of water. For hot tubs, use 1 lb. per 1,000 gallons of water. For spas, use 1 lb. per 1,000 gallons of water. For fountains, use 1 lb. per 1,000 gallons of water. For ponds, use 1 lb. per 10,000 gallons of water. For lakes, use 1 lb. per 10,000 gallons of water. For rivers, use 1 lb. per 10,000 gallons of water. For streams, use 1 lb. per 10,000 gallons of water. For canals, use 1 lb. per 10,000 gallons of water. For reservoirs, use 1 lb. per 10,000 gallons of water. For bays, use 1 lb. per 10,000 gallons of water. For harbors, use 1 lb. per 10,000 gallons of water. For estuaries, use 1 lb. per 10,000 gallons of water. For oceans, use 1 lb. per 10,000 gallons of water.

Do not use Algimycin 200 in swimming pools if the water is cloudy or if the water is being treated with chlorine.

HOW TO CALCULATE

THE NUMBER OF POUNDS OF ALGIMYCIN 200 TO USE

METHOD OF APPLICATION

1. Turn on the pump and allow the water to circulate for 15 minutes before adding the Algimycin 200. 2. Add the Algimycin 200 to the water in a bucket and stir it well. 3. Pour the mixture into the pool. 4. Turn off the pump and allow the water to settle for 15 minutes. 5. Turn the pump back on and allow the water to circulate for 15 minutes. 6. Repeat the process if necessary.

CAUTION

Avoid contact with skin. Algimycin 200 is a strong irritant. Do not use in swimming pools if the water is cloudy or if the water is being treated with chlorine. Keep out of reach of children. Antidote: If swallowed, give water or milk. If inhaled, give oxygen. If on skin, wash with soap and water. If in eyes, flush with water. If on clothing, remove clothing and wash with soap and water.

ALGIMYCIN 200 Contains

1. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 2. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 3. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 4. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 5. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 6. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 7. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 8. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 9. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one 10. 2,2,4,4-tetrahydro-3H-1,2,4-triazine-3-one