


FOR CONTROL OF ALGAE FOUND IN MOST SMALL ORNAMENTAL PONDS AND POOLS



EPA Reg. No. 7364-4

ALGIMYCIN GLB-X is a specially formulated wettable powder designed to control and prevent the growth of most algae found in small ornamental ponds and pools.

One pound of ALGIMYCIN GLB-X will treat 5000 gallons of pond water.

CAUTION
KEEP OUT OF REACH OF CHILDREN
 May cause irritation of eyes, nose, throat, and skin
 Avoid breathing dust or spray mist
 Avoid contact with skin, eyes, and clothing
 Harmful if swallowed.

NET CONTENTS 1 LB (0.454 KGS)

Active Ingredients:	
Monuron: 3-(p-chlorophenyl)-1, 1-dimethylurea	1.50%
Simazine: 2-chloro-4, 6-bis(ethylamino)-s-triazine	1.10%
Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	0.40%
Inert Ingredients	97.00%
Total	100.00%

A Product of



MADE IN U.S.A.

PRINTED IN U.S.A.

GENERAL INFORMATION

ALGIMYCIN GLB-X is designed for the control of algae found in most small ornamental ponds and pools. One half pound of ALGIMYCIN GLB-X will treat 2,500 gallons of pond water. For best results start with a pond or pool as free of algae as possible. Less ALGIMYCIN GLB-X is required to prevent the growth of algae than to eliminate them once they have become established in a pond. If possible stop the flow of water through the pond to be treated or reduce it to a minimum for a period of at least 48 hours after application of ALGIMYCIN GLB-X. This will assure an adequate concentration of ALGIMYCIN GLB-X in the pond for a sufficient time to control and prevent the growth of algae. If a continuous flow of water must be maintained through the pond, it may be necessary to repeat the initial treatment after three or four days.

HOW MUCH ALGIMYCIN GLB-X TO USE

1. For the Prevention and Control of Algae Growth in Most Small Ornamental Ponds and Pools, use one-half (1/2) pound of ALGIMYCIN GLB-X for every 2,500 gallons of water.
2. For Ponds or Pools with Heavy Algae Infestation, clean the pond or pool before applying the product.

POND CAPACITY	AMOUNT OF ALGIMYCIN GLB-X REQUIRED
625 gallons	2 oz.
1250 gallons	4 oz.
2500 gallons	8 oz.
5000 gallons	16 oz.

METHOD OF APPLICATION

- For best results clean pond thoroughly before applying ALGIMYCIN GLB-X. Since highly concentrated solutions of ALGIMYCIN GLB-X may injure desirable aquatic plants such as water lilies, etc., always dilute and add the ALGIMYCIN GLB-X as directed. Do not add more than the recommended dose at one time.
3. Mix the proper amount of ALGIMYCIN GLB-X in a full pail of water or in a sprinkling can, but never more than four (4) ounces at a time. Pour slowly into the water to be treated while walking around the edge of the pond. **DO NOT POUR THE CONCENTRATED MIXTURE DIRECTLY ON DESIRABLE AQUATIC PLANTS SUCH AS WATER LILIES, etc.** Repeat the addition of the ALGIMYCIN GLB-X, using no more than four (4) ounces at a time until the required amount of ALGIMYCIN GLB-X has been added to the pond.
 4. Repeat the treatment when algae begin to re-appear. This is normally once a month. However, if there is a continuous flow of water or if conditions cause excessive algae formation, re-treatment may be required slightly more frequently.

CAUTION

When used according to directions, ALGIMYCIN GLB-X is not toxic to most common fresh water and tropical fish. However, large quantities of decaying algae may reduce the oxygen content of the water to a point to cause fish kill. It is best to remove large masses of floating algae manually before treatment if fish are present in the pond.

Avoid contact with or drift to desirable plants or crops, since concentrated ALGIMYCIN GLB-X may cause injury.

Do not use treated water for irrigation of food crops or for sprinkling shrubs, lawns or flowers.

Avoid storage near or contamination of feed and food stuffs. Rinse container thoroughly with water and discard it.