

25
78



EPA Reg. No. 7364-15

50 ALGICIDE TABLETS

- ACTIVE INGREDIENTS:
 - Sodium dichloro-s-triazinone 35%
 - Trichloro-s-triazinone 20%
 - Simazine 2-chloro-4,6-bis(ethylamino)-s-triazine
- INERT INGREDIENTS
- Provides 50 Algicide Tablets

DANGER: KEEP OUT OF REACH OF CHILDREN
See Antidote Statement and Other Required Statements on the Back Panel

NET CONTENTS 1 LB. • 454 GRS



FOR RAPID, EFFECTIVE CONTROL OF MOST ALGAE FOUND IN SWIMMING POOLS ESPECIALLY FOR THE SPOT TREATMENT OF ESTABLISHED "BLACK ALGAE"

HOW MUCH TO USE

For the "Spot Treatment" of Established "Black Algae" use two ounces (6-7 tablets) to treat every 2,500 gallons of water. Apply the proper dosage by dropping tablets into the water along the walls and over areas where algae spots or infestations are visible on the pool bottom. The tablets will rapidly disintegrate into many granules. Some will dissolve rapidly and others will be dispersed over a confined area with 24 hours after they are added to the pool.

Under conditions of severe infestation of "Black Algae" this dose should be applied off the filter pump and allow the water to recirculate before applying the recommended dosage. For severe infestation 50 tablets should be used in a 25,000 gallon pool. The tablets will disintegrate and the granules will be dispersed over the entire pool. The tablets will disintegrate and the granules will be dispersed over the entire pool.

Use the following instructions for the spot treatment of established "Black Algae" in swimming pools. With this product you can quickly and effectively control the growth of "Black Algae" in swimming pools. The tablets will disintegrate and the granules will be dispersed over the entire pool. The tablets will disintegrate and the granules will be dispersed over the entire pool.

IMPORTANT

Because of the potency of this product, heavy concentrations of the disintegrated tablets on localized areas of the pool may cause discoloration of vinyl lined and painted pools. Discoloration can be prevented by brushing lightly the granules from the disintegrated tablets which remain on the bottom with a pool brush to distribute them so that the full effect is not concentrated on any one spot.

DANGER

MAY BE FATAL IF SWALLOWED. CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION IF EYE IRRITATION PERSISTS. GET MEDICAL ATTENTION. STRONG OXIDIZING MATERIAL. Contact with organic matter may cause fire or toxic fumes. A burn with this product is a grave & equally toxic case. May produce irritation or contact with wet moisture. Foreign material or contamination from any source may result in fire. Keep out of reach when not in use. Store in cool place.

Apply the tablets to the pool water with water and a pool brush. Wash after each use. Avoid contact with skin, eyes, or clothing. Do not inhale dust. Do not store in a hot or humid place. Do not use in a confined space. Do not use in a swimming pool. Do not use in a swimming pool. Do not use in a swimming pool.

28



EPA Reg. No. 7364-15

50 ALGICIDE TABLETS

ACTIVE INGREDIENTS

Sodium dichloro-s-triazinone... 3%
 Trichloro-s-triazinone... 20%
 Simazine, 2-chloro-4, 6-bis-(ethylamino)-s-triazin-5(1H)-one... 77%

INERT INGREDIENTS... 100%

Provides 4% available chlorine

DANGER: KEEP OUT OF REACH OF CHILDREN
 See Antidote Statement and Other Required Statements on the Back Panel

NET CONTENTS 1 LB. • 454 GRS.
 QUALITY SWIMMING POOL CHEMICALS FROM



MADE IN U.S.A.

FOR RAPID, EFFECTIVE CONTROL OF MOST ALGAE FOUND IN SWIMMING POOLS ESPECIALLY FOR THE SPOT TREATMENT OF ESTABLISHED "BLACK ALGAE"

HOW MUCH TO USE

1. For the "Spot Treatment" of Established "Black Algae" use two ounces (4-7 tablets) to treat every 2,500 gallons of water. Apply the proper dosage by dropping tablets into the water along the walls and over areas where algae spots or infestations are visible on the pool bottom. The tablets will rapidly disintegrate into small granules. Some will dissolve rapidly and others will be dispersed over a confined area with the water after they are added to the pool.

2. Under conditions of severe infestations of "Black Algae" it is advisable to shut off the filter pump and allow the water to settle down before applying the recommended dosage. Use one ounce per 2,500 gallons of water as the standard dose. Allow 4-6 hours for the action of the tablets. After waiting the full 4-6 hours, repeat the treatment with water in the pool at the normal level.

3. For the control of algae growth in pool water which has been treated with Algae, use two ounces (4-7 tablets) per 2,500 gallon of water. Use a brush to scrub evenly over the surface of the pool and the required amount of ALGIMYCIN TABS will be added to water. A sprinkling of the tablets will help to break up algae scum and it should be used to control algae growth in hot tub water. Do not use Algae in hot tubs. Do not spray treated hot tub water over the surface of the pool through the swimming pool filter.

IMPORTANT

Because of the potency of this product, heavy concentrations of the disintegrated tablets on localized areas of the pool may cause discoloration of vinyl lined and painted pools. Discoloration can be prevented by brushing lightly the granules from the disintegrated tablets which remain on the bottom with a pool brush to distribute them so that the full effect is not concentrated on any one spot.

DANGER

MAY BE FATAL IF SWALLOWED, CAUSES EYE IRRITATION, MAY CAUSE SKIN IRRITATION. IF EYE IRRITATION PERSISTS GET MEDICAL ATTENTION. STRONG OXIDIZING MATERIAL. Contact with organic matter may cause fire or decomposition. Will burn with heat and/or produce a equally toxic gases. May produce harmful fumes. Contact with heat, moisture, foreign material or contamination from any source may result in fire. Keep cover closed when not in use. Store in cool dry place.

Wash empty container thoroughly with water and discard.
 Wash after handling.
 Avoid contact with skin, eyes or clothing.
 Avoid contact with or storage near feed or foodstuffs.
 Avoid contact with water.
 Do not permit treated water to fish. Treated effluent should not be discharged into lakes, streams, ponds, or other water.

ACTIVE INGREDIENTS
 Sodium dichloro-s-triazinetrione, 35%
 Trichloro-s-triazinetrione, 20%
 Simazine 2-chloro-4,6-bis(2-ethylamino)-1,3,5-triazine
 NET WEIGHT INGREDIENTS

• PROVIDE A 40% AVAILABLE FORM

DANGER: KEEP OUT OF REACH OF CHILDREN
 See Antidote Statement and Other
 Required Statements on the Back Panel

NET CONTENTS 1 LB. • 454 KGS.

QUALITY SWIMMING POOL CHEMICALS FROM



**Great Lakes
 Biochemical** Co. Inc.
 Milwaukee Wisconsin 53228

Algae... is advised to...
 allow the water to settle...
 recommended dosage...
 5-7 days...
 10-15 days...
 20-30 days...
 40-60 days...

...with visible...
 5-7 days...
 10-15 days...
 20-30 days...
 40-60 days...
 80-100 days...
 120-150 days...
 180-240 days...
 300-360 days...