



GLB BRAND

NEW FIRE RESISTANT CONCENTRATED GRANULAR CHLORINE

For Swimming Pool Disinfection

ACTIVE INGREDIENT:

Sodium Dichloro-S-Triazinetrione Dihydrate	100%
Available Chlorine	56%

DANGER: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and Other Required Statements on the Back Panel.

NET WEIGHT 20 LB • 9.08 KG

ACCEPTED

MAY 31 1974

DIRECTIONS FOR USE

FIRST: When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. of **GLB BRAND CONCENTRATED GRANULAR CHLORINE** per 1,000 gallons of pool water. The next morning, add **GLB BRAND SWIMMING POOL WATER CONDITIONER and STABILIZER** at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

THEN: **GLB BRAND CONCENTRATED GRANULAR CHLORINE** should be added daily or as needed at the rate of 4 oz. per 10,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. Heavy usage or high temperature may require more frequent addition of **GLB BRAND CONCENTRATED GRANULAR CHLORINE**.

pH REQUIREMENT: Maintain the pH of the pool water between 7.2 to 7.6. High pH values can reduce effectiveness of most chlorine sanitizing agents.

A SHOCK TREATMENT should be made every week during the hot weather or after heavy rains. For shock treatment use **GLB BRAND SUPER SHOCK** at the rate of 2 oz. per 1,000 gallons of water. Complete directions for use are given on the **GLB BRAND SUPER SHOCK** label. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has dropped to the 1.0 ppm to 2.0 ppm level.

KEEP IN MIND that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

EPA Reg. No. 7364-25-AA

MADE IN U.S.A.



MANUFACTURED BY
Great Lakes Bio
MILWAUKEE, WISCO

KEEP

Corrosive
Do not breathe
Wear goggles
when handling
broken glass

Strongly
irritating
to eyes at
decomposition
ventilate

Mix only
in dry
Keep closed

Do not
water a

This product
not be used
or public
equipment

Apply to

EXTERNAL
and
For
before

INTERNAL
by o

**-B
ND**

**TANT
R CHLORINE
fection**

100%
56%

**REACH OF
REN
red Statements**

9.08 KG

DIRECTIONS FOR USE

FIRST: When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. of **GLB BRAND CONCENTRATED GRANULAR CHLORINE** per 1,000 gallons of pool water. The next morning, add **GLB BRAND SWIMMING POOL WATER CONDITIONER and STABILIZER** at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

THEN: **GLB BRAND CONCENTRATED GRANULAR CHLORINE** should be added daily or as needed at the rate of 4 oz. per 10,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. Heavy usage or high temperature may require more frequent addition of **GLB BRAND CONCENTRATED GRANULAR CHLORINE**.

pH REQUIREMENT: Maintain the pH of the pool water between 7.2 to 7.6. High pH values can reduce effectiveness of most chlorine sanitizing agents.

A SHOCK TREATMENT should be made every week during the hot weather or after heavy rains. For shock treatment use **GLB BRAND SUPER SHOCK** at the rate of 2 oz. per 1,000 gallons of water. Complete directions for use are given on the **GLB BRAND SUPER SHOCK** label. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has dropped to the 1.0 ppm to 2.0 ppm level.

KEEP IN MIND that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

EPA Reg.No.7364-25-AA

MADE IN U.S.A.



MANUFACTURED BY
Great Lakes Biochemical Co., Inc.
MILWAUKEE, WISCONSIN 53218

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

FIRST AID

EXTERNAL: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

INTERNAL: If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician immediately.

EPA Est. No. 7364-WI-1

PRINTED IN U.S.A.



NEW FIRE RESISTANT CONCENTRATED GRANULAR CHLORINE

For Swimming Pool Disinfection

ACTIVE INGREDIENT:
Sodium Dichloro-S-Triazinetrione Dihydrate 100%
Available Chlorine 56%

DANGER: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and Other Required Statements on the Back Panel.

NET WEIGHT 20LB • 9.08 KG

REGISTERED

54137

UNLESS OTHERWISE SPECIFIED
FUNCTIONS ARE SUBJECT TO THE ACT
FOR BOUNDING POOL REGISTERED
UNDER NO. 150000000

DIRECTIONS FOR USE

FIRST: When starting up a new pool, Superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 1/2 lbs of GLB BRAND CONCENTRATED GRANULAR CHLORINE per 1,000 gallons of pool water. The next morning, add GLB BRAND SWIMMING POOL WATER CONDITIONER and STABILIZER at the rate of 1/2 oz per 1,000 gallons of pool water.

THEN: GLB BRAND CONCENTRATED GRANULAR CHLORINE should be added to a pool as needed at the rate of 4 oz per 1,000 gallons of pool water. The chlorine residual should be maintained at 1.0 ppm to 2.0 ppm as determined by a chlorine test kit. Heavy usage or high temperatures may require more frequent addition of GLB BRAND CONCENTRATED GRANULAR CHLORINE.

pH REQUIREMENT: Maintain the pH of pool water between 7.2 and 7.6. High pH values will reduce the effectiveness of chlorine sanitizing agents.

A SHOCK TREATMENT: should be made at least once a week. Use GLB BRAND SUPER SHOCK at the rate of 2 1/2 lbs per 1,000 gallons of water. Complete shock treatments with GLB BRAND SUPER SHOCK will remove chlorine demand and restore the chlorine residual to 1.0 ppm. The chlorine residual should be maintained at 1.0 ppm.

KEEP IN MIND: that you should never use Superchlorinate and Super Shock together. Super Shock will destroy the chlorine residual and Superchlorinate will destroy the chlorine residual.

EPA Reg. No. 73491-AA
MADE IN U.S.A.



MANUFACTURED BY
Great Lakes Biochemical Co. Inc.
MILWAUKEE, WISCONSIN 53218

EPA Reg. No. 73491-AA
MADE IN U.S.A.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin irritation and may irritate respiratory passages. Harmful if swallowed. Causes dizziness when inhaled. May be fatal if swallowed. May cause burns to the skin.

Severe eye irritation may occur. Irritation may be severe. Avoid contact with eyes. If contact occurs, flush eyes with water for 15 minutes. If irritation persists, seek medical attention. In case of fire, use dry chemical, carbon dioxide, or foam extinguishers. Do not use water. If on skin, wash with water. If on clothing, remove clothing and wash with water. If inhaled, move to fresh air. If symptoms persist, seek medical attention.

Do not use in swimming pools. Do not use in hot tubs. Do not use in spas. Do not use in ponds. Do not use in lakes. Do not use in streams. Do not use in rivers. Do not use in oceans. Do not use in any other body of water.

FIRST AID

EXTERNAL: If on skin, wash with water. If on clothing, remove clothing and wash with water. If in eyes, flush with water for 15 minutes. If inhaled, move to fresh air. If symptoms persist, seek medical attention.

INTERNAL: If swallowed, do not induce vomiting. If symptoms persist, seek medical attention.