



ALGICIDE 60

D-3 1-35

7364-35

ACTIVE INGREDIENT:

Polyoxyethylene (dimethyliminio) ethylene-  
(dimethyliminio) ethylene dichloride ..... 60.0 %

INERT INGREDIENT ..... 40.0 %

This product contains 5.76 lb. of active ingredient per gallon and weighs  
9.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Algicide 60 \_\_\_\_\_ is used in swimming pools, exterior spas, whirlpools, hot tubs, and minimum effectiveness pools, spas, whirlpools, hot tubs, and spas. Heavy growth of algae should be cleaned prior to using Algicide 60.

For pools having just visible algae growth add an initial dose of \_\_\_\_\_ fluid ounces of Algicide 60 per 10,000 gallons of water. Subsequent additions of \_\_\_\_\_ per 10,000 gallons should be made every 5 to 7 days after initial treatment.

Spas, whirlpools, hot tubs, or decorative fountains require an initial dose of \_\_\_\_\_ fluid ounces of Algicide 60 per 1,000 gallons of water. For treatment of a freshly installed hot tub, or decorative fountain, add initially \_\_\_\_\_ fluid ounces of Algicide 60 per 1,000 gallons. Subsequent additions of \_\_\_\_\_ should be made every 5 to 7 days after initial treatment. Algicide 60 is compatible with chlorine chemicals and may reduce the amount of chlorine required. However, do not mix Algicide 60 with liquid chlorine products.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Containers should be placed in a plastic bag and disposed of with clear water. All pesticides should be kept out of the reach of children and away from food.

DISPOSAL: Do not reuse empty container. Wipe out container with water.

Manufactured by

Great Lakes Biochemical Co.  
6120 West Douglas Ave.  
Milwaukee, WI 53218

EPA REG. NO. \_\_\_\_\_ EPA EST. NO. \_\_\_\_\_

NET CONTENTS \_\_\_\_\_