UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



SEPA United States Environmental Protection Office of Pesticide Programs Agency Office of Pesticide Programs

MAR 17 2010

Marianne Radtke Regulatory Affairs Manager GLB Pool & Spa W175 N11163 Stonewood Drive Suite 234 Germantown, WI 53022-4799

FILE CORY

Subject:

Tabex Algae Out

EPA Reg. No. 7364-46

Application Dated: February 20, 2010 Receipt Date: February 25, 2010

Dear Ms. Radtke:

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 is acceptable.

Proposed Notification:

Precautionary statement revision in response to EPA letter, dated 7/16/09.

Comments:

Based on a review of the material submitted, the following comments apply:

This application for notification to add appropriate precautionary statement language, as referenced above, is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact me at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,

Acting Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

| Please read instructions or | Form Approved OMB No. 2070-0060, Approvel expires 2-28-95 | | | | | | | |
|--|--|---|---|--|---------------------|---|---|--|
| \$EPA | Environmenta | Vironmental Protection Agency Washington, DC 20460 | | | | tion nent | OPP Identifier Number | |
| | | Application | on for Pestici | de - Secti | on I | | · · · · · · · · · · · · · · · · · · · | |
| 1. Company/Product Number 7364-46 | | | EPA Product Manager Wanda Henson | | | 3. Proposed Classification None Restricted | | |
| 4. Company/Product (Name) TABEX ALGAE OUT | | | PM# 32 | PM# | | | | |
| 5. Name and Address of A GLB Pool & Spa W175 N11163 Stone Germantown, WI & Check if the | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name | | | | | | | |
| | | | Section - | ll . | | | | |
| Amendment - Explai | | Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below. | | | | | | |
| Explanation: Use addition Notification in response to This notification is consisted labeling or the confidential EPA. I further understand of FIFRA and I may be subject Contact Information: Maria | the Precautionary Stater ent with the provisions of I statement of formula of the that if this notification is not to enforcement action a | ments Condition PR Notice 98-1 his product. I un ot consistent w and penalties ur | n 0 and EPA regulatic iderstand that it is a ith the terms of PR I nder sections 12 and om 262 509-567 | violation of 18 U Notice 98-10 and 114 of FIFRA. 4 Direct | J.S.C. Sec. 1001 to | o willfully r | nake any false statement to | |
| | | | Section - I | <u> </u> | | | 1. 1. <u>1 </u> | |
| Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging | | | Water Soluble Packaging 2. Type | | | Container | | |
| ✓ Yes No | No V No | | | Yes / | | | Metal Plastic Glass Paper | |
| * Certification must be submitted | If "Yes" Unit Packaging wgt. | No. per container | If "Yes" Package wgt | 1131 931 | | | | |
| 3. Location of Net Contents Information 4. Size(s) Ret Label Container | | | Qts. Gallons 5. Location of | | | Label Directions | | |
| 6. Manner in Which Label is Affixed to Product Lithog Paper Stenci | | | glued | | | | | |
| | | | Section - I | V | | | | |
| 1. Contact Point Complet | e items directly below f | or identificatio | n of individual to b | e contacted, if | necessary, to pro | cess this | application.) | |
| Name Marianne Radtke | | | Title Regulatory Affairs Manager | | | Telephone No. (Include Area Code) 800-558-5106 ext 328 | | |
| Certificate of certify that the statements I have made on this form and I acknowledge that any knowlingly false or misleading state both under applicable law. | | | l all attachments thereto are true, accurate and ട്ര് atement may be punishable by fine or imprisonmen | | | હું હું કું હું હું હું હું હું હું | 6 Date Application Received ျှည် ((Sgamped) | |
| 2. Signature Marianne Ladthe | | | 3. Title Regulatory Affairs Manager | | | C ((| 6 1 | |
| 4. Typed Name Marianne Radtke | | | 5. Date | 20-0 | 2010 | | | |

30£7

LB Pool & Spa Robarb Quantum Applied Biochemists Leisure Time Aquashade

Advantis Technologies W175 N11163 Stonewood Drive Suite 234 Marianne Radtke, Regulatory Services Germantown, WI 53022-4799

> 262 255-4619 Fax 262 255-4449 ext. 328

E-mail: mradtke@advantistech.com

February 20, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460-0001

Re:

Approval Conditions

Approved letter dated 7/16/09 7364-46 – Tabex Algae Out

Attn:

Wanda Henson

Dear Wanda.

This letter is to address the condition on the approved letter dated 7/16/09 regarding the appropriate respiratory protection required on the product label.

I looked on other recently approved labels in PPLS and found the Precautionary Statements to read the same as our label language approved as recent as Feb, 2009 by your department. I have listed below the list of product numbers that have the identical Precautionary Statements as I have proposed on my original submittal in May and on a resubmittal in July. 1258-1273, 1258-1075, 1258-905, 5185-502, 9215-7, 11411-8, 57787-31, 69470-28, 71654-12 all have the same Precautionary Statement as I proposed. I have 2 other swimming pool products with the same active that approved with this language recently.

Appropriate Respiratory Language according to other identical products is:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Cause eye and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Causes burns to digestive tract. Irritating to nose and throat.

- Open in a well ventilated area. Do not breathe dust or vapor.
- Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves. For additional protection
 of skin, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum,eer using tobacco.
- Remove contaminated clothing and wash before reuse.

This language is as listed in the Chlorinated Isocyanurate EPA RED on pg 15.

Everyore

We look forward to your acceptance of the language above as appropriate respiratory language.

Regards,

Marianne Radtke

Regulatory Affairs Manager 800-558-5106 ext 328

Marianne Radice

.

....

. . . . `

Update: 2009-07-16

MASTER LABEL

[All text in brackets [AAA] is optional and may/may not be included on final label]
{All text in braces {AAA} is for information purposes and will not appear on final label}

Tabex Algae Out

| ACTIVE INGREDIENTS: | |
|---|--------|
| Sodium Dichloro-s-Triazinetrione dihydrate* | 36.70% |
| Copper Sulfate Pentahydrate ** | 8.96% |
| NERT INGREDIENTS: | 54.34% |
| TOTAL: | |
| | |
| | |

KEEP OUT OF REACH OF CHILDREN DANGER

Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool [or spa]. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin.

[See [side] [back] panel for precautionary statements.]

NET WEIGHT (LBS.)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 4 PPM OF AVAILABLE CHLORINE

[This product] combines the power of chlorinating compounds and copper for immediate antialgae shock treatment as well as for extended relief from algae.

For best results, use [this product] in the evening after pool use is finished for the day.

Compatible with bromine, chlorine, salt water, ozone and minerals.

Use this product as follows:

1. Adjust the pool water pH into the range of 7.2 - 7.8 and the total water alkalinity range iຄໍໃຫ້ 100 to 150 parts per million (ppm) as determined by a suitable test kit.

^{**}Available Chlorine 20.2%

^{**}Metallic Copper Equivalent 2.2%

Update: 2009-07-16

MASTER LABEL

2. To control algae, distribute 3 pounds over the water's surface for each 20,000 gallons of pool water. This will raise the pool water's chlorine residual to 4 ppm for immediate anti-algae shock treatment and 1 ppm of chelated copper sulfate for extended relief.

3. If algae persists, repeat dosage.

Unlike many other algaecides, this product will not combine with and neutralize chlorine residuals already in the pool. This means that [this product] and chlorine in your pool will work together rather than destroying each other. In addition, [this product] is buffered so it will not upset the pH balance of your pool.

FIRST AID

IF IN EYES: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric layage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Irritating to nose and throat.

- Open in a well ventilated area. Do not breathe dust and fumes.
- Do not get in eyes, on skin, or on clothing.
- Wear goggles and rubber gloves when handling this product. For additional protection of skin, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.
- Remove and wash contaminated clothing before reuse.

PHYSICAL and CHEMICAL HAZARDS:

DANGER. If product is exposed to small amounts of water, it can react to take explosion or the release of toxic gases. Do not add water to this product, Add only into water.

Do not allow to become wet or damp before use.

Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.

Keep all foreign matter, including other water treatment products, away from this product.

Update: 2009-07-16

7364-46 Tabex Algae Out

MASTER LABEL

Do not mix with other products or dissolve before use.

• Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in a skimmer.

Strong oxidizing agent. This product can increase fire intensity.

Keep away from heat and from flame and burning material (like a lighted cigarette).

ENVIRONMENTAL HAZARDS

{End-use products in containers less than 5 gallons or 50 pounds use only the first sentence; all other use the full paragraph:}

This product is toxic to fish and aquatic organisms. This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE & DISPOSAL:

{Nonrefillable container - household/residential use}


[Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.]

{Nonrefillable container - single-use, non-resealable package}

[Keep this product dry in its tightly closed container. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse and discard empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate food or feed by storage or disposal or cleaning of equipment.]

{Optional – for use on residential use swimming pool and spa products.}





7097

7364-46 Tabex Algae Out

MASTER LABEL

EPA REG. NO.: 7364-46

EPA EST. NO.: xxxx-yy-zz

Update: 2009-07-16

MANUFACTURED BY/FOR [Brand name/web site]

{Marketing claims; may or may not be used on final labels}

- The "All in One" Product
- Shock Treats
- Controls Algae
- Buffers pH
- Supplements your Chlorine
- Improves Water Quality or Clarity
- Treats 20,000 Gallons
- All-In-One shock treatment and algaecide
- Eliminates contaminants while treating algae
- Shock treats & controls all algae, including black, green, and yellow
- · Does not affect pH
- Improves water clarity by supplementing the chlorine already in the pool
- One bottle treats 20,000 Gallons
- Granular formulation for simple application
- Contains chelated copper to prevent staining
- Compatible with bromine, chlorine and salt water
- · Contains no calcium