

7364-46

05-11-2011

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAY 11 2011

Dr. John French  
Arch Chemicals, Inc.  
Suite 1100  
5660 New Northside Drive  
Atlanta, GA 30328

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Subject: Tabex Algae Out  
EPA Registration No.: 7364-46  
Notification Date: 05/02/2011  
EPA Receipt Date: 05/03/2011

Dear Dr. John French,

This acknowledges the receipt of your notification, submitted under the provision of PR Notice 98-10 and FIFRA section 3(c)9.

**Proposed Notification**

- Correction of master label

**General Comments**

Based on a review of the submitted materials, your notification for the correction of master label, is acceptable and has been made a part of the records on file.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6345 or by e-mail at [henson.wanda@epa.gov](mailto:henson.wanda@epa.gov) or Jaclyn Carl by telephone at (571) 384-5684 or by e-mail at [carl.jaclyn@epa.gov](mailto:carl.jaclyn@epa.gov). When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Wanda Henson  
Acting Product Manager (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

2  
9

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-29-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 7364-46	2. EPA Product Manager W. Henson	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tabex Algae Out	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) GLB Pool & Spa W175 N111163 Stonewood Dr. Suite 234 Germantown, WI 53022 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label & CSF changes to conform with EPA Pesticide Re-evaluation Division product chemistry review D371134

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 10 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container Various		5. Location of Label Directions <input checked="" type="checkbox"/> container	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Marianne C. Radtke		Title Manager, Regulatory Affairs		Telephone No. (Include Area Code) 262-509-5674	
<p align="center"><b>Certification</b></p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>					6. Date Application Received (Stamped)
2. Signature <i>Marianne C. Radtke</i>			3. Title Manager, Regulatory Affairs		
4. Typed Name Marianne C. Radtke			5. Date April 5, 2010		

3  
9

Arch Chemicals, Inc.  
Suite 1100  
5660 New Northside Drive  
Atlanta, GA 30328  
Phone: 678-627-2000  
FAX: 678-627-2081



May 2, 2011

Ms. Wanda Henson (PM-32)  
Office of Pesticide Programs (7504P)  
C/O Document Processing Desk (NOTIF)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Subject: Tabex Algae Out (EPA Reg. No. 7364-46)  
Notification to correct master label

Dear Ms. Henson:

This correspondence is a follow-up to our notification to the Agency dated April 5, 2010 (copy enclosed). When this product was re-registered on August 2, 2010, the Agency stamped the wrong version of the label. The one that should have been stamped was the April 5, 2010 version which had previously been submitted in context of the notification of that date.

**Importantly, the latest version of the label that currently appears on the label images website is incorrect, as we stated in the April 5, 2010 notification.** Furthermore, the label on the Agency's website is not the most recent one that the Agency has approved for this registration. This is causing great confusion among the state regulatory agencies that rely upon the EPA website to provide them with the correct version of the master label against which to proofread the container labels. The label we submitted to the Agency with our April 5, 2010 notification is the correct one. Please reply to this notification with a date-stamp on this letter and its attached correspondence in order to comply with requests from state agencies. Then, please post the date-stamped documents on the Agency's label images website.

Please feel free to contact me at any time, either by telephone (direct: 678-627-2226) or by e-mail ([JRFrench@archchemicals.com](mailto:JRFrench@archchemicals.com)) with regard to this matter.

Sincerely,

John R. French, Ph.D.  
Senior Regulatory Manager

CC: [illegible]



On the basis of this conclusion the Agency did not specify enhanced respiratory protection for end-use products containing the isocyanurates.

On this same subject **we consider our notification dated 2/20/2010, which was approved by the Agency on 3/17/2010, to be null and void because it contained several errors. We request that the Agency not post the previous notification on its website.**


Also enclosed you will find revised Confidential Statement of Formula, dated March 5, 2010, which has been changed slightly to address point 5 of the subject review, and which now reflects the stipulation of the reviewer that the 99% copper sulfate pentahydrate from the Chem One source (of the Houston, Texas address) contains 25.4% elemental copper. We thank the Agency for pointing out the correct stoichiometric content of elemental copper in the source product. We believe that this revised CSF should accurately represent this formulated product.

Please feel free to contact me at any time, either by telephone (direct: 262-509-5674) or by e-mail ([mradtke@advantistech.com](mailto:mradtke@advantistech.com)) with regard to this notification.

Sincerely,

Marianne C. Radtke  
Manager, Regulatory Affairs

CC cover letter: V. Dutch (Pesticide Re-evaluation Division, Branch V)



[Items in brackets [AAA] are optional and may/may not be included on final label]

{Items in braces {AAA} are for information purposes and will not appear on final label}

# Tabex Algae Out

## ACTIVE INGREDIENTS:

Sodium Dichloro-s-Triazinetrione *	35.90%
Copper (elemental) **	2.25%

OTHER INGREDIENTS: ..... 61.85%

TOTAL: ..... 100.00%

\*Available Chlorine 20.1%

\*\* From complexed form of copper sulfate pentahydrate

## KEEP OUT OF REACH OF CHILDREN DANGER

**Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not mix this product with a small amount of water. Only add directly to your pool [or spa]. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin.**

[See [side] [back] panel for first aid and precautionary statements.]

NET WEIGHT \_\_\_\_ (LBS.)

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 4 PPM OF AVAILABLE CHLORINE


[This product] combines the power of chlorinating compounds and copper for immediate anti-algae shock treatment as well as for extended relief from algae.

For best results, use [this product] in the evening after pool use is finished for the day.

Compatible with bromine, chlorine, salt water, ozone and minerals.

Use this product as follows:

1. Adjust the pool water pH into the range of 7.2 - 7.8 and the total water alkalinity range into 100 to 150 parts per million (ppm) as determined by a suitable test kit.



## MASTER LABEL

Last changes in red

2. To control algae, distribute 3 pounds over the water's surface for each 20,000 gallons of pool water. This will raise the pool water's chlorine residual to 4 ppm for immediate anti-algae shock treatment and 1 ppm of chelated copper sulfate for extended relief.

3. If algae persists, repeat dosage.

Unlike many other algaecides, this product will not combine with and neutralize chlorine residuals already in the pool. This means that [this product] and chlorine in your pool will work together rather than destroying each other. In addition, [this product] is buffered so it will not upset the pH balance of your pool.

**FIRST AID**

**IF IN EYES:** Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF EMERGENCY CALL: 1-800-654-6911.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Irritating to nose and throat.**

- Open in a well ventilated area. Do not breathe dust and fumes.
- Do not get in eyes, on skin, or on clothing.
- Wear goggles and rubber gloves when handling this product. For additional protection of skin, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.
- Remove and wash contaminated clothing before reuse.

**PHYSICAL and CHEMICAL HAZARDS:**

**DANGER. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.**

- Do not allow to become wet or damp before use.

**Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.**

- Keep all foreign matter, including other water treatment products, away from this product.

2/9





