

EPA PA

9943

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

1. Adjust pool water pH to between 7.2 and 7.8 and total alkalinity to between 80-150 ppm as determined by a suitable test kit.
2. Stabilize pool water with 40 ppm Conditioner as directed on the container label.
3. Shock treat the pool water using Quirk Shock Tablets or Oxy-Pure. Follow the label directions. Before using the pool, be certain the chlorine level returns to 1.0-1.5 ppm.

FOR USE IN AQUASAN OR E-Z CLOR FEEDER

1. Punch all indentations on the bottom of the cartridge (or cut off the three water vent areas that stick out on the sides near the bottom of the cartridge). Two cartridges may be needed in a pool 30,000 gallons or larger.
2. Do not cut off the air vent at the top of the cartridge.
3. Make sure that the screw lid is on tight.
4. Punch a hole through the lowest indentation on each side of the cartridge.
5. Insert cartridge into feeder. If more chlorination is needed, punch more holes on each side of the cartridge starting at the lowest indentation and working up until the free available chlorine residual remains within the range of 1-1.5 ppm.

FOR USE IN GUARDER FEEDER

1. Cut off the air vent that sticks out near the top of the cartridge.
2. Cut off the three water vent areas that stick out on the sides near the bottom of the cartridge. Two cartridges may be needed in a pool 30,000 gallons or larger.
3. Insert the cartridge in the feeder, adjusting the cartridge height until the free available chlorine level in the pool remains within the range of 1-1.5 ppm.



Replacement Chlorinating Canister

Net Wt. 4 lb.

DANGER: KEEP OUT OF REACH OF CHILDREN

See other precautions and instructions on side panel

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of the fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRACTICAL TREATMENT: (First Aid) If swallowed: Give bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

Aquaon
INDUSTRIES INC.
TULY, NEW YORK 13159

EPA Reg. No. 9087-10
EPA Est. No. 9087-NY-1

Product No. 170
Net Wt. 4 lb. (1.8 kg)

(1085)

