

7364-49

4-5-2002

APR 5 2002

Ms. Marianne Radtke
 GLB Pool & Spa
 W175 N11163 Stonewood Drive, #234
 Germantown, WI 53022-4799

Subject: Tabex Replacement Chlorinating Canister
 EPA Registration Number 7364-49
 Application Date: March 13, 2002
 Receipt Date: March 26, 2002

Dear Ms. Radtke:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- to revise the "first aid" per PR Notice 2001-1

Conditions

Revise the label as follows:

1. Place the signal word "Danger" underneath "Keep Out of Reach of Children".
2. Under the "First Aid" Statement add the following:

For Toxicity Category I eye and skin irritants, use the following "Note to Physician".

"Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage".

3. Under the "Precautionary Statements" revise the first sentence to read: Causes irreversible eye damage and skin burns.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your

CONCERNANCE

SYMBOL	Final printed labeling before distributing or selling the product bearing the revised labeling.						
SURNAME							
DATE							

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Brennis". The signature is fluid and cursive, with a large initial "R" and a long, sweeping underline.

Robert S. Brennis
Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510C)



Replacement Chlorinating Canister

STABILIZED CHLORINATING CONCENTRATE IN A CARTRIDGE

Net Wt. 4 lb.

DANGER: KEEP OUT OF REACH OF CHILDREN

See other precautions and first aid on side panel.

Active Ingredient: Trichloro S-triazolone 99%
Inert Ingredient(s) 1%
(Available Chlorine 89%)

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 5 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

7364-49

STABILIZED CHLORINATING CONCENTRATE IN A CARTRIDGE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine.

1. Adjust the pool water pH value between 7.2 and 7.8 and adjust Total Alkalinity to between 80-150 ppm (parts per million) as determined by a suitable test kit.
2. Stabilize pool water to at least 40 ppm with GLB Stabilizer as directed on the container label.
3. Shock treat the pool water with GLB Oxy-Brite. Follow the label directions. Before using the pool, be certain the chlorine level returns to 1.0 - 1.5 ppm.

STORAGE AND DISPOSAL:

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

FOR USE IN FLOATER

Cut off the air vent that sticks out at top of cartridge. Punch a hole through the lowest indentation on each side of the cartridge and insert into the floater. DO NOT punch holes in the bottom. If more chlorination is needed, punch as many holes as needed on each side starting at the lowest indentation and working up, until the pool's free chlorine residual reaches 1-1.5 ppm.

FOR USE IN E-Z CHLOR FEEDER

Punch all indentations on the bottom of the cartridge (or cut off the three water vent areas that stick out on the side near the bottom of the cartridge). Two cartridges may be needed in a pool 30,000 gallons or larger. DO NOT cut off the air vent at the top of the package. Make sure that the screw lid is on tight. Punch a hole through the lowest indentation on each side of the cartridge. Insert cartridge into feeder. If more chlorination is needed, punch more holes on each side of the cartridge starting at the lowest indentation and working up until the free available chlorine residual remains within the range of 1-1.5 ppm.

FOR USE IN GUARDEX FEEDER

Cut off the air vent that sticks out near the top of the cartridge. Cut off the three water vent areas that stick out on the side near the bottom of the cartridge. Two cartridges may be needed in a pool 30,000 gallons or larger. Insert the cartridge in the feeder, adjusting the cartridge height until the free available residual remains within the 1-1.5 ppm range.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS:

DANGER: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

FIRST AID:

If Swallowed: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

If In Eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA Reg No. 7364-49
EPA Est. No. 69470-WV-2

GLB POOL & SPA - ALPHARETTA, GA 30004
WWW.GLBPOOLSPA.COM



W/C