

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

7364-51

DATE OF ISSUANCE

AUG 7 1995

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Tabex Chlorination Sticks

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Great Lakes Biochemical Co., Inc.
6120 W. Douglas Avenue
Milwaukee, WI 53218

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Make the following labeling changes before you release the product for shipment:

1. On the left panel under the "Precautionary Statements" add a colon (:) after the word "Danger" and a period (.) after "Corrosive".

A stamped copy of the product label is enclosed for your records.


Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (7505C)

Enclosure

MORE FUN / LESS WORK FOR POOL OWNERS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS:

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



CHLORINATION STICKS

CONTAINS NO CALCIUM

Active Ingredient:
Trichloro-s-triazinetriene 99%

Inert Ingredients: 1%
(Available Chlorine 89%)

Filled By Net Weight - Approximately 15 Sticks

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See other precautions and first aid on back
ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

Net Wt. 7.5 LBAUG 7 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No.

7344-51

DIRECTIO

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER NOT RECOMMENDED BY ITS LABEL

Recently into treated swimming pools. Levels of 3 ppm

FOR CONTINUOUS USE:
Before the first use of CHLORINATION STICKS, take the following steps:

1. Adjust the pool water pH and total alkalinity to between 7.2 and 7.6 by a suitable test kit.
2. Stabilize pool water to at least 10 ppm. Follow the directions on these CHLORINATION STICKS to provide any needed maintenance.
3. Shock Treat the pool water. Follow the label directions. The chlorine level returns to normal.
4. Maintain a free available chlorine level determined daily by a suitable test kit. Use means of a feeder, float, or automatic dispenser. Immerse one CHLORINATION STICK in 5,000 to 10,000 gallons of pool water. CHLORINATION STICKS FOR SWIMMING POOL AS DIRECTED ON LINER OR FINISH MAY BE USED.
5. Shock treat your pool at least once a week in sunbelt regions). During hot weather, shock treat your pool weekly to prevent algae growth.

STORAGE AND DISPOSAL:

Keep this product dry in a tight container. Store in a cool, dry, well-ventilated area away from open flame. In case of destruction, flood area with water (if possible) and flood area with water. Do not use all materials before discarding empty container but container must not contaminate food or feed or other equipment.

GREAT LAKES BIKING
Milwaukee