



ACCEPTED
 APR 30 2003
 Under the Federal Insecticide, Fungicide, and
 Rodenticide Act as amended, for the
 pesticide registered under
 EPA Reg. No. 7364-51

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS:

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

FIRST AID:

If Swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

If In Eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. You may also contact 800-858-7378 for emergency medical treatment information.

CHLORINATION STICKS

CONTAINS NO CALCIUM

STABILIZED CHLORINATING CONCENTRATE

ACTIVE INGREDIENT:
 Trichloro-s-triazinetriene.....99%

OTHER INGREDIENT:..... 1%


TOTAL:.....100%

(Available chlorine 89%)

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautions and first aid on back panel.
NET WEIGHT: 50 LBS.

G-B Pool & Spa
 1400 Bluegrass Lakes Parkway
 Alpharetta, GA. 30004



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine.

FOR CONTINUOUS DAILY CHLORINATION:

Before the first use of CHLORINATION STICKS, be sure to take the following steps:

1. Adjust the pool water pH value to between 7.2 and 7.8 and total alkalinity to between 80 and 150 ppm as determined by a suitable test kit.
2. Stabilize pool water to at least 30 ppm with Stabilizer as directed on the container label. Thereafter, regular use of this product for daily chlorination will provide any needed makeup stabilizer.
3. Shock treat the pool water to oxidize organic contaminants. Follow the label directions. Before using the pool, be certain the chlorine level returns to 1.0 - 1.5 ppm.
4. Maintain a free available chlorine level of 1.0 to 1.5 ppm (as determined daily by a suitable test kit) at all times. By means of a feeder, float device, or skimmer dispenser, immerse one CHLORINATION STICK (or as many as may be necessary to maintain the proper chlorine level) for each 5,000 to 10,000 gallons of pool water. NEVER ADD THESE CHLORINATION STICKS DIRECTLY INTO THE SWIMMING POOL AS DISCOLORATION OF THE POOL LINER OR FINISH MAY OCCUR.

5. Shock treat your pool at least twice monthly (more often in Sunbelt regions), during hot weather and peak bather loads, shock treat your pool weekly to prevent water cloudiness and algae growth.

STORAGE AND DISPOSAL:

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

EPA REG. No. 7364-51 EPA EST. NO. 68470-WV-1

7364-51
 04/30/2003

1/1