



ACTIVE INGREDIENT: SODIUM HYPOCHLORITE . . . . . 12.5%  
INERT INGREDIENTS: . . . . . 87.5%  
1.26 LBS. AVAILABLE CHLORINE PER GALLON

**WARNING:** KEEP OUT OF REACH OF CHILDREN.  
HARMFUL IF SWALLOWED. IF SWALLOWED, GIVE SEVERAL GLASSES OF MILK OR WATER, FOLLOWED BY OLIVE OIL OR COOKING OIL. STRONG OXIDANT. MAY PRODUCE CHEMICAL BURNS. DO NOT GET IN EYES OR ON SKIN. IN CASE OF CONTACT WITH SKIN OR EYES, FLUSH WITH PLENTY OF WATER. IF SKIN IRRITATION PERSISTS, GET MEDICAL ATTENTION. FOR EYES, GET PROMPT MEDICAL ATTENTION. ADD MATERIAL ONLY TO WATER; MAY CAUSE FIRE OR EXPLOSION IF MIXED WITH OTHER CHEMICALS. STORE IN COOL PLACE OUT OF SUNLIGHT.

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTE. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

**DIRECTIONS FOR USE (SWIMMING POOLS)**

ADD GALLON PRODUCT/20,000 GAL. WATER. CHECK RESIDUAL CHLORINE NEXT DAY. IF BELOW 1.0 PPM, ADD ANOTHER GAL. PRODUCT/20,000 GAL. WATER. REPEAT UNTIL 1.0 PPM IS OBTAINED. EVERY OTHER DAY, TEST POOL AND REPEAT DOSE AS NEEDED TO MAINTAIN 1.0 TO 1.5 PPM RESIDUAL CHLORINE. 17 OUNCES OF THIS PRODUCT SUPPLIES 1.0 PPM AVAILABLE CHLORINE/20,000 GAL. WATER. POOL WATER SHOULD BE MAINTAINED AT pH 7.2 TO 7.6 AS DETERMINED BY A TEST KIT. PRODUCT DEGRADES WITH AGE. USE A TEST KIT AND INCREASED DOSAGE AS NECESSARY TO OBTAIN REQUIRED LEVEL OF AVAILABLE CHLORINE. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT. FOR MILK AND FOOD PLANT USE. BULLETIN #1.

EPA REG. NO. 7368-4

**ONE GALLON**

 GEORGIA PACIFIC CORP., Los Angeles, Ca. 90040

**ACCEPTED**  
*October 3, 1974*  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. *7368-4* SUBJECT  
TO ATTACHED COMMENTS.