(Carton Front) GP Chlor

GP CHLOR
DISINFECTANT AND SANITIZER
FOR FOOD EQUIPMENT

ACCEPTED

O2/08/90

Under the remail man country with and Rodesticide Act, as americal for the penicide mediated trader

PA Rog. No. 73 66-29

Active Ingredient: Sodium Hypochlorite Inert Ingredients:

11<sup>‡</sup>

KEEP OUT OF REACH OF CHILDREN

DANGER

PRACTICAL TREATMENT (FIRST AID): IF SWALLOWED: Feed victim large quantities of milk or gelatin solution, substitute water if these are not available. Do NOT feed victim vinegar or other acids. Do NOT induce vomiting. Contact physician immediately. IF IN EYES: Flush affected area with large quantities of water for at least 15 minutes. Obtain medical attention immediately. IF ON SKIN: Wash affected area with large quantities of soap and water if irritation persists or other problems develop, obtain medical attention. See Additional Precautions on Side Panel.

NET CONTENTS 2 GALLONS

2-1 GAL

D.O.T. E-7943

(Top Flap)

KEEP THIS SIDE UP AT ALL TIMES VENTED CAP - PRODUCT MAY LEAK IF NOT IN UPRIGHT POSITION. INSPECT CARTON AND DO NOT LIFT CARTON IF YOU SEE ANY SIGNS OF DAMAGE OR LEAKAGE (CALL STORE MANAGER).

(Side Panel)

SOLD ONLY BY THE CASE/NO DEPOSIT NO RETURN CORROSIVE 8
HYPOCHLORITE SOLUTION
UN 1791

UPC CODE ON BOTTOM FLAP

(Carton Back) GP Chlor

GP CHLOR DISINFECTANT AND SANITIZER FOR FOOD EQUIPMENT

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lung and mucous membranes.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL: Keep this product in tightly closed original container when not inuse. Store in a locked, cool, dry well ventilated area away from direct sunlight. In case of decomposition, isolate container (if posible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container, but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

DIRECTIONS FOR USE
Use of this product in any manner inconsistent with its labeling is a violation of Federal Law.

IMPORTANT NOTE: This product degrades with age. Test rinse periodically with a chlorine test kit and adjust as necessary to insure a minimum of 50ppm available chlorine. Do not use on silver or silver plate.

## (Carton Back Cont.) GP Chlor

- 1. Dairy utensils clean and rinse equipment with minimu 200ppm available chlorine for at least two minutes or fogging with minimum 200ppm for at least five minutes. Drain thoroughly and allow to air dry.
- 2. Meat, Poultry, Dairy Plants and General Food Han ing Equipment Clean and rinse equipment. Sanitize with 200ppm available chlorine for at least two minutes. Drain thoroughly and allow to air dry.
- 3. For Disinfection of walls and floors. Use 600ppm available chlorine. Wet surfaces thoroughly by wiping, mopping or or scrubbing. Do not rinse.

AVAILABLE CHLORINE/TABLE OF PROPORTIONS 200ppm - 1 oz. per 5 gallons 600ppm - 3 oz. per 5 gallons DO NOT MIX WITH ANY OTHER CHEMICALS

EPA Reg. No. 7268-29 EPA Est. No. 7368(Bottle Label)

GP CHLOR DISINFECTANT AND SANITIZER

Active Ingredient: Sodium Hypochlorite

Inert Ingredients:

11**%** 89**%** 

9 **t** 9 **t** 

ACCEPTED

O2/OF/90

Under the Face in the control and Rodemicide Act, as amended, for the restricte registered under EPA Rep. No. 7309-29

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER: Corrosive, may cause severe skin irritation or chemical burns on broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the EPA.

STORAGE AND DISPOSAL: Keep this product in tightly closed original container when not in use. Store in a locked, cool, dry, well-ventilated area away from direct sunlight. In case of decomposition, isolate container (if possible) and flood area with large amounts to dissolve all materials before discarding this container. Do not reuse empty container, but place in trash collection. Do not contaminate food or feed by storage, or disposal, or cleaning of equipment.

DIRECTIONS FOR USE (FOOD EQUIPMENT)
Use of this product in any manner inconsistent with its labeling is a violation of Federal Law.

- 1. Dairy Utensils Clean and rinse equipment with minimum 200ppm available chlorine for at least two minutes or fogging with minimum 200ppm for at least five minutes. Drain thoroughly and allow to air dry.
- 2. Meat, Poultry, Dairy Plants and General Food Handling Equipment Clean and rinse equipment. Sanitize with 200ppm available chlorine for at least two minutes. Drain thoroughly and allow to air dry.

3. For Disinfection of walls and floors, use 600pm available chlorine. Wet surfaces thoroughly by wiping, mopping, or scrubbing. Do not rinse.

AVAILABLE CHLORINE/TABLE OF PROPORTIONS 200ppm - 1 oz. per 5 gallons 600ppm - 3 ozs. per 5 gallons

DO NOT MIX WITH ANY OTHER CHEMICALS

**NET CONTENTS 1 GALLON** 

GROW GROUP, INC. 2501 MALT AVENUE CITY OF COMMERCE, CA 90040

EPA Reg. No. 7368-29 EPA Est. NO. 7368-