

1/2 7368-39 PM 17

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE CAN WELL BEFORE SPRAYING. HOLD CONTAINER UPRIGHT APPLY IN SHORT BURSTS.

To Kill Flies, Mosquitoes, Gnats, Wasps, Hornets, Sandflies, Flying Moths: Close all doors and windows and direct spray upward into center of room with a low sweeping motion. Spray 5 to 10 seconds for average room (1,000 cubic feet). Keep nozzle three feet from surfaces. Vacate premises. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry.

To Kill Roaches, Waterbugs, Silverfish, Crickets, Ants, Scorpions, Centipedes, Sowbugs, Spiders, Fleas:

Spray baseboards, cracks, crevices, moist areas and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and ant trails around windows and door sills and other locations. For fleas, thoroughly spray animal quarters and sleeping area. Repeat as necessary. Animals should be treated with an EPA registered product for flea and tick control before re-entering treated areas.

To Kill Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days unless the articles are stored in a moth light container.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floorboards. Repeat frequently.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

Hazard if swallowed or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water. Contains petroleum distillate. If swallowed, do not induce vomiting because of aspiration hazard.

When used in commercial food processing, storage, preparation or serving areas, or in the house, all processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Do not apply while processing, preparation or serving is underway.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

MANUFACTURED BY
Georgia-Pacific Corporation
Los Angeles, CA 90040


EPA Reg. No. 7368-39

E.P.A. Est. No. 7368-CA-3

SIGN OF DEPENDABILITY

BABBITT

INSTITUTIONAL



INSECT KILLER



ROACHES



SPIDERS



FLIES



SILVERFISH



ANTS

ACTIVE INGREDIENTS:	
Permethrin	0.200%
Phenothrin	1.000%
INERT INGREDIENTS:	98.800%
	100.000%

15.00% (0.60% to 0.75% by weight)
15 Propyl Glycerol in ether and 0.20% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION: EXTREMELY FLAMMABLE
CONTENTS UNDER PRESSURE

Read other precautions on back panel.

NET WT. 14 OZ.

