

if pool use affect the rate of chlorine depletion. Under these conditions, it may be necessary to cut off additional nubs.

**PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into seas, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT.** Mix this product with water. Do not use in any open dry utensils. Do not completely submerge. After use, allow nubs to become clogged. If either occurs, this product may become clogged and cause a violent explosion. Do not attempt to clean or refill this cartridge. Contaminated cartridge contents with oxidizing agents. Other chemicals may start a chemical reaction, generating heat, liberating hazardous gases, and possibly causing fire, explosion, or a toxic by-product. Do not use this product in swimming pools, hot tubs, spas, whirlpools, fountains, or other water features. Do not use in swimming pools, hot tubs, spas, whirlpools, fountains, or other water features. Do not use in swimming pools, hot tubs, spas, whirlpools, fountains, or other water features.

**STORAGE AND DISPOSAL:** Keep this product in tightly closed original container when not in use. Store in a locked, cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, rupture, container or possible leak, and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not use laminate food or feed by storage, or disposal, or cleaning of equipment.


If you have any questions or comments about Aqua Chem Products or their use, please call us toll free in the continental U.S. Call 1-800-252-POOL.

Grow Group, Inc.  
Attn: Marketing Dept.  
2000 W. 10th Street  
Ogden, Utah 84403

EPA Reg. No. 7369-61  
EPA Est. No. 2000-CA1

Grow Group, Inc.

2000 W. 10th Street  
Ogden, Utah 84403



**AQUA CHEM**  
**FLOATING STABILIZED CHLORINATING CARTRIDGE**

**ACCEPTED**  
JAN 30 1989  
EPA Reg. No. 7369-61

**DIRECTIONS FOR USE**

Use of this product in a manner inconsistent with its labeling is a violation of Federal Law.

**PRODUCT DESCRIPTION:** Aqua Chem Floating Stabilized Chlorinating Cartridge is a simple, convenient and economical source of sanitizing chlorine for your swimming pool. By releasing a constant flow of the correct amount of chlorine for your pool, the cartridge automatically reduces growth of harmful algae and microorganisms for several weeks when used as directed.

**IMPORTANT NOTES:**

1. Do not completely submerge cartridge or allow vent holes to become clogged. A submerged or clogged cartridge may trap excessive amount of chlorine gas, possibly resulting in a violent explosion.
2. Do not attempt to open or refill this cartridge.
3. Check chlorine level to eliminate harmful algae and microorganisms. Check the level every 24 hours, at least eight times a week. If chlorine level is low, with this purpose, use Aqua Chem Chlorine Test Kit to determine chlorine level. Follow the directions for use of the test kit. Do not attempt to clean or refill this cartridge. Replace cartridge when chlorine releasing process is completed.
4. Aqua Chem Floating Stabilized Chlorinating Cartridge contains a built-in float which indicates the chlorine level. When this product is used in a pool, a float is attached to the Aqua Chem Stabilizer is necessary.

**HOW TO USE AQUA CHEM FLOATING STABILIZED CHLORINATING CARTRIDGE**

1. Before using any water treatment equipment, check to ensure all pool equipment is working properly, including pump, filter, skimmer and heater.



FIG. A



FIG. B

2. For water with unstabilized chlorine, start by stabilizing with Aqua Chem Stabilizer, following label directions.
3. Immediately check water pH (acidity/alkalinity balance) with an Aqua Chem Test Kit. Water pH should be between 7.2-7.6. If not, adjust by adding Aqua Chem pH Decreaser to lower pH or Aqua Chem pH Increaser to raise pH. Follow product label directions.
4. Aqua Chem Floating Stabilized Chlorinating Cartridge is marked in gallon increments from 15,000 to 40,000 gallons. To use this cartridge, cut off all leader nubs on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, open next higher nub. To remove nubs, use a sharp knife and cut in direction away from your body and limbs. Make certain nubs have been removed completely and holes are fully opened to allow free water flow through cartridge. **FOR MAXIMUM PROTECTION, THIS CARTRIDGE IS CHILD RESISTANT. DO NOT ATTEMPT TO OPEN OR REFILL THIS CARTRIDGE.**
5. Cut off vent hole nubs on both sides of cartridge (Fig. B). Place Aqua Chem Floating Stabilized Chlorinating Cartridge in pool as shown on Fig. C.
6. Check residual chlorine with an Aqua Chem Test Kit, following kit directions. If residual chlorine level is too low, cut off one additional nub until residual chlorine is stable at 1.0-1.5 ppm. If the residual chlorine is too high, seal one set of holes with waterproof plastic tape.
7. Once proper rate of chlorine released has been achieved, measurement of residual chlorine may be done less frequently and further adjustments of the cartridge should not be necessary under normal conditions. Aqua Chem Floating Stabilized Chlorinating Cartridge will float on its side to indicate the need for replacement (Fig. D).

**NOTE:** Sunlight, rainfall, temperature, number of bathers and frequency




FIG. C




FIG. D

*Handwritten note:* (copy)