

P-2-11 67-1-10

PM-31

17/8/87

191

UNISAN SANITIZER-CLEANER recommended wherever the maintenance of sanitary, clean conditions are indicated.

Sanitizing Effectiveness: **UNISAN SANITIZER-CLEANER** is effective in waters up to 750 ppm hardness. This activity has been confirmed by the Germicidal and Detergent Sanitizers Method ("The Chambers Method"); Methods of Analyses, AOAC, Thirteenth Edition as follows:

Escherichia coli ATCC No. 11229 at 200 ppm active quaternary — — 750 ppm CaCO₃

Staphylococcus aureus ATCC No. 6538 at 200 ppm active quaternary — — 750 ppm CaCO₃

UNISAN SANITIZER-CLEANER contains a non-ionic wetting agent to promote rinsing thus assuring film-free, spot-free equipment and utensils.

NOTE: Do not mix with soap or anionic detergents.

Precautionary Statements

Hazards to Humans and domestic animals

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

THIS PRODUCT MUST BE KEPT UNDER LOCKED STORAGE SUFFICIENT TO MAKE IT INACCESSIBLE TO CHILDREN OR PERSONS UNFAMILIAR WITH ITS PROPER USE.

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE. CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

UNISAN SANITIZER-CLEANER

Sanitizer-Cleaner for Equipment and Utensils in Food Processing, Dairy Industry, Bars, Restaurants, Institutional Kitchens, and Farms

Active Ingredients:

Alkyl (60%, C ₁₄ ; 30%, C ₁₆ ; 5%, C ₁₂ ; 5%, C ₁₈) Dimethyl Benzyl Ammonium Chlorides	1.28%
Alkyl (68%, C ₁₂ ; 32%, C ₁₄) Dimethyl Ethylbenzyl Ammonium Chlorides	1.28%

Inert Ingredients	97.44%
	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 6831-10

EPA Establishment No. 6831-MA-1

Net Contents

MANUFACTURED BY:

The Veritas Company, Division of Sidmar Enterprises
2 Kleen Way, Holbrook, MA 02343

FOR SALE FOR USE AND STORAGE
BY MAINTENANCE PERSONNEL ONLY

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS

Add one ounce per gallon of water. Use **UNISAN SANITIZER-CLEANER** for sanitizing and cleaning of equipment and utensils in food processing, dairy industry, bars, restaurants, institutional kitchens and farms. No rinse is required.

For heavily soiled equipment or utensils, pre-wash with a good detergent. Rinse with clean water. Then apply recommended dilution of **UNISAN SANITIZER-CLEANER** with a cloth, mechanical spray device (spray surface until thoroughly wetted) or immersion. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when use-solution becomes visibly dirty. Do not re-use mechanically applied use-solution for sanitizing.

DIRECTIONS FOR RESTAURANT AND BAR RINSE:

For dishes, glassware, silverware, cooking utensils, wash with detergent, rinse thoroughly, and immerse in a solution containing 1 oz. of **UNISAN SANITIZER-CLEANER** to 1 gallon of water (200 ppm). No rinse is required.

DIRECTIONS FOR FOOD PROCESSING EQUIPMENT AND DAIRIES:

Clean and rinse equipment thoroughly, then apply sanitizing solution containing 1 oz. of **UNISAN SANITIZER-CLEANER** to 1 gallon of water (200 ppm). No rinse is required.

WISCONSIN STATE BOARD OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in a solution of 1 oz. of **UNISAN SANITIZER-CLEANER** to 1 gallon of water (200 ppm active quaternary). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board to air-dry.

ACTIVE INGREDIENTS
n-ALKYL (50% C14 40% C12 10% C16) DIMETHYL
BENZYL AMMONIUM CHLORIDE

4.8%

INERT INGREDIENTS

95.2%

Phenol Coeff. S aureus—35
S typhosa—42

KEEP OUT OF REACH OF CHILDREN

DANGER

See antidote statement and additional precautions on side panel. Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS 1 GALLON (3.785 LITERS)

Grow Group, Inc.

2501 Malt Avenue
City of Commerce, CA 90040

SANI-CLEAN is an effective anti-bacterial cleaner designed for use in household, industrial or institutional cleaning. When used as directed, SANI-CLEAN will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

FOR CLEANING

Lightly soiled areas—surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of SANI-CLEAN per gallon of water. Rinse cleaned area with fresh water.
Heavily soiled areas—mop or brush soiled surface with a solution containing 2–3 ounces of SANI-CLEAN per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush surface to be treated with a solution containing 1 1/2 ounces of SANI-CLEAN per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of SANI-CLEAN per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker room, shower stalls, walkways around pools and other areas against pathogenic fungi, mop areas with a solution containing 2 ounces in 3 gallons of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1 ounce of SANI-CLEAN per gallon of water. If surface is heavily soiled, use SANI-CLEAN at a rate of 2–3 ounces per gallon to ensure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 ounce of SANI-CLEAN per gallon of water. All surfaces should be exposed to the sanitizing solution for a period not less than 1 minute. Dry surfaces and allow to air dry. Do not rinse.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 1/2 ounces of SANI-CLEAN per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of SANI-CLEAN per gallon of water.

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk and water, gastric solution, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 7368-06
EPA Est. No. 7368-TX-1

Grow Group, Inc.

2501 Malt Avenue
City of Commerce, CA 90040

Not Reviewed. Registrant claims to be in accordance with Reregistration or Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.