

Quickly eliminates rust, limes and uric acid deposits. Eliminates offensive odors. WILL NOT HARM BACTERIA ACTION IN SEPTIC TANKS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Clean and Disinfect Toilet Bowls and Urinals: Force water over trap to empty bowl. Apply 3-4 ounces of cleaner to applicator and clean interior of unit completely, especially under the rim and at water outlets. Allow to remain wet on surface for 10 minutes. Flush and rinse surface and applicator. A preliminary cleaning is necessary for the removal of gross filth prior to disinfection.

EFFECTIVE AGAINST HIV-1(AIDS VIRUS). Product was evaluated and found to be an effective virucide in the presence of 5% serum against the HIV-1 (Human Immunodeficiency Virus 1, commonly referred to as "AIDS VIRUS") on hard, nonporous inanimate surfaces.

KILLS HIV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (hospital, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION. Disposable latex gloves, gowns, masks, and splash resistant goggles must be worn when handling items soiled with blood or body fluids.

CLEANING PROCEDURES. Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

CONTACT TIME. Leave surface wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS. Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

05505/0594

WARRIOR

CONCENTRATED TOILET BOWL CLEANER

**Controls Odor Causing
Gram Negative and Gram Positive Bacteria**

**Kills HIV-1 (Associated with the AIDS Virus) on pre-cleaned
environmental surfaces/objects previously soiled with
blood/body fluids**

ACTIVE INGREDIENTS:

Hydrogen Chloride	24.00%
Alkyl (C ₁₂ , 50%, C ₁₁ , 40%, C ₁₀ , 10%)	
dimethyl benzyl ammonium chloride	0.064%
Octyl decyl dimethyl ammonium chloride	0.063%
Didecyl dimethyl ammonium chloride	0.032%
Dioctyl dimethyl ammonium chloride	0.032%

INERT INGREDIENTS 75.789%
Total 100.000%

EPA Reg. No.: 7378-10 EPA Est. No.: 7378-MO-1
Net Contents: One Quart (32 oz.) 946 ml

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Safety Information

FOR INDUSTRIAL-INSTITUTIONAL USE ONLY PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals.

DANGER - CORROSIVE

KEEP OUT OF THE REACH OF CHILDREN

CONTAINS HYDROCHLORIC ACID (CAS# 7647-01-0). Causes irreversible eye damage and skin burns. Fatal if swallowed. Do not get in eyes, on skin or clothing. Wear face shield or safety glasses and rubber gloves when handling. Wash with soap and water after handling.

Physical and Chemical Hazard: Strong oxidizing agent. Do not mix with other cleaners or chemicals.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, CALL PHYSICIAN IMMEDIATELY. Drink large quantities of milk of magnesia or at least three large glasses of water. Do not induce vomiting.

Eye Contact: Wash with water for at least 15 minutes. Get immediate medical attention.

Skin Contact: Wipe acid off skin gently. Immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda.

STORAGE AND DISPOSAL


Store in a cool dry place, away from other chemicals. Do not reuse empty container. Dispose by rinsing empty bottle with water and put in trash collection.

See Material Safety Data Sheet for Additional Safety Information.

Manufactured by:

SKASOL, Inc.

1378 Ferguson Avenue • St. Louis, MO 63133
(314) 727-0404



BEST AVAILABLE COPY