

**For Best Results, Read These
Directions Carefully Before
Use**

Remove protective cap. Point spout type nozzle towards nest, crevice or hole where infestation or insects are known to be inside. Press center of valve top all the way down and spray area until saturated with this insecticide. Also spray around this area until completely wet with Wasp Spray. This treated surface will have a residual killing action and prevent reinfestation for 2 to 4 weeks. In the event the insecticide film becomes ineffective due to rain or other causes repeat treatment. In outdoor use, user should always spray Wasp Spray with the wind at the user's back.

Caution: Due to the powerful spraying action of Wasp Spray it is not recommended for indoor use in homes but may be used in factories and warehouses. Remove Pets, Birds, & Fish bowls from room or area before spraying.

WONDER CHEMICAL CO., INC.
SAN ANTONIO, TEXAS

SDA Reg. No. 7393-13

ACCEPTED

7-16-71

FOUR SEASONS

7393-13

WASP SPRAY

KILLS:

Wasps, Yellow Jackets, Bees,
Hornets, Spiders.

Completely saturates a Wasp
nest from a distance of 7 to 8
feet in less than two seconds.

CAUTION: COMBUSTIBLE MIXTURE:
Contents under pressure. Do not spray
near open flame. Do not smoke while
using.

WARNING:

Keep Out of Reach of Children

(See Other Cautions on Side Panel)

HARMFUL IF SWALLOWED:
**KEEP OUT OF REACH OF
CHILDREN.** Wash hands well
with soap and water after using
or if insecticide contacts skin. Do
not apply on persons. Repeated
or prolonged contact with skin
can cause toxic symptoms. Avoid
inhalation of spray. Avoid spray-
ing in or around food or cook-
ing utensils. Do not spray on pets
or other warm blooded animals.
Do not apply on vegetation. Do
not spray on asphalt tile. Store
below 120° F. Do not puncture
container or throw in fire. Do
not set container in direct sun-
light, on radiators, stoves, or
other sources of direct heat.

ACTIVE INGREDIENTS

| | |
|---|--------|
| Pyrethrins | 15% |
| Technical Piperonyl Butoxide* | 30% |
| N-Octyl Bicycloheptene Dicarboximide | 50% |
| Technical Chlordane** | 2.00% |
| Petroleum Distillate | 67.05% |

INERT INGREDIENTS 30.00%

*Equivalent to 25% (butylcarbityl)
(6-propylpiperonyl) ether and 06%
of related compounds
**Equivalent to 1.2% Octachloro-4, 7-
methanotetrahydroidane and .8% of
related compounds

DIRECTIONS

For Best Results, Read These Directions Carefully Before Use

Remove protective cap. Point spout type nozzle towards nest, crevice or hole where infestation or insects are known to be inside. Press center of valve top all the way down and spray area until saturated with this insecticide. Also spray around this area until completely wet with Wasp Spray. This treated surface will have a residual killing action and prevent reinfestation for 2 to 4 weeks. In the event the insecticide film becomes ineffective due to rain or other causes repeat treatment. In outdoor use, user should always spray Wasp Spray with the wind at the user's back.

Caution: Due to the powerful spraying action of Wasp Spray it is not recommended for indoor use. In homes, it may be used in factories and warehouses. Remove Pets, Birds, & fish bowls from room as you are spraying.

WONDER CHEMICAL CO., INC.
SAN ANTONIO, TEXAS

ACCEPTED

7-16-71



FOUR SEASONS

1393-13

WASP SPRAY

KILLS:

Wasps, Yellow Jackets, Bees, Hornets, Spiders.

Completely saturates a Wasp nest from a distance of 7 to 8 feet in less than two seconds.

CAUTION: COMBUSTIBLE MIXTURE.

Contents under pressure. Do not spray near open flame. Do not smoke while using.

WARNING:

Keep Out of Reach of Children

Use Only As Directed on Label

CAUTION

HARMFUL IF SWALLOWED: KEEP OUT OF REACH OF CHILDREN. Wash hands well with soap and water after using or if insecticide contacts skin. Do not apply on persons. Repeated or prolonged contact with skin can cause toxic symptoms. Avoid inhalation of spray. Avoid spraying in or around food or cooking utensils. Do not spray on pets or other warm blooded animals. Do not apply on vegetation. Do not spray on asphalt tile. Store below 120° F. Do not puncture container or throw in fire. Do not set container in direct sunlight, on radiators, stoves, or other sources of direct heat.

ACTIVE INGREDIENTS

| | |
|--------------------------------------|--------|
| Pyrethrins | 15% |
| Technical Piperonyl Butoxide* | 30% |
| N-Octyl Bicycloheptene Dicarboximide | 50% |
| Technical Chlordane** | 2.00% |
| Petroleum Distillate | 67.05% |

INERT INGREDIENTS 30.00%

*Equivalent to 25% (butylcarbityl) (6-propylpiperonyl) ether and .06% of related compounds.
**Equivalent to 1.2% Octachloro 4,7-methanotetrahydroindane and .8% of related compounds.