

1(11)

ACTIVE INGREDIENTS:

100% DDT	.....	100
(1,1,1,1-tetraethyl-4-piperidyl)butylcarbamate	.....	0
Related Compounds	.....	0
INERT INGREDIENTS	.....	0
		<u>100</u>

NET WT. 100% DDT 100

NET WT. 100% DDT 100

Caution: Irritant if swallowed. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and feedstuffs. Keep out of reach of children. Keep children and pets off treated areas until this material has been thoroughly watered into the soil and the grass has completely dried. Do not graze in or on treated areas for 48 hours. Do not graze treated areas.

NET WT. 100% DDT 100

NET WT. 100% DDT 100

back panel

ferti-love

FOR THE PROPER CONTROL OF  
CHINCH BUGS AND FOR THE BEST

FOR THE PROPER  
BY STEPHEN F. CONRAD\*  
LAWYER, CHICAGO, ILLINOIS

1. **WHAT IS THIS PACKAGE FOR?**  
Receive this package of ferti-love containing 10 lbs. because it is a most effective way of controlling chinch bugs and feeding your lawn -- in one easy step.

2. **HOW DO YOU USE IT?**  
This package of ferti-love containing 10 lbs. is for the people who want to control chinch bugs and develop an extra green, luxurious lawn -- both in one easy step.

For best results apply evenly with ferti-love spreader. See chart below for proper ferti-love spreader settings to apply this product. Water is thoroughly. It is important to wash ferti-love with 100 lbs. of water through mat of turf to reach the insects. When severe infestations of chinch bugs occur, a second application may be necessary one month later. As a preventative apply every two months.

ferti-love spreader settings

SPREADER MODEL	SPREADER SETTINGS
28" DELUXE	10
20" DELUXE	7

\*The above settings are subject to variations at times, therefore the information provided is to be used as a guide.

This rate also controls chinch bugs.

3. **HOW DO YOU APPLY IT?**  
I think you will find that ferti-love containing 10 lbs., used according to directions, will give you one of the prettiest and greenest lawns in the neighborhood and at the same time control chinch bugs so that you will enjoy your yard more.

Water and fertilizer are both necessary for proper turf management. However, quite often it has been found that lesser amounts of water are necessary to keep turf green and growing when the above feeding schedule is followed.

Sincerely,

Stephen F. Conrad

\*Stephen F. Conrad is the name used by the ferti-love people in publicizing results of research and development work, conducted by the many specialists who have prepared the above directions.

7/2/31

Jack Panel  
(Cont'd)

Total Nitrogen, not less than . . . . .	11.00
Nitrate Nitrogen, not less than . . . . .	.74
Ammoniacal Nitrogen, not less than . . . . .	10.26
Water Soluble Organic Nit., not less than . . . . .	.00
Water Insoluble Nit., not less than . . . . .	.00
Available Phosphoric Acid, not less than . . . . .	5.00
Insol. Phosphoric Acid, not less than . . . . .	.1
Water Soluble Potash, not less than . . . . .	.00
Total Available Primary Plant Food, not less than . . . . .	22.00
Chlorine, not more than . . . . .	5.30
Derived from--Primary Plant Foods: Sulphate of Ammonia, Ammoniated Superphosphate, Urate of Potash. Soil Conditioner: Cottonseed Meal, Bone Meal, Blood Meal, Lice Pills.	
Also claims: Contains 1.15% Lithium.	

Pat. No. 375-1413

ACTIVE INGREDIENTS:	
PERITHION . . . . .	1.15
(S, S, S, S - tetraethyl ; 1'-methylene dihydroimidazole) related Compounds . . . . .	.60
NET WEIGHT: . . . . .	1.75
Total	
15.00	

NET WT. - - - 15.00

Net wt of each of 100 lbs - - - 15.00

CAUTION: Careful if spilled on face or clothes. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated areas until this material has been thoroughly tamped into the soil and the grass has completely died. Do not graze or feed on treated areas that are harmed. Do not graze treated areas.

WARRANTY: Seller warrants that the product conforms to its official description and is reasonably fit for the purpose stated on the label or use in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, or a buyer assumes the risk of any such use.

the fertilizer

Company, Texas

at 401

Pat. No. 375-1413

(013)



Front Panel

A COMPLETE PLANT FOOD FOR LAWNS

\$5.95

coverage  
all grasses 3000 sq. ft.

CONTROL CHINCH BUGS  
AND GET YOUR LAWN

ferti-lome  
CONTAINING ETHION FOR CONTROL OF  
CHINCH BUGS AND BEREMUDA MITES

ACCEPTED  
DEC-5 1967  
UNDER FEDERAL REGISTRATION  
FUNGICIDE AND INSECTICIDE ACT  
EPA CHRONIC TOXICITY REGISTRY  
EPA LABEL NO. 470-1

ACTIVE INGREDIENTS:

ETHION	1.15%
(O,O,O',O'-tetraethyl S,S'-methylene bisphosphorodithioate)	
Related Compounds	.06%
INERT INGREDIENTS:	38.79%
Total	100.00%

CAUTION - - - 18 point type

Keep Out of Reach of Children - - - 14 point type

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated areas until this material has been thoroughly watered into the soil and the grass has completely dried. Birds feeding on treated areas may be harmed. Do not graze treated areas.

A COMPLETE PLANT FOOD FOR LAWNS

Net Weight 40 lbs.

4ct(8)

Back Panel

ferti-lone  
CONTAINING ETHION FOR CONTROL OF  
CHINCH BUGS AND BERMUDA MITES

DIRECTIONS  
By Stephen F. Conrad  
Lawn & Garden Counselor

Dear Folks:

I recommend this package of ferti-lone PLANT FOOD Containing ETHION because it is a most effective way of controlling chinch bugs and feeding your lawn -- in one easy step.

1. WHAT IS THIS PACKAGE FOR?

This package of ferti-lone Containing ETHION is for the people who want to control chinch bugs and develop an extra green, luxurious lawn--both in one easy step.

2. HOW DO YOU USE IT?

For best results apply evenly with ferti-lone spreader. See chart below for proper ferti-lone spreader settings to apply this product. Water in thoroughly.

It is important to wash ferti-lone with ETHION through mat of turf to reach the insects. When severe infestations of chinch bugs occur, a second application may be necessary one month later. As a preventative apply every two months.

ferti-lone SPREADER SETTINGS

SPREADER MODEL	SPREADER SETTINGS
20" DELUXE	10
20" RENTAL	9

The above settings are subject to variations at times, therefore the information provided is to be used as a guide.

This rate also controls BERMUDA MITES.

3. WHAT ARE THE RESULTS YOU MAY EXPECT?

I think you will find that ferti-lone containing ETHION, used according to directions, will give you one of the prettiest and greenest lawns in the neighborhood and at the same time control chinch bugs so that you will enjoy your yard more.

Plant food and water are both necessary for proper turf management. However, quite often it has been found that lesser amounts of water are necessary to keep turf green and growing when the above feeding schedule is followed.

Sincerely,

Stephen F. Conrad

Stephen F. Conrad is the name used by the ferti-lone people in publishing results of research and development work, conducted by the many specialists who have prepared the above directions.

3 (of 3)

Back Panel  
(Cont'd)

Total Nitrogen, not less than . . . . .	11.00%
Nitrate Nitrogen, not less than . . . . .	.74%
Ammoniacal Nitrogen, not less than . . . . .	10.26%
Water Soluble Organic Nit., not less than . . . . .	.00%
Water Insoluble Nit., not less than . . . . .	.00%
Available Phosphoric Acid, not less than . . . . .	5.00%
Insol. Phosphoric Acid, not less than . . . . .	.10%
Water Soluble Potash, not less than . . . . .	6.00%
Total Available Primary Plant Food, not less than . . . . .	22.00%
Chlorine, not more than . . . . .	5.30%
Derived from--Primary Plant Foods: Sulphate of Ammonia, Ammoniated Superphosphate, Muriate of Potash. Soil Conditioners: Cottonseed Meal, Bone Meal, Blood Meal, Pice Hulls.	
Also claimed: Contains 1.15% Ethion	

Fla. Reg. No. 370-1013

ACTIVE INGREDIENTS:

ETHION . . . . .	1.15%
(O,O,O',O' - tetraethyl S,S'-methylene bisphosphorodithioate)	
Related Compounds . . . . .	.06%
INERT INGREDIENTS: . . . . .	98.79%
Total	100.00%

CAUTION - - - 18 point type

Keep Out of Reach of Children - - - 14 point type

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated areas until this material has been thoroughly watered into the soil and the grass has completely dried. Birds feeding on treated areas may be harmed. Do not graze treated areas.

NON-WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

the ferti-lome people

Wortham, Texas

Net Weight 40 lbs.

USPA Reg. No. 7401-1