1. WHAT IS THIS PACKAGE FOR?

This package of ferti-lorne CHINCH BUG SPRAY is to be used for prevention and control of chinch bugs and Bermuda mites.

2. HOW DO YOU USE IT?

Dilute 1 1/2 cupfuls (10 1/2 oz.) in 15 gallons of water to cover 500 sq. fr. area. For best results, water lawn thoroughly before spraying. All adult chinch bugs may not die until 3 to 5 days after spraying.

Place required amount of ferti-lome CHINCH BUG SPRAY for 500 sq. ft. (20'x25') in a hose-on lown sprayer jar. Fill remainder of jar with water. Turn on hose and apply evenly to 500 sq. ft. of lawn. Cover the area in two directions to insure complete coverage in two directions to insure complete coverage. Direct the spray downward for maximum penetration into the grass. This same tote of application also controls Bermuda mites.

for those who would like to follow a preventive spray program, apply ferti-lome CHINCH BUG SPRAY every 6 to 8 weeks, starting in early spring Keep children and pets off treated area for 24 hours and until the grass has completely dried.

3 YERE ARE THE RESULTS YOU MAY EXPECT:

ferti-lome CHINCH BUG SPRAY jalso control: Bermuda mites), when used as directed, will help to give you a lawn free from chinch bug and Bermuda mite damage for several weeks. WARNING: May be fatal it swallowed or absorbed through skin. Do not breathe vapor or spray mist. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep out of reach of children. Do not use or store near heat or open flame. When container is empty immediately wash thoroughly and destroy Never ie-use.


This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as expected on this label.

NON-WARRANTY: Follow directions carefully Timing and method of application, weather and crop conditions, mixtures with other themicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

VOLUNTARY PURCHASING GROUPS, INC.

SONHAM, TEXAS Net Centents 1 Quart

1M-1-40 USDA Reg. No. 7401-13



1. WHAT IS THIS PACKAGE FOR?

This package of ferti-lome CHINCH BUG SPRAY is to be used for prevention and control of chinch bugs and Bermuda mites.

2. HOW DO YOU USE IT?

Dilute $1\frac{1}{3}$ cupfuls ($10\frac{1}{2}$ oz.) in 15 gallons of water to cover 500 sq. ft. area. For best results, water lawn thoroughly before spraying. All adult chinch bugs may not die until 3 to 5 days after spraying.

Place required amount of ferti-lome CHINCH BUG SPRAY for 500 sq. ft. (20'x25') in a hose-on lawn sprayer jar. Fill remainder of jar with water. Turn on hose and apply evenly to 500 sq. ft. of lawn. Cover the area in two directions to insure complete coverage. Direct the spray downward for maximum penetration into the grass. This same rate of application also controls Bermuda mites.

For those who would like to follow a preventive spray program, apply ferti-lome CHINCH BUG SPRAY every 6 to 8 weeks, starting in early spring. Keep children and pets off treated area for 24 hours and until the grass has completely dried.

3 'ERE ARE THE RESULTS YOU MAY EXPECT.

ferti-lome CHINCH BUG SPRAY (also controls Bermuda mites), when used as directed, will help to give you a lawn free from chinch bug and Bermuda mite damage for several weeks.

WARNING


NON WARRANTY

BONHAM TEXAS Net Contents 1 Quart



ferti-lome





Protects your lawn from chinch bugs

Also comple Bennuda mites

1 15 cupifuls treats 500 square feet

CONTAINS SPREADER STICKER

ACTIVE INGREDIENTS:

WARNING KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

Oct 3 1971