

7401-23

6/18/1965

1/3

Front Panel

ferti-lome  
CRABGRASS AND DALLIS GRASS KILLER  
Contains Spreader-Sticker

|  |
|--|
| <b>ACCEPTED</b>  |
| JUN 18 1965  |
| UNDER THE FEDERAL INSECTICIDE<br>FUNGICIDE AND ROENTGENIC ACT<br>FOR ECONOMIC POISON REGISTERED<br>UNDER NO. — 7401-23 |

**GUARANTEED ANALYSIS**

|   |                 |         |
|---|-----------------|---------|
| ACTIVE INGREDIENT   |                 |         |
| Sodium Acid Methane Arsonate . . . . .                          | 15.2%           |         |
| INERT INGREDIENTS . . . . .                                     | 86.8%           |         |
|   | Total . . . . . | 100.00% |
| Total Arsenic as elemental, all in water soluble form . . . . . |                 | 6.1%    |

CAUTION  
Keep Out of Reach of Children  
See Side Panel for Additional Cautions

} Properly  
sized

§

Left Hand Panel

1. WHAT IS THIS PACKAGE FOR?

ferti-lome CRABGRASS AND DALLIS GRASS KILLER is a newer and more effective selective post-emergence crabgrass killer. Also kills barnyard grass, nutgrass, sedae, goosegrass (crowfoot) and foxtail.

2. HOW DO YOU USE IT?

Be sure soil is moist before treatments. During dry spells, water thoroughly before making applications.

Normal rainfall following application will not adversely affect results. Resume keeping soil moist day after application and especially during hot dry weather, if possible.

LAWNS: Usage Rates: (for 85°F. and above) Use 1 pint in 30 gallons of water to cover 3000 sq. ft. of area, and 1 quart in 60 gallons of water to cover 6000 sq. ft. of area. Use twice the amount of ferti-lome CRABGRASS AND DALLIS GRASS KILLER specified above if temperature remains below 85°F. as in spring and fall. Two treatments are needed at 5 to 7 day intervals.

To control new growth later in season, repeat as necessary. Lawn may be reseeded when crabgrass is dead. Do not overspray in spots. New turf should not be treated until after the third mowing.

Do not use on St. Augustine, Carpet, Centipede grass or dichondra. If more than recommended rate is used, most grasses, including Zoysia, will show temporary discoloration. Normal color will return in a few days.

Right Hand Panel

3. HERE ARE THE RESULTS YOU MAY EXPECT.

ferti-lome CRABGRASS AND DALLIS GRASS KILLER used according to directions will help to give you a beautiful lawn free of crabgrass and dallis grass so that you will enjoy your yard more.

WARNING: Do not spray or allow to drift onto desirable flowers, trees, shrubs, vegetables or into lakes or streams. Do not store near fertilizer, fungicides, insecticides or seeds.

CAUTION: Harmful if swallowed. Do not get in eyes or on the skin. If spilled on skin, wash off immediately with warm water and soap. Flush eyes with clear water. Avoid any inhalation of spray mist. Avoid contamination of feed, foodstuffs, streams or other water sources. Keep beyond the reach of children and domestic animals. Keep livestock off treated areas. Wash hands after using.

Right Hand Panel  
Continued

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

NOTICE: the ferti-lome people make no warranty, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither the ferti-lome people nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material on these conditions.

USDA Reg. No.

the ferti-lome people

Bonham, Texas

Net Contents 1 Quart

