12/21/971

(Front Panel)

ferti-lome

CRABGRASS & DALLIS

GRASS KILLER

ACCEPTED

OSC 2, 1971

UNDER THE FEDERAL INSECTICIDE

ON AGRICULE AND RODENTICIDE ACT

FOR AGRICULE AND REGISTER
CONTINUE AND MEDISTER
TO ACCEPTED

ACCEPTED

SUBJECT

TO ACCEPTED

AC

* KILLS CRABGRASS, DALLIS GRASS, JOHNSON GRASS, SANDBUR, NUTGRASS, BUR CLOVER, CHICKWEED, BARNYARD GRASS AND CERTAIN OTHER NUISANCE GRASSES IN BERMUDA, BLUEGRASS AND ZOYSIA GRASS LAWNS

* 4 TEASPOONS MAKE 1 GALLON OF SPRAY

Active Ingredient:

Total 100.0%

Total arsenic (as elemental) all in water soluble form 6.1%

NET CONTENTS 1 PINT LIQUID

CAUTION

(18 Point)

KEEP OUT OF REACH OF CHILDREN

(12 Point)

See Back Panel for Additional Cautions

(Back Panel)

1. WHAT IS THIS PACKAGE FOR?

This is a newer and more effective selective post-emergence weedkiller developed to kill Crabgrass, Dallis Grass, Johnson Grass, Sandbur (sandspur), Nutgrass, Chickweed, Bur Clover, Barnyard Grass, Water Grass, Goose Grass, Nutsdege, Ragweed, Foxtail and Puncture Vine.

2. HOW DO YOU USE IT?

Be sure soil is moist before treatments. During dry spells, water thoroughly before making applications. Normal rainfall following application will not adversely affect results. Resume keeping soil moist day after application, especially during bot dry weather.

LAWNS: Best results are obtained on young, actively growing weeds at temperatures above 70° F. Mix 4 teaspoons in 1 gallon of water and apply to 100 sq. ft. (or 1 pint in 30 gallons of water applied to 3000 sq. ft.) Spray thoroughly to wet all undesirable weeds. Use twice the above specified rate if temperature remains below 70° F. as in spring and fall. Two treatments are needed at 5 to 7 day intervals.

Page 2.

To control new growth later in season, repeat as necessary. Lawn may be reseeded when crabgrass is dead. Do not overspray in spots. New turf should not be treated until after the third mowing.

NOTE: Do not use on St. Augustine, Carpet, Centipede or Dichondra grass lawns.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

Lawns free of Crabgrass, Dallis Grass and other listed weeds may be obtained with this effective and economical weed killer.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Do not contaminate feed or foodstuffs. Keep children and domestic animals off treated areas until this material has been washed into the soil.

Do not spray or allow to drift onto desirable vegetation.

Do not store near fertilizers, fungicides, insecticides or seeds.

Do not contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

Do not reuse container for any purpose. Destroy empty container.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given horewith.

EPA Reg. No. 7401-28

VOLUNTARY PURCHASING GROUPS, INC.

BONHAM, TEXAS