



007401-00031-120883

Printed: 07:23:29 Friday, 18 Jun, 1999 # 44 / 3322

Systems Integration Group, Inc.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

PM 25

7401-31

12/08/83

page 1 of 5

Mr. Matthew D. Vickers
 Voluntary Purchasing Group, Inc.
 P.O. Box 460
 Bonham, TX 75418

DEC 8 1983

Dear Mr. Vickers:

Subject: Methanearsonates
 Ferti-lome Nutgrass Killer
 EPA Registration No. 7401-7
 Ferti-lome Nutgrass & Weed Killer
 EPA Registration No. 7401-31
 Ferti-lome Decimate + Surfactant
 EPA Registration No. 7401-45
 Hi-Yield DSMA Liquid Herbicide
 EPA Registration No. 7401-130
 Ferti-lome Liquid Nutgrass Killer
 EPA Registration No. 7401-168
 Hi-Yield Super Decimate
 EPA Registration No. 7401-215
 Ferti-lome Dandelion and Crabgrass Killer
 EPA Registration No. 7401-263
 Ferti-lome Bermuda Grass Weeder
 EPA Registration No. 7401-332
 Hi-Yield Herbicide
 EPA Registration No. 7401-358
 Ferti-lome Improved Bermuda Grass Weeder
 EPA Registration No. 7401-366
 Your Submission dated November 22, 1983

The amendments referred to above, submitted in connection with registration under FIFRA are acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Change the statement to read - Keep children and pets off treated area until material is washed into soil.
 - b. Under the human hazard statement, change the first sentence to read - Harmful if swallowed. For EPA Registration No. 7401-358,

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

-2-

your previously accepted labeling read - Harmful if swallowed or inhaled.

c. For registration 7401-263, reinstate - Causes irritation of eyes and skin.

2. Submit one (1) copy of your final printed label for each product before you release the product for shipment.

A stamped copy of each label is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

DCR-10811:Mountfort:12/7/83:del.12/19/83:RD-17:tar

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

ferti-lome NUTGRASS & WEED KILLER was developed to aid people kill Nutgrass, Dallis Grass, Sandbur (Sandspur), Johnsongrass, Barnyardgrass and similar type weeds in ornamental beds, around shrubs and trees, sidewalks and other similar areas in Bermuda, Zoysia and Bluegrass lawns.

2. HOW DO YOU USE IT?

For best results apply when temperature is 80°F and above. Remove protective cap. Insert free sprayer that comes with each container. Apply one or two squirts of spray to each Nutgrass or other undesirable weed. Thoroughly wet leaves of each plant. In 4-10 days plants begin to turn yellow and then die. Since several Nutgrass plants may emerge from buds on the crown of a single plant, weekly applications during the growing season may be necessary to clean up a spot infested with Nutgrass.

To kill clumps of Dallis Grass, Sandburs and other listed and similar weeds, apply several squirts to each slump thoroughly wetting leaves of each plant.

Do not apply to desirable vegetation. Do not apply to Nutgrass or other weeds in St. Augustine or centipede lawns. NOTE: Bermuda, Zoysia and Bluegrass may be temporarily browned, but will recover in 2-3 weeks.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

ferti-lome NUTGRASS & WEED KILLER, Used according to directions, will kill Nutgrass, Dallis Grass, Sandburs and other listed and similar weeds in Bermuda, Zoysia and Bluegrass lawns, in ornamental beds, around shrubs and trees, sidewalks and other similar areas.

STORAGE: Store in original container and place in a locked storage area.

DISPOSAL: Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep children and pets off treated area until foliage is dry. Wear protective clothing when handling or apply this product, including long pants, long-sleeve shirt, and impermeable gloves and boots.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

