

# ferti·lome

ferti·lome

# ferti·lome

## LAWN WEED KILLER GRANULES

### FOR CONTROLLING WEEDS IN

COMMON BERMUDA, BAHIAGRASS, ZOYSIA, KENTUCKY BLUE, MERTON BLUE, RED TOP, CREEPING RED FESCUE, AND ST. AUGUSTINE GRASS AND RYEGRASS LAWN GRASSES.

Directions for use: ...  
Apply to lawn ...  
Do not water ...  
Do not mow ...

236%  
69%  
99.074%  
100.000%

#### CAUTION

WARNING: ...  
Keep out of reach of children ...  
Do not use in areas where ...  
Do not use on lawns containing ...  
Do not use on lawns containing ...

Voluntary Purchasing Groups, Inc.  
Bonham, Texas 75418

Net Wt. 30 Lbs.

LAWN WEED KILLER GRANULES  
FOR CONTROLLING WEEDS IN  
COMMON BERMUDA, BAHIAGRASS, ZOYSIA, KENTUCKY BLUE, MERTON BLUE, RED TOP,  
CREEPING RED FESCUE, AND ST. AUGUSTINE GRASS AND RYEGRASS LAWN GRASSES.

Application instructions and product details for the lawn weed killer granules, including application rates and safety warnings.

1974

MADE IN U.S.A.

DO NOT CONTACT


DO NOT INGEST

DO NOT FEED

weeds... your lawn

\$495

Coverage  
3,000 Sq. ft.



Net Wt. 40 Lbs.

# ferti-lome.

## WEED & FEED

FOR CONTROLLING WEEDS IN  
COMMON BERMUDA, ST. AUGUSTINE, BAHIA, ZOYSIA,  
KENTUCKY BLUE, MERION BLUE, RED TOP, CREEPING RED  
FESCUE, AND RYE GRASS LAWN GRASSES.

11-5-6

**CAUTION:** Keep out of reach of children. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid application on garden plants, flowers and shrubs. Do not store near fertilizers, acids, insecticides, or fungicides. Do not contaminate irrigation ditches or water used for irrigation purposes. Do not apply within drainage of fishable traps and ditches. Do not contaminate fish ponds or any body of water. Do not use in greenhouses. Do not apply directly or allow to drift to vegetables, flowers, grapes, fruit trees, or ornamental shrubs, cacti or other desirable plants. Vapor from this product may injure susceptible plants in the immediate vicinity. Do not reuse container. Destroy when empty.

**GUARANTEED ANALYSIS\***

Total Nitrogen (N)	11.00%
16.25% Ammoniacal Nitrogen	
Fast Release Nitrogen	
Available Phosphate Acid (P <sub>2</sub> O <sub>5</sub> )	3.00%
**Available Potash (K <sub>2</sub> O)	4.00%
Control Weed-Killing Herbicide: Aminoacetic Acid, Sulfate of Ammonium, Ammonium Nitrate, Polyphosphoric Acid, Sulfate of Potash	
*To Analyze with METHOD GUARANTEED ANALYSIS	
**to state requiring, such Water Soluble (K <sub>2</sub> O)	
ACTIVE INGREDIENTS (Relative to herbicide control)	
Dimethylammonium Salt of Dandelion (2,6-Dichloro-4-nitro acid)	10.47%
Diethylammonium Salt of 2,4-Dichlorophenoxyacetic acid	31.10%
INERT INGREDIENTS	58.43%
Total	100.00%
*Equivalent to 2000% 2,6-Dichloro-4-nitro acid (dandelion)	
*Equivalent to 2,4-D Acid	250%

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
EPA Reg. No. 7401-37  
VOLUNTARY PURCHASING GROUPS, INC.  
Bonham, Texas 75418

# ferti·lome

## WEED & FEED FOR CONTROLLING WEEDS IN

COMMON BERMUDA ST. AUGUSTINE BAHIA ZOYSIA  
KENTUCKY BLUE MERION BLUE RED TOP CREEPING  
RED FESCUE AND RYE GRASS LAWN GRASSES

the food for lawns

NET WT. 40 LBS.

# ferti·lome

INTRODUCTION  
By Stephen J. Garver  
LAWN & GARDEN EDITOR

Dear Felix:


I recommend the package of Ferti-lome WEED & FEED FOR COMMONWEED WEEDS because I have found it most effective. I think you will find the following information complete and easy to follow.

### 1. WHAT IS THIS PACKAGE FOR?

Ferti-lome WEED & FEED FOR COMMONWEED WEEDS is for applying to your lawn when you want to give it a good feeding and at the same time kill weeds.

### 2. HOW DO YOU USE IT?

For best results apply when temperature is 60°F. or above. Apply one 40 lb. bag per 5000 square feet of lawn area. Apply uniformly using broadcast application. Apply when grass is dry and water is through. See Chart below for proper Ferti-lome quantity needed to apply the product. Apply when weeds have appeared and before they reach maturity. Use all granules when stopping or turning wheels.



Always package can be used only as a guide. They are not absolute. The speed at which the applicator works, the quality of the granules and the nature of the soil will affect the rate of fertilizer application.

Do not use on Bermuda, St. Augustine, Bahia or other grasses. Do not use on St. Augustine. Worst thing which is most effective when weeds are growing rapidly. Use it normally during time of year granules, eliminate moisture and plant food. Treatment during dry or cool weather will be more effective.

Use bags should be well established and covered at least twice before granules. Do not use on lawn where cover is dense. Granules granules should be applied to 1000 sq. ft. Apply granules apply 1-40 lb. bag per 5000 sq. ft. of lawn area. Repeat application if necessary in 10-15 days.

### 3. HOW ARE THE RESULTS YOU CAN EXPECT?

Ferti-lome WEED & FEED FOR COMMONWEED WEEDS applied according to directions will give you control of dandelion, broadleaf, chickweed, lambsquarters, plantain, clover, wild radish, yellow dock, Canada thistle, spurge and other dandelion weeds and the same time completely fertilize your lawn due to the application of a complete plant food.

By Stephen J. Garver

Stephen J. Garver is the editor and by the Ferti-lome people is getting ready to report on developments in the industry. He is also the author of the book "The Lawn & Garden" published by the Ferti-lome Company. He is also the author of the book "The Lawn & Garden" published by the Ferti-lome Company. He is also the author of the book "The Lawn & Garden" published by the Ferti-lome Company.