

PM-19

Reg # 7401-38

194

Front Panel

ferti-lome (R)

Liquid Sevin Home Garden Spray

\* Can Be Used On Ornamentals, Home Lawns, Trees, Vegetables, and Citrus Trees.

\* 4 Teaspoons Make 1 Gallon of Spray for certain Uses.

ACTIVE INGREDIENT:

Carbaryl: (1-naphthyl N-methylcarbamate).....	23.7%
INERT INGREDIENTS:.....	76.3%
TOTAL	<u>100.00%</u>

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

**ACCEPTED**  
**APR 02 1997**  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 7401-38

96 DEC 27 18:26

RECU... P/DPD1

BACK PANEL

294

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelin.

READ ALL DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS BEFORE USING.

Apply when air is calm to avoid frift and contact with eyes and skin. Start spraying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering.

For trees taller than 10 feet, consider hiring a licensed professional. Spray thoroughly to wet upper and lower leaf surfaces, stems, and branches.

Do not repeat applications more than once a week.

1. WHAT IS THIS PACKAGE FOR?

ferti-lome Liquid Sevin Home Garden Spray is an easy to use insecticide for use on Ornamentals, Lawns, Fruti Trees, Shade Trees, Vegetables and Citrus Trees.

2. HOW DO YOU USE IT?

SHAKE WELL BEFORE USING OR SAMPLING. Mix 4 teaspoons per gallon of finished spray desired. Use on ROSES, FLOWERS, ORNAMENTALS, SHRUBS AND SHADE TREES. Helps control ANTS, APPLE APHID, ARMYWORM, AZALEA LEAFMINER, BAGWORMS, BIRCH LEAFMINER, BLISTER BEETLE, CHIGGERS, CUTWORMS, FULLER ROSE BEETLE, GRASSHOPPERS, JAPANENSE BEETLE, LEAFHOPPERS, MEALYBUGS, CERTAIN LEAFMINERS, ROSE APHID, ROSE CHAFER, SCALE INSECTS, TENT CATERPILLAR, TICKS, WEBWORMS AND OTHER INSECTS.

Start spraying when insects or damage appear. Spray thoroughly covering both sides of leaves, stems and branches. Repeat application in 7-10 days as necessary to maintain control.

VEGETABLES: Mix 4 teaspoons per gallon of finished spray desired. Spray thoroughly to wet upper and lower leaf surfaces, stems and branches. Follow Pre-Harvest Intervals (PHI) listed in ( ) following each individual crop or plant. subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

BEANS(3), PEAS (3), CABBAGE (3), BROCCOLI (3), BRUSSELS SPROUTS (3), CAULIFLOWER (3), RADISHES (3), CARROTS (3), CELERY (3), CORN (3), CUCUMBER (3), MELLONS (3), PUMPKIN (3), SQUASH (3), HEAD LETTUCE (3), LEAF LETTUCE (14), OKRA (3), POTATO (3), TOMATO (3), EGGPLANT (3), PEPPER (3)

Controls these listed insects and others: Assorted Beetles, Armyworms, Cutworms, European Corn Borer, Tarnished Plant bug, Leafhoppers, Grass-hoppers, Harlequin Bug, Chinch Bugs, Stink Bugs, Tomato Hornworms.

FRUIT & CITRUS TREES INCLUDING: APPLES\*, PEARS, GRAPEFRUIT, LEMONS, LIME, ORANGES, TANGERINES, PEACHES, APRICOTS, NECTARINES, PLUMS, CHERRIES, PECANS AND WALNUTS, mix 4 teaspoons ferti-lome Liquid Sevin Garden Spray per gallon of finished spray desired. Spray thoroughly to wet upper and lower leaf surfaces, stems and branches. Do not apply within 5 days of harvest. For trees taller than 10 feet, consider hiring a licensed professional. Do not repeat applications more than once a week.

For control of Apple Aphid, Apple Maggot, Bagworms, Tent Caterpillars, Gypsy moth, Japanese beetle, Codling moth, Cucumber Beetles, Fruit Tree Leafrollers, Lesser Peach Tree Borer, Plum curculio, Red-banded Leaf Roller, Citrus Cutworm, Orange Tortrix, Scale, and many others.

HOME LAWNS: Mix 1/2 pint in 15 gallons of water and apply to 500 sq-ft. of home lawn to control Ants, Armyworms, Chiggers, Cutworms, Earwigs, European Chafer, Grasshoppers, MOSQUITOES (Adults), Springtails, Ticks. Apply to mowed lawns.

For CHINCH BUGS, SOD WEBWORMS, Mix 1 pint in 15 gallons of water and apply to 500 sq-ft. of mowed lawn. Treat entire grass area rather than just damaged areas. Irrigation of lawn grass area before treatment will aid in penetration of insecticide into turf grass.

Repeat application in 2-3 weeks if necessary. Do not allow children, pets or domestic animals on treated lawn until the insecticide is washed off the grass into the soil by sprinkling or rainfall and grass is completely dry.

ADULT MOSQUITO CONTROL: Apply 2 1/2 to 5 tsp. per gallon of water to trees, ornamentals, woody plants, shrubs and lawns. OBSERVE BEE CAUTION. Treat shrubbery and areas where adult mosquitoes congregate. Treat when adult mosquitoes are active in early mornings or late evenings. Repeat at 7 to 10 day intervals. CAUTION: May kill shrimp and crabs. Do not use in areas where these are important resources.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

ferti-lome Liquid Sevin Home Garden Spray used according to directions controls certain insects on plants, trees and other areas.

STORAGE AND DISPOSAL

STORAGE: Store in original container and place in a locked storage area.

DISPOSAL: Do not reuse container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: may be harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

USER SAFETY REQUIREMENTS

- \* Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when mixing and applying this product.
- \* Wear a hat and eye protection when making overhead applications.
- \* Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use.
- \* Wash the outside of gloves before removing. As with any pesticide product wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- \* Avoid contamination of food and feed.
- \* Do not allow children or pets to contact treated area until sprays have dried.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of throat with finger. Contact a physician immediately in all cases of suspected poisoning.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Food utensils such as teaspoons and tablespoons should not be used

for food purposes after use with pesticide.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

NOTE: Product freezing temperature 32°F. Satisfactory utility is restored after thawing and mixing of product. Repeated 0-10° freezing-thawing may impair utility.

Sevin (R) Registered trademark of Rhone-Poulenc for carbaryl insecticide.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 7401-38

EPA EST. NO. 7401-TX-1

Voluntary Purchasing Groups, Inc.

Bonham, Texas 75418

- Net Contents 8 fl. ozs.
- 16 fl. ozs. (one pint)
- 32 fl. ozs. (one quart)