

3-11-71
2401-49

ferti·lome

controls pesky soil insects and feeds your lawn in one easy operation.

\$395 Coverage 3,000 Sq. ft.

COMPLETE PLANTAGE

CONTAINING CHLORDANE INSECTICIDE FOR CONTROL OF SOIL INSECTS

CAUTION KIEF OUT OF MEACH OF CHECKEN

HARMFUL IF SWALLOWID, INHALES CIR ANGENESS THROUGH THE SIGH, Its not breathe dust. Skin contact may be for Avoid contact with alle. Which fees and house builts with the weekly ofter housing. Change to clean clothing

Do not apply whose runtill is thely to cour. Apply this product only as specified on this label.

AVOID CONTAMBIATION OF FRED AND POODSTUFFS.

This product is tends to flak and wildlife. Keep out of any body of water. Birds feeding on treated areas may be I PRECAUTIONs Clean up spillage and bury. Empty bags should be destroyed by burying with waste or by burning. If KEEP OUT OF SMOKE.

ANTIDOTE: External - in case of skin centect, wash promptly with scap and water.

Internal - Emetic of 1 tablespaanful mustard in tumbler of water. Call a physician immediately.

KILLS SOIL INSECTS INCLUDING SOD WEIMFORMS, WHITE GRUSS, ANTS (Including fire, harvester and leaf cutific chiggers, ticks, mosquitoes (Adul), Lawn Moths, Green, June, White-Fringed and Asiatic Garden Beftle ... BOXELDER BUGS, EARWIGS, WIREWORMS AND EUROPEAN CHAFER LARVA.

ACTIVE INCREDIENTS:

Technical Chierdane*

INERT INGREDIENTS:

Tetal

Total

Tot

* Equivulent to 0.2472% Octachloro-4,7-methanotetrahydroindane and 0.1648% related compounds.

ACCOPTED

3-11-21

farti-Inna

Net Wt. 40 Lbs.

CONTAINING CHLORDANE INSECTICIDE FOR CONTROL OF SOIL INSECTS

11-5-6

GUARANTEED ANALYSIS'

Total Nitrogen (N) 10.26% Ammoniacal Nitrogen .74% Nitrate Nitrogen	11.00%
Available Phosphoric Acid (P2O5)	5.00%
Water Soluble Potash (K2O)	6.00%
Primary Plant Foods Derived from: Sulphate of Ammonia, Ammoniated Superphosphate & Muriate of Potash.	J
Soil Conditioners: Bone Meal, Cottonseed Meal, Blaud Meal, Rice Hul	5.
In Michigan reads minimum guaranteed analysis. Contains 8.24 lbs. technical chlordane per ton.	
ACTIVE INGREDIENTS: Technical Chlordane INERT INGREDIENTS:	0.412% 99.588%
Total	00.000%
' Equivalent to 0.2472% Octachloro-4,7-	

CAUTION KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Do not take internally Du not breathe dust. Skin contact may be harmful. Avoid contact with skin. Wash face and harids before eating. Wash thoroughly after handling.

Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

methanotetrahydroindane and 0.1648% related compounds.

AVOID CONTAMINATION OF FEED AND FUODSTUFFS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be harmed.

PRECAUTION: Clean up spillage and bury. Empty bags should be destroyed by burying with waste or by burning. If burned, KEEP OUT OF SMOKE.

ANTIDOTE: External - In case of skin contact, wash promptly with soap and water.

Internal - Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician immediately

Fla Reg. No. 370-1046

USDA Reg No. 7401-49

Voluntary Purchasing Groups, Inc. Bonham, Texas 75418

Sy Stephen F. Course Caustica

3 /

Dear Folker

14C, 4

WHAT IS THIS PACKAGE FOR?

- ommend the package of ferti-lame above.

THE CONTROL OF THE COME OF THE CONTROL OF THE CONTR

2. HOW DO YOU USE IT?

Lawns. Follow directions in chart below.

	ONE BAG COVERS	
SPREADER	3000 Sq. Ft. SPREADER SETTINGS!	To bend good?
ferti-lome Cyclone	41/2	teed ferti-lome
ferti-lome Deluxe	8	monthly during
Jackson	7	growing season.
Lawn Beauty	6	
Scott's	61/2	
Sears	8	
Central	8	

These settings can be used only as a guide, they are not absolute. The speed at which the applicator walks, the condition of the spreader and the texture of the turk will alter the rate of fertilizer application.

NOTE: KEEP CHILDREN AND PETS OFF TREATED LAWNS UNTIL THE FERTILIZER-INSECTICIDE MIXTURE HAS BEEN WASHED OFF THE GRASS AND INTO THE SOIL AND THE GRASS IS COMPLETELY DRY.

I have found that you get best results by using ferti-lame spreaders and settings and then water-ing in thoroughly.

I have found it a good idea to always wash off any ferti-lome that comes in contact with foliage or stems and around tree trunks.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

My research has proven that ferti-lome Containing CHLORDANE INSECTICIDE FOR CONTROL OF SOIL INSECTS, used according to directions, will aid you in having one of the preitiest, greenest yards in your neighborhood and at the same time control soil insects so that you may enjoy your lawns and outdoor areas to the fullest extent.

Plant food and water are both necessary for proper turf management. However, quite often it has been found that lesser amounts of water are necessary to keep turf green and growing when the above feeding schedule is followed.

stephen F. Consad

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with either chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the solier. Bayer assumes all risks of use, storage or handling of this paterial act in strict accordance with directions given berwith.

[&]quot;Stephen F. Conrad a the name used in publishing results of resourch and development work conducted by the many specialists who have prepared the above directions.