



DIRECTIONS FOR USE

Dilution: 2½ tablespoons Rose Spray per gallon of water. Regular spraying with Rose Spray at 7 to 10-day intervals is recommended. During periods favoring powdery mildew infestation, it may be necessary to spray at weekly intervals. Do not spray if temperature is above 95 degrees F.

ROSES: Kills aphids, thrips, red spider, white flies, Japanese and May beetles, cucumber beetles, rose chafers, and controls powdery mildew. Early insect and powdery mildew control on roses is necessary as an aid to producing healthy, fast growing, and early blooming roses.

SHRUBS: To control such insects as white flies, lace bugs, spider mites, buck and holly leaf miners, leafhoppers, May beetles, Japanese beetles, webworms, tent caterpillars, powdery mildew on crêpe myrtle and photinia, spray thoroughly.

FLOWERS: To control aphids, spider mites, leaf miners, leafhoppers, armyworms, cutworms, thrips as well as powdery mildew, spray when insects or disease appear. Repeat as necessary.

WARNING: Do not use on food crops. Do not use on humans or pets. Contact with skin can cause toxic symptoms. Do not breathe spray mist or allow skin contact. In case of spillage on skin, wash immediately with soap and water. Poisoning may occur as a result of exposure. Avoid contamination of feed and foodstuffs. May be fatal if swallowed, inhaled, or absorbed through skin. Keep out of reach of children. Keep children and pets away from treated areas and do not handle plants until dry.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be harmed. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

WONDER CHEMICAL COMPANY

San Antonio, Texas
E.P.A. Reg. No. 7393-41

- With Systemic Insecticide for Aphids, Thrips, Spider Mites
- Karathane for Powdery Mildew
- Systemic Insecticide is Absorbed into Leaves and Translocated to all Parts of Plant
- Can be Used on Flowers and Shrubs for Insect and Powdery Mildew Control

ACTIVE INGREDIENTS:

*Methoxychlor, technical	12.50%
**S-[2-(Ethylsulfinyl)ethyl] O, O-dimethyl phosphorothioate	6.25%
**2-(1-Methylheptyl)-4, 6-dinitrophenyl crotonate	1.40%
And other nitrophenols and derivatives, chiefly	
1-methylheptyl-4, 6-dinitrophenol	0.15%
Aromatic Petroleum Distillates	63.00%
NETT INGREDIENTS:	
Total	
12.50% Methoxychlor, technical, is equivalent to 11% 2, 2-bis(p-methoxy phenyl)-1, 1, 1-trichloroethane and 1.5% other isomers and reaction products.	
**Meta-Systox® reg. trademark Forbenfabriken Bayer, A.G., Chemagro Corp. licensee U.S. Pat. No. 2,791,599	
**Karathane reg. trademark Rohm & Haas	

WARNING: KEEP OUT OF REACH OF CHILDREN
See other warnings on back of label.

2. HOW DO YOU USE IT?

Shake well before using. Hold container 18 to 25 inches from plants. Keep finger tip out of spray. Spray about 1 foot of plant per second in a sweeping motion or in short spurts at intervals.

ORNAMENTALS: Spray undersides and undersides of leaves and branches until wet with spray. Repeat the application at 14 to 21 day intervals until scale is controlled.

Fern Home OIL SPRAY AEROSOL may cause plant injury to house plants such as ferns and the like. Do not spray in mid-day, with the sun, if temperature is above 95° F. Spray in late afternoon or early morning.

FRUIT & OTHER TREES: To control San Jose scale on peaches, plums, pears, apples and other trees; obscure scale on pecans, spray trees thoroughly until branches, twigs and both leaf surfaces are wet with the spray. Repeat in 3 to 4 weeks if necessary.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

Fern Home OIL SPRAY AEROSOL when used according to directions is an effective and economical way to control scale on ornamentals, shrubs, and shade trees, such as red scale on camellias, scale on oleanders, citrus scale on citrus, azalea scale on azaleas, white peach scale on peach, scale on citrus trees, rose scale on roses, magnolia scale on magnolias, and other scales on enduring plants.

WARNING — FLAMMABLE: Do not store or use near heat or open flame.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes.

Contents under pressure. Do not puncture. Exposure to high temperatures may cause bursting. Keep at room temperature — away from direct sunlight, radiators, stoves, hot water or other heat. Never throw container into fire or incinerator.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

14M 1-12

EPA Reg. No. 7401-55

MANUFACTURED FOR
VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

3/93

OIL SPRAY

STANDARD

CONTROLS SCALE ON ORNAMENTALS, FLOWERING SHRUBS AND TREES

- CAN BE USED ANYTIME
TEMPERATURE IS NOT OVER 95° F
- ADDS SHINE TO FOLIAGE

DAILY INGREDIENTS

FORMULA 55

MONTHLY INGREDIENTS

CET

SPRAY DYE

WATER
7800
OXYGEN

CONTAINS 10% VITAMIN E

DANGER! KEEP OUT OF REACH OF CHILDREN
SEE INSTRUCTIONS FOR ADDITIONAL cautions

