

1. WHAT IS THIS PRODUCT FOR?

This product, developed with the rosarian in mind, makes rose insect and disease control easier. It contains an insecticide and fungicide that will fill your rose care needs.

2. HOW DO YOU USE IT?

Mix 5 tablespoons in 1 gallon of water. Spray plants on both sides of foliage to the drip point. Penetrate dense foliage. Repeat as necessary. Make new spray for each use. Follow directions as listed below.

ROSES: To kill Rose and Apple Aphids, Rose Slugs, Leaf Rollers, Plant Bugs, Japanese and June Beetles, Tent and Puss Caterpillars, Scale Insects (crawlers), Orange tortrix and to control Blackspot, Blossom blight and to suppress Powdery Mildew, apply as pests or diseases appear. Repeat application at 7-14 day intervals throughout growing season. Use 7 day intervals during wet weather or severe disease conditions.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as recommended, this product will kill aphids, rose slugs, thrips, tent caterpillars, Japanese beetles and certain other listed insects, control black spot and blossom blight and suppress powdery mildew on roses.

CAUTION: Keep out of reach of children. May be fatal if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash all contaminated clothing with soap and hot water before reuse.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Keep children and pets away from treated area until area is completely dry. Apply this product only as specified on this label.

Do not apply when weather conditions favor drift from area treated.

Should poisoning occur, obtain prompt medical aid.

TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Food utensils such as tablespoons or measuring cups should not be used for food purposes after use with pesticides.

This product is toxic to fish. Birds feeding on treated area may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting area.

Do not reuse container for any purpose. Destroy empty container.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

*Savin, Reg. Trademark of Union Carbide Corporation for Carbaryl insecticide.

**Daconil 2787® U.S. Patent No. 3,290,353 and No. 3,331,735.

©Diamond Shamrock Corporation

VOLUNTARY PURCHASING GROUPS, INC.
BONHAM, TEXAS

U.S.D.A. Reg. No. 7401-62

14M-1-71



ferti·lome®



ROSE SPRAY

\$3.42

- NEW DUAL-PURPOSE SPRAY MAKES ROSE CARE EASY
- CONTROLS BLACK SPOT, BLOSSOM BLIGHT AND CERTAIN OTHER FUNGI
- SUPPRESSES POWDERY MILDEW
- PROVIDES CONTROL OF APHIDS, ROSE SLUGS, THRIPS, LEAF ROLLERS, TENT CATERPILLARS, JAPANESE BEETLES AND CERTAIN OTHER INSECTS
- CONTAINS SPREADER-STICKER
- 5 TABLESPOONS MAKES 1 GALLON OF SPRAY

Active Ingredients:	
Carbaryl (1-Naphthyl N-Methylcarbamate)*	5.00%
Tetrachloroisophthalonitrile**	3.75%
Inert Ingredients:	91.25%
Total	100.00%

NET CONTENTS 1 PINT

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS



7401-62

8-11-1971

1/2

ACCEPTED

AUG 11 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

7401-62

e/c