

PM-19

Reg # 7401-62

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SS16336

19 5
200
17

APR 02 1997

Raymond H. Smith
Voluntary Purchasing Groups Inc.
P.O. Box 460
Bonham, TX 75418

Subject: ferti-lome® Rose Spray
EPA Registration No. 7401-62
Amendment dated 10/1/96
Response to Agency letter dated 10/1/96

Dear Mr. Smith:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

- a) In the USER SAFETY REQUIREMENTS box, correct the typographical error "andj" in the first sentence.
- b) In the USER SAFETY REQUIREMENTS box, change "As with and pesticide product,..." to "As with *any* pesticide product,..."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/s/

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure		CONCURRENCES					
SYMBOL							
SURNAME							
DATE							

Redwards A. 7401/62.1

3/31/97

(Front Panel)

295

ferti-lome(R)

ROSE SPRAY

- °New Dual-Purpose Spray Makes Rose Care Easy
- °Controls Black Spot, Blossom Blight
- °Suppresses Powdery Mildew
- °Provides Control Of Aphids, Rose Slugs, Thrips, Leaf Rollers, Tent Caterpillars, Japanese Beetles and Certain Other Insects
- °Contains Spreader-Sticker
- °5 Tablespoons Makes 1 Gallon of Spray

Active Ingredients:

Carbaryl (1-naphthyl N-Methylcarbamate)*..... 5.00%
Tetrachloroisophthalonitrile**..... 3.75%
Inert Ingredients:.....91.25%

Keep Out Of Reach Of Children

DANGER

See back panel for additional precautionary statements

ACCEPTED
with COMMENTS
in EPA Letter Dated

APR 02 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

7401-62

96 DEC 27 18:28

REC'D
W/DPD1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

USER SAFETY REQUIREMENTS

- * Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when mixing and applying this product.
- * Wear a hat and eye protection when making overhead applications.
- * Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use.
- * Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- * Do not allow children or pets to contact treated area until sprays have dried.

Apply when air is calm to avoid contact with eyes and skin.

Start spraying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering.

For trees taller than 10 feet, consider hiring a licensed professional.

Spray thoroughly to wet upper and lower leaf surfaces, stems and branches.

Do not repeat application more than once a week.

1. WHAT IS THIS PRODUCT FOR?

This product, developed with the rosarian in mind, makes rose insect and disease control easier. It contains an insecticide and fungicide that will fill your rose care needs.

2. HOW DO YOU USE IT?

Mix 5 tablespoons in 1 gallon of water. Spray plants on both sides of foliage to the drip point. Penetrate dense foliage. Repeat as necessary. Make new spray for each use. Follow directions as listed below.

ROSES: To kill Rose and Apple Aphids, Rose Slugs, Leaf Rollers, Plant Bugs, Japanese and June Beetles, Tent and Puss Caterpillars, Scale Insects (crawlers), Orange tortrix and to control Black spot, Blossom blight and to suppress Powdery Mildew, apply as pests or diseases appear. Repeat application at 7 - 14 day intervals throughout growing season. Use 7 days intervals during wet weather or severe disease conditions.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used as recommended, this product will kill aphids, rose slugs, thrips, tent caterpillars, Japanese beetles and certain other listed insects, control black spot and blossom blight and suppress powdery mildew on roses.

STORAGE: Store in original container and place in a locked storage area.

CONTAINER DISPOSAL: Do not reuse container. Wrap and put in trash.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

NOTE TO USER: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Wear long sleeve shirt, long pants, and gloves while mixing, loading and applying this product.'

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: May be harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Skin Sensitizer, wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin - Remove contaminated clothing. Wash affected areas with soap and water.

If In Eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor.

Atropine is antidotal. Persons having an allergic reaction (from Daconil(R)) respond to treatment with antihistamines or steroid creams and/or systemic steroids.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

* Sevin, Reg. Trademark of Union Carbide Corporation for Carbaryl Insecticide.

** Daconil 2787(R) U.S. Patent No. 3,290,353 and No. 3,331,735.

(R) Diamond Shamrock Chemical.

Voluntary Purchasing Groups, Inc.

Bonham, Texas 75418

EPA Est. No. 7401-TX-1

EPA Reg. No. 7401-62

Net Contents 16 fl. oz.