ド、サッパコー67

ACCEPTED

JUL 2 5 1985

University to the excellent Fun . 3 , ್ರಾಪಟದಾರೆ●  $\alpha x \in \mathbb{N}^{n_1}$ 

7401-67 PPA Reg. No.

ferti-lome(R)

ROSE SPRAY

containing

DIAZINON(R) & DACONIL(R)

ONew Dual-Purpose Spray Contains Insecticide-Miticide and Fungicide Making Rose Care Easy

OControls Black Spot, Blossom Blight And Suppresses Powdery Mildew

OProvides Control Of Aphids, Mites, Thrips, Leafhoppers, Leaf Miners, San Jose Scale (Crawlers) And Juniper Webworms

<sup>0</sup>4 Tablespoons Makes 1 Gallon Of Spray

Active Ingredients:

0,0-diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate\*..... Chlorothalonil (Tetrachloroisophthalonitrile)\*\*..... 6.0% Aromatic Petroleum Derivatives..... 74.3% Inert Ingredients:.... 15.5%

> Keep Out Of Reach Of Children WAPNING

See back panel for additional precautionary statements

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### 1. WHAT IS THIS PACKAGE FOR?

This product, developed with the rosarian in mind, make: rose insect and disease control easier. It contains an insecticide-miticide and a fungicide that fill certain of your rose care needs.

#### 2. HOW DO YOU USE IT?

•

Mix 4 tablespoons in 1 gallon of water. Spray plants on both sides of foliage to the drip point. Penetrate dense foliage. Make new spray for each use. Follow directions as listed below.

ROSES: To kill Aphids, Mites (European Red and Two Spotted) Thrips, Leafhoppers and Dipterous Leaf Miners, to control Black Spot, Blossom Blight and to suppress Powdery Mildew, apply as pests or diseases appear, repeating application at 7 - 14 day intervals throughout growing season. Use 7 day intervals during wet weather or severe disease conditions.

CAMELLIAS, AZALEAS, CHRYSANTHEMUMS, CARNATIONS, GLADIOLI, LILAC, THODODENDRON, ARBORVITAE, BOXWOOD, JUNIPER, HOLLY, EVERGREENS AND SHADE TREES: To kill Aphids, Mites, (Including Clover, Cyclamen, European Red, Privet, Two-Spotted Spider, Carnation Bug and Shoot), Bagworms, Leafhoopers, Leaf Miners (including Arborvitae, Azalea, Birch, Boxwood, Dipterous, Holly, and Oak), Whiteflies, Mealy Bugs, Scale Crawlers (including Cottony-Cushion, Lecanium, Pine Needle, Oak Pit Scale, San Jose, Soft and Euonymus Scale Crawlers), Thrips, Flea Beetles, Webworms (Juniper and Mimosa), European Pine Shoot Moths and Holly Bug Moths, apply as pests appear, repeating application as required. For Mimosa Webworms apply when adults appear, repeating twice at 4 - 5 week intervals. NOTE: Do not use on ferns, poinsettia, hibiscus, papaya, pilia, gardenia and orchids, since injury may occur.

### 3. HERE ARE THE REJULTS YOU MAY EXPECT!

When used as recommended ferti-lome Rose Spray will kill the listed insects, control black spot and blossom blight, suppress powdery mildew on roses and kill the listed insects on other flowers and shrubs.

# PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled. or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathé spray mist. Skin Sensitizer, wash thoroughly after handling.

## STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call a physician or Poison Control Center immediately. Drink I to 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an impossitious person.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. ... If On Skin - Remove contaminated clothing. Wash affected areas with soap and water. If In Eyes - Flush eyes with plenty of water Get Medical attention if irritation

NOTE TO PHYSICIAN: Persons having an allergic reaction, respond to treatment with antihistamines or steroid creams and/or systemic steroids.

BEST AVAILABLE COPY

uι

STORAGE: Store in original container and place in a locked storage area.

CONTAINER DISPOSAL: Do not reuse container. W ap and put in trash.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Offic for guidance.

NOTE TO USER: This product may product temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Wear long sleeve shirt, long pants, and gloves while mixing, loading and applying this product.

### ENVIRONMENTAL HAZARDS

This product is texic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

## PHYSICIAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the user or buyer.

\*Diazinon Reg. Trademark of Ciba-Geigy Chemical CO. \*\* Daconil US Patent No. 3,290,353 and 3,331,735

Voluntary Purchasing Groups, Inc.

Bonham, Texas 75418

EPA Est. No. 7401-TX-1

EPA Reg. No. 7401-67

Net Contents 16 fl. oz.