

1. WHAT IS THIS PRODUCT FOR?

You will find this broad-spectrum new formulation very helpful in controlling listed insects on your ornamentals, flowers, lawns and vegetable gardens, as well as aiding you in controlling insects on pets.

2. HOW DO YOU USE IT?

Punch out holes in top of shaker can. On plants apply in such a manner that a uniform, hardly visible coating results on both sides of foliage stems and all above ground parts. Best application as soon as insects appear, repeating at 7-14 day intervals throughout growing season. On vegetables intervals in days between last application of dust or harvest of product that may be harvested are indicated in parentheses after each crop heading. Follow animal directions as listed below. On lawns follow listed directions.

ORNAMENTAL FLOWERS AND SHRUBS:

Roses, Azaleas, Camellias, Gardenias, Chrysanthemums, Rhododendrons, Abutilons, Boxwoods, Junipers, Holly, Carnations, Gladioli, Lilies and Evergreens. To kill Elm Leaf, Rose and Apple Aphids, Rose Slugs, Birch, Ilex, Buckthorn and Oak Leaf Miners, Many Thrips, Leafhoppers and Leafminers. To kill Elm Leaf, Birch, Japanese June and Willow Leaf Beetles, Mayflies, Larva and Pupa Catepillars, Periodical Cicada, Scale Insects (crawlers); Orange Tortrix; Mimosa Webworms and Gypsy Moths. Do not use on Boston Ivy since injury may occur.

LAWNS:
To kill Chinch Bugs, Sod Webworms, (Lawn moths), Fall Armyworms, Cutworms, Ants, Fleas, Mosquitoes, Earwigs, Leafhoppers and Millipedes. Apply 1 lb. per 250 sq. ft. for best results now lawn and apply immediately after rain or watering. Thoroughly water lawn after application. Repeat at 2-3 week intervals if necessary. In Florida use 1 lb. per 200 sq. ft. for Chinch Bug.

VEGETABLES:

BEANS: (1) To kill Mexican Bean, Bean Leaf, Cucumber, Flea and Japanese Beetles, Leafhoppers, Vines, Bean Caterpillar, Western Bean Cutworm, Armyworms, Cutworms, Corn Earworm, Slugs and Tarnished Plant Bugs on Green Beans, Lima Beans, Snap Beans, Cowpeas and Black-eyed Peas.

CARROTS, HEAD LETTUCE, BEETS (roots): HORSERADISH, RADISHES, PARSNIPS, RUTABAGAS AND TURNIPS (roots): (3) To kill Armyworms, Cabbage Worms and Looper. Corn Earworms, Tarnished Plant Bug and Slugs. On lettuce heads for Corn Earworm use 5-7 day schedule. No time limitation on carrots.

CHINESE CABBAGE, COLLARDS, ENDIVE, BEETS (leaves), KALE, LEAF LETTUCE, MUSTARD GREENS, PARSLEY, SPINACH, SWISS CHARD AND TURNIP (tops): (14) To kill Armyworms, Cabbage Worms and Looper, Corn Earworms, Tarnished Plant Bugs and Slugs. CUCUMBERS, MELONS, PUMPKIN AND SQUASH: (9) To kill Pickleworms, Melonworms, Cucumber and Flea Beetles, Leafhoppers and Squash Bugs. Avoid excessive applications.

GARDEN PEAS: (6) To kill Leafhoppers, Potato Beetles, Armyworms and Grasshoppers.

POTATO, TOMATO, EGGPLANT AND PEPPERS: (6) To kill Colorado Potato Beetle, Flea Beetles, Leafhoppers, European Corn Borer, Fall Armyworm, Leaf Bugs, Tomato Fruitworms and Hornworms, Tarnished Plant Bugs and Slugs.

OKRA: (10) To kill Corn Earworms and Slugs.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER AND KOHLRABI: (3) To kill Flea Beetles, Harlequin Bugs, Armyworms, Cabbage Worms and Looper and Corn Earworms.

* To avoid possible injury, do not apply when foliage is wet or when rain or excessive humidity is expected during the next 2 days.

DOGS AND CATS:

To kill Fleas, Ticks and Lice dust lightly on pet then massage down to skin. Do not use more often than once every 7 days. Dust bedding #8 necessary to maintain control. Do not use on pets with nursing young under 4 weeks of age.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

When used according to directions, this new product will aid you in controlling most of your insect problems in your flower and vegetable garden and provide protection for your pets.

CAUTION: May be fatal if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Do not breathe dust. Wash thoroughly after using. To keep out of reach of children.

Do not re-use container for any purpose. Destroy empty container. Do not contaminate seed or foodstuffs.

TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidote.

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Keep out of any body of water.

Do not apply when weather conditions favor drift from area treated. Apply only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Service.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, matures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

30M-171 USDA REG. NO. 740-69

fentri•lome®



GARDEN DUST

\$1.29

3-10-1972

- KILLS APHIDS, BAGWORMS, CHINCH BUGS, CATERPILLARS, SOD WEBWORMS, ARMY WORMS, ROSE SLUGS, MEXICAN BEAN BEETLES, STINK BUGS, LEAF MINERS, FLEA BEETLES, LEAFHOPPERS AND 50 OTHER LISTED INSECTS.

- USEFUL FOR LISTED INSECT CONTROL ON ROSES, ORNAMENTALS, LAWNS, FLOWERS, SHRUBS AND VEGETABLES.
- MAY BE USED ON DOGS AND CATS FOR FLEAS, TICKS AND LICE.

KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Active Ingredient:

Carbaryl (1-naphthyl N-methylcarbamate)

Inert Ingredients:

Total, 5.0%
Carbaryl, 5.0%
50.0%
100.0%

Sevin, Reg. Trademark of Union Carbide Corporation for Carbaryl
Insecticide


VOLUNTARY PURCHASING GROUP INC., BONHAM, TEXAS
NET WEIGHT ONE POUND



7/2

EPA-FD

10-1-71



2/2