

ferti·lome

New!

\$2⁹⁸

UNIVERSAL BRAND SPRAY

For Roses, Shrubs, Ornamentals, Flowers, Trees

- CONTAINS SYSTEMIC AND CONTACT INSECTICIDES
- KILLS CERTAIN SAP SUCKING INSECTS
- KILLS CERTAIN LEAF FEEDING INSECTS
- 2 TABLESPOONS MAKE 1 GALLON OF SPRAY

ACTIVE INGREDIENTS:

S-[2-(Ethylsulfinyl) ethyl] O, O-dimethyl phosphorothioate* 5.00 %
Methoxychlor, Technical ** 5.00 %

INERT INGREDIENTS: 90.00 %
Total 100.00 %

**Equivalent to 4.4% 2,2-bis (p-methoxyphenyl)-
1, 1, 1-trichloroethane and 0.6% other isomers and related compounds.

WARNING

Keep Out Of Reach Of Chi'drer.
See Side Panel For Additional Warnings

position. Point nozzle in direction indicated by arrow. Press nozzle and spray insected surfaces until wet, moving the spray stream rapidly to prevent excessive wetting of surfaces and waste of material. Point spray away from people and pets. For best results apply before insects or diseases appear. Apply preferably in evening or early morning when air is still. Do not apply during heat of day or in direct sunlight. Apply at 7-10 day intervals throughout growing season. Do not use in combination with or closely following oil sprays. Do not use indoors or in confined areas. Do not attempt to spray against the wind. DO NOT use on Boston Ivy as injury may result.

By providing insect and disease control ferti-lome ROSE & FLOWER GARDEN SPRAY makes it easy and convenient for you to have more beautiful roses and flowers.

CAUTION: May be fatal if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Contact with skin, eyes or clothing should be avoided. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. If poisoning should occur, get prompt medical aid.

TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

Do not allow children in areas treated until surfaces are dry.

Wear regular long sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating or smoking. Wash thoroughly after use.

Toxic to bees. Do not apply when bees are actively visiting areas treated.

WARNING: Contents under pressure. Do not puncture. Exposure to high temperatures may cause bursting. Keep at room temperature — away from direct sunlight, radiators, stoves, hot water and other heat. Never throw container into fire or incinerator.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Active Ingredients:

Carbaryl (1-Naphthyl N-Methylcarbamate)*	0.500%
Folpet**	0.500%
Rotenone	0.200%
Other Cube Resins	0.400%
Pyrethrins	0.025%
Oxex (p-Chlorophenyl p-Chlorobenzenesulfonate)	0.125%
Di-n-propylmaleate Isosafrole Condensate***	0.250%
Inert Ingredients	98.000%
Total	100.00%

* Sevin, U.S. Patent Nos. 2,903,478 and 3,009,855

** N-(trichloromethylthio) phthalimide (PHALTAN*)

***N-propyl Isome

**Manufactured for VOLUNTARY PURCHASING GROUPS, INC.
Bonham, Texas**

14M-1-81

EPA Reg. No. 7401-70

ACCEPTED
9-14-71
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR HOMEOGENEOUS REGISTERED
ED UNDER NO. 7401-70





10